





I. ACCOUNT INFORMATION

P.O. # or Quote:

MEDm bility

5711- 104 St, Edmonton AB. T6H 2K1 P: 780-437-3300 • Fax: 780-430-9381

AADL Vendor: 0000612578-001

www.medmobility.ca • www.mmrehab.ca

User Weight:		_
User Height:		_
Seat Cushion Thickness:		_
Knee to Heel Length: Left:	" Right:	_'



THE ORDER CANNOT BE PROCESSED WITHOUT THE FOLLOWING:

- A user name or number, the client's measurements and weight Amylior is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
- Order confirmations will be provided by Amylior summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

*IN RED SHOWS THE ADDITION OF NEW OPTIONS, UPGRADES, PRICING MODIFICATIONS OR ADDED NOTES

2. STANDARD OPTIONS FOR HCPCS CODES

Alltrack R3 Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 8" front casters, and standard auto style buckle seat positioning strap, 6.5mph motors, Weight Capacity = 300 lb

3. ALLTRACK R3 POWER WHEELCHAIR

3. ALLTRACK	C R3 POWER WHEELCHAIR				
ATR3	ALLTRACK R3 Power Wheelchair				\$8,020
3.5 OWNER'S	MANUAL				
SOOMATENG	English / Anglais	N/C	SOOMATER	Français / French	N/C
4. USER WEI	IGHT PACKAGES				
WCA25	250 lb Maximum user weight capacity				STD
WCA3	300 lb Maximum user weight capacity				STD
5. STANDAR	RD COLORS Onyx Black Matte	N/C	SCRCAB	Cabernet	N/C
SCRCTB	Cobalt Blue	N/C	SCRBGM	Bubble Gum Metallic	N/C
SCRIOB	Indigo Blue	N/C	SCRHAB	Habanero Metallic	N/C
SCRCRE	Candy Red	N/C	SCRLIM	SubLime	N/C
5.5 WHEEL IN	SERT COLORS				
SCCTB-WI	Cobalt Blue	N/C	SCHAB-WI	Habanero Metallic	N/C
SCIOB-WI	Indigo Blue	N/C	SCLIM-WI	SubLime	N/C
SCCRE-WI	Candy Red	N/C	SCBGM-WI	Bubble Gum Metallic	N/C
SCCAB-WI	Cabernet	N/C			
	▲ Wheel insert colors are not compatible v	with optional Hydro	araphic colors (FCHDD), FCHWL and FCHCF)	

▲ Wheel insert colors are not compatible with the optional 14" X 4" Extra Wide Cast Wheels (DW144PT and DW144PI)

▲ Wheel inserts are not available in Onyx Black Matte









TTD4	4-Point wheelchair transport brackets		ST
	▲ 4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval.		
WC19-ISO	WC-19 and ISO 7176-19 Occupied Transit Package	CLIENT COST	\$59
	▲ To confirm if your overall wheelchair configuration is WC-19 and ISO 7176-19 compliant, please refer to this website: https://docs.google.com/spreadsheets/d/1KtcNIEA5OQJCS5z3OD1adWEIaFLN1XO3ZcTc6Dl_kaE/edit#gid=1917752765		
	▲ Other restrictions may apply, please contact CSR for details.		
	▲ This option is only available on new power wheelchairs as an "on-chair" option. It is not available to install on a delivered wheel	elchair.	
B. MOTOR PAC	KAGE		
MP65B	6.5MPH 4-Pole Motor Package / with Brake Release		ST
MP65-OPT	6.5MPH 4-Pole Motor MP65-OPT Package / with COG Release	CLIENT COST	
MP85	8.5MPH 4-Pole High Speed Motor Package / with COG Release	CLIENT COST	
MF 03	▲ Maximum user weight for this option is 250 lb and requires the R-net 120 Amp Expandable Controller (ECR120).	CELENT COST	ΨΟ7
10. BATTERY CH	APGED		
BCOB	8A Offboard Battery Charger		N/
			/_
	AY AND BASE WIDTH		
FS22B	Battery Tray for Group 22NF Batteries – (Total base width = 23 3/8")		ST
	The 23 3/8" compact base is not compatible with most of the Center Mount Front Rigging Options due to Mechanical conflicts		
	▲ The Straight Front Arm option is not available with any of the Center Mount Front Rigging Options due to Mechanical conflicts		
FS24B	Battery Tray for Group 24 Batteries – (Total base width = 25 3/8")		N/
DI EASE SELECT ONE	↑ The Straight Front Arm option is not available with any of the Center Mount Front Rigging Options due to Mechanical conflicts. OPTION FOR FRONT CASTER ARMS: FLARED OUT (STD) STRAIGHT (OPTIONAL)		
FLEASE SELECT ONE	OFFICINFORFRONT CASIER ARMS: FLARED GOT (SID) STRAIGHT (OFFICINAL)		
12. BATTERIES -	REQUIRES A SELECTION		
BAT22NFGEL	GEL Battery – Group 22NF – 50 Amps (Each)	AADL CONTRACT	RF
BAT24GEL	GEL Battery - Group 24 - 70 Amps (Each)	AADL CONTRACT	RF
			ST
DW14PT	14" Cast Wheel Pneumatic Tires		
DW14PT DW14PI	14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires	CUENT COST	N/
DW14PT DW14PI DW144PT	14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires	CLIENT COST	N/ \$20
DW14PI	14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires	CLIENT COST	N/0 \$20
DW14PT DW14PI DW144PT DW144PI	14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires Increases the overall width of the base by 2 3".		\$20 \$59
DW14PT DW14PI DW144PT DW144PI DW12PT	14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires Increases the overall width of the base by 2 3/4". 12 ½" Cast Wheel Pneumatic Tires		\$20 \$59 N/
DW14PT DW14PI DW144PT DW144PI	14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires Increases the overall width of the base by 2 3".		\$20 \$59 N/
DW14PT DW14PI DW144PT DW144PI DW12PT DW12PI	14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires Increases the overall width of the base by 2 ¾". 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic Tires 12 ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque.		\$20 \$59 N/
DW14PT DW14PI DW144PT DW144PI DW12PT DW12PI	14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires Increases the overall width of the base by 2 ¾". 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic Tires 12 ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque.		N/(\$20) \$59! N/(
DW14PT DW14PI DW144PI DW144PI DW12PT DW12PI DW12PI	14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires Increases the overall width of the base by 2 ¾". 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires Increases the overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque.		N/(\$20 \$59 N/(N/(
DW14PT DW14PI DW144PT DW144PI DW12PT DW12PI TOW12PI TOW12PI TOW15 TOWN TOWN TOWN TOWN TOWN TOWN TOWN TOWN	14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires Increases the overall width of the base by 2 ¾". 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires 12 ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. ERS 8" Pneumatic Casters		N/ \$20 \$59 N/ N/
DW14PT DW14PI DW144PT DW144PI DW12PT DW12PI 15. FRONT CAST FC8PTR FC8PIR	14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires A Increases the overall width of the base by 2 ¾". 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires A 12 ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. ERS 8" Pneumatic Casters 8" Pneumatic Casters with Foam Filled Tires		N/ \$20 \$59 N/ N/ ST N/ \$15
DW14PT DW14PI DW144PT DW144PI DW12PT DW12PI 15. FRONT CAST FC8PTR FC8PIR FC9PT	14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires Increases the overall width of the base by 2 ¾". 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires Increases the overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. Increases Wheel Pneumatic With Foam Filled Tires Increases Wheel Pneumatic With Foam Filled Tires Increases With Foam Filled Tires		N/ \$20 \$59 N/ N/ ST N/ \$15
DW14PT DW14PI DW144PT DW144PI DW12PT DW12PI 15. FRONT CAST FC8PTR FC8PIR FC9PT	14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires Increases the overall width of the base by 2 ¾". 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires Increases the overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. Increases Wheel Pneumatic with Foam Filled Tires Increases Wheel Pneumatic with Foam Filled Tires Increases Wheel Pneumatic With Foam Filled Tires Increases With Foam Filled Tires Increases With Foam Filled Tires Increase With Foam Filled Tires	CLIENT COST	N/ \$20 \$59 N/ N/ ST N/ \$15
DW14PT DW14PI DW144PI DW144PI DW12PT DW12PI 15. FRONT CAST FC8PTR FC8PIR FC9PT	14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires Increases the overall width of the base by 2 ¾". 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires Increases the overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. Increases the overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. Increases the overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. Increases the minimum seat to floor height by 1/2" and are NOT compatible with the 12 ½"	CLIENT COST	N/ \$20 \$59 N/ N/ ST N/ \$15
DW14PT DW14PI DW144PI DW144PI DW12PT DW12PI Town 12PI DW12PI Town 12PI To	14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires Increases the overall width of the base by 2 ¾". 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires Increases the overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. Increases Wheel Pneumatic with Foam Filled Tires Increases Wheel Pneumatic with Foam Filled Tires Increases Wheel Pneumatic With Foam Filled Tires Increases With Foam Filled Tires Increases With Foam Filled Tires Increase With Foam Filled Tires	CLIENT COST	N/ \$20 \$59 N/ N/ ST N/ \$15
DW14PT DW14PI DW144PI DW144PI DW12PT DW12PI 15. FRONT CAST FC8PTR FC8PIR FC9PT FC9PI	14" Cast Wheel Pneumatic Tires 14" X 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires It is increases the overall width of the base by 2 ¾". 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires It is increases the overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. It is increases motor torque. It is increase the minimum seat to floor height by 1/2" and are NOT compatible with the 12 ½" Drive wheel configuration (DW12PT and DW12PI) It is increase the front rigging sections #50 and #53 It is increase the minimum seat to floor height by 1/2" and are NOT compatible with the 12 ½" Drive wheel configuration (DW12PT and DW12PI)	CLIENT COST	N/ \$20 \$59 N/ N/ ST N/ \$15
DW14PT DW14PI DW144PI DW144PI DW12PT DW12PI 15. FRONT CAST FC8PTR FC8PIR FC9PI FC9PI FC9PI	14" Cast Wheel Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires A Increases the overall width of the base by 2 ¾". 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires A 12 ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. ERS 8" Pneumatic Casters 8" Pneumatic Casters 8" Pneumatic Casters with Foam Filled Tires 9" Pneumatic Casters with Foam Filled Tires A The 9" casters will increase the minimum seat to floor height by 1/2" and are NOT compatible with the 12 ½" Drive wheel configuration (DW12PT and DW12PI) A The 9" casters are NOT compatible with many front rigging options. Please see details in the front rigging sections #50 and #53 OR HEIGHT (MEASUREMENT TO THE TOP OF SEAT PAN ± ¼")	CLIENT COST	N/ \$20 \$59 N/ N/ ST N/ \$15
DW14PT DW14PI DW144PI DW144PI DW12PT DW12PI 15. FRONT CAST FC8PIR FC8PIR FC9PT FC9PI 16. SEAT TO FLO	14" Cast Wheel Pneumatic Tires 14" X 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires A Increases the overall width of the base by 2 %". 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires A 12 ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. ERS 8" Pneumatic Casters 8" Pneumatic Casters with Foam Filled Tires 9" Pneumatic Casters with Foam Filled Tires 9" Pneumatic Casters with Foam Filled Tires A The 9" casters will increase the minimum seat to floor height by 1/2" and are NOT compatible with the 12 ½" Drive wheel configuration (DW12PT and DW12PI) A The 9" casters are NOT compatible with many front rigging options. Please see details in the front rigging sections #50 and #53 OR HEIGHT (MEASUREMENT TO THE TOP OF SEAT PAN ± ½") HAB SEAT ONLY - NO POWER SEATING 15 ½" - (Possible Seat angle of 0° only) A Requires the 12 ½" Drive wheels (DW12PT and DW12PI)	CLIENT COST	N/ \$20 \$59 N/ N/ ST N/ \$15
DW14PT DW14PI DW144PI DW144PI DW12PT DW12PI 15. FRONT CAST FC8PTR FC8PIR FC9PT FC9PI FC9PI 16. SEAT TO FLO	14" Cast Wheel Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires A Increases the overall width of the base by 2 ¾". 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic Tires 12 ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. EERS 8" Pneumatic Casters 8" Pneumatic Casters 8" Pneumatic Casters with Foam Filled Tires 9" Pneumatic Casters with Foam Filled Tires A The 9" casters will increase the minimum seat to floor height by 1/2" and are NOT compatible with the 12 ½" Drive wheel configuration (DW12PT and DW12PI) A The 9" casters are NOT compatible with many front rigging options. Please see details in the front rigging sections #50 and #53 OR HEIGHT (MEASUREMENT TO THE TOP OF SEAT PAN ± ¼") HAB SEAT ONLY - NO POWER SEATING 15 ¼" - (Possible Seat angle of 0° only)	CLIENT COST	N/0 \$20 \$59 N/0 N/0 STI N/0 \$15
DW14PT DW14PI DW144PI DW144PI DW12PT DW12PI 15. FRONT CAST FC8PTR FC8PIR FC9PT FC9PI FC9PI 16. SEAT TO FLO	14" Cast Wheel Pneumatic Tires 14" X 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires A Increases the overall width of the base by 2 %". 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires A 12 ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. ERS 8" Pneumatic Casters 8" Pneumatic Casters with Foam Filled Tires 9" Pneumatic Casters with Foam Filled Tires 9" Pneumatic Casters with Foam Filled Tires A The 9" casters will increase the minimum seat to floor height by 1/2" and are NOT compatible with the 12 ½" Drive wheel configuration (DW12PT and DW12PI) A The 9" casters are NOT compatible with many front rigging options. Please see details in the front rigging sections #50 and #53 OR HEIGHT (MEASUREMENT TO THE TOP OF SEAT PAN ± ½") HAB SEAT ONLY - NO POWER SEATING 15 ½" - (Possible Seat angle of 0° only) A Requires the 12 ½" Drive wheels (DW12PT and DW12PI)	CLIENT COST	
DW14PT DW14PI DW144PI DW144PI DW12PT DW12PI 15. FRONT CAST FC8PTR FC8PIR FC9PT FC9PI 16. SEAT TO FLO OPTIONS FOR A RE STFH1525	14" Cast Wheel Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires A Increases the overall width of the base by 2 %". 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires A 12 ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. ERS 8" Pneumatic Casters 8" Pneumatic Casters with Foam Filled Tires 9" Pneumatic Casters with Foam Filled Tires A The 9" casters will increase the minimum seat to floor height by 1/2" and are NOT compatible with the 12 ½" Drive wheel configuration (DW12PT and DW12PI) A The 9" casters are NOT compatible with many front rigging options. Please see details in the front rigging sections #50 and #53 OR HEIGHT (MEASUREMENT TO THE TOP OF SEAT PAN ± ½") HAB SEAT ONLY - NO POWER SEATING 15 ½" - (Possible Seat angle of 0° only) A Requires the 12 ½" Drive wheels (DW12PT and DW12PI) The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height	CLIENT COST	N/0 \$20 \$59 N/0 N/0 STI N/0 \$15
DW14PT DW14PI DW144PI DW144PI DW12PT DW12PI 15. FRONT CAST FC8PTR FC8PIR FC9PI FC9PI FC9PI 16. SEAT TO FLO DPTIONS FOR A RE STFH1525	14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires A Increases the overall width of the base by 2 ¾". 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires A 12 ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. ERS 8" Pneumatic Casters 8" Pneumatic Casters with Foam Filled Tires 9" Pneumatic Casters with Foam Filled Tires 9" Pneumatic Casters with Foam Filled Tires A The 9" casters will increase the minimum seat to floor height by 1/2" and are NOT compatible with the 12 ½" Drive wheel configuration (DW12PT and DW12PI) A The 9" casters are NOT compatible with many front rigging options. Please see details in the front rigging sections #50 and #53 OR HEIGHT (MEASUREMENT TO THE TOP OF SEAT PAN ± ¼") HAB SEAT ONLY - NO POWER SEATING 15 ¼" - (Possible Seat angle of 0° only) A Requires the 12 ½" Drive wheels (DW12PT and DW12PI) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 16" - (Possible Seat angle of 0° only)	CLIENT COST	N/ \$20 \$59 N/ N/ ST N/ \$15









37. PRE-SET BAC	Select one: 86° 90° 94° 98° 102° 106° 110° 114° 118° 122°	
	CK ANGLE (FOR MON-DECLINING PACKS)	
JGP		
	Bodypoint 4" U-shaped Handle \$210	
JTH	T-Handle \$155 JMUSH Bodypoint Mushroom Handle	\$210
JBH	Ball Handle \$85 JFBH Foam Ball Handle	\$70
JSH	Standard Joystick Gimble STD JBAT Stick Handle 3" in Length	\$130
26. JOYSTICK H		
HML	Install Joystick on Left hand side HMR Install Joystick on Right hand side	
25. JOYSTICK H	AND MOUNT	
JSMFH	Joystick mount support Bracket	STD
24. JOYSTICK M	OUNT SUPPORT	
JSMCM	Midline Mounted Swing Away Joystick Mount	\$275
	Select: Mechanical Lock (STD) Magnetic Lock	4075
	Select: Set-up with standard installation to swing-away sideways Set-up at 35° to swing-away sideways and downwards	
JSMSA	Swing Away Joystick Mount – Height adjustable, Angle adjustable and Multi-Axis	\$235
JSMF	Fixed Joystick Mount	N/C
23. JOYSTICK M	OUNT	
ECRJC35B	R-net Advanced Bluetooth Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks CLIENT COST	\$1,105
► ADVANCED JOYST	,	·
ECRJCL	R-net Joystick with Color screen and Lighting Operation	\$180
ECELJL	R-net – (LED) – Joystick with Lighting Operation A This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY).	\$125
	IGHTING OPERATION	¢ 10.5
ECRJC	R-net Joystick with Color screen	\$155
	▲ This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY).	
ECELJ	R-net - (LED) – Joystick	STD
ECO	Omit Joystick — (For use with an Omni 2 Display)	N/C
► Selection of or	ne joystick option below is required with the expandable controller ECEL90 or ECR 120	
22. EXPANDABI	E ELECTRONICS - PG DRIVES R-NET JOYSTICKS	
ECR120	R-net PM 120 Amp Expandable Controller	\$275
ECEL90	R-net EL 90 Amp Expandable Controller	\$175
21. EXPANDABL	LE ELECTRONICS - PG DRIVES R-NET CONTROLLERS	
		.,, .
SFE-9	9° Pre-set seat frame seat angle – (Only available with a seat configuration without power options)	N/C
SFE-3 SFE-6	3° Pre-set seat frame seat angle – (Only available with a seat configuration without power options) 6° Pre-set seat frame seat angle – (Only available with a seat configuration without power options)	N/C N/C
SFE-0	0° Pre-set seat frame seat angle – (Must be selected when using power options)	STD
	T FRAME ANGLE	
SOMHSS	Specific seat to floor height higher than standard. It's not possible to lower the seat to floor height below minimum ranges. A Required at:	RFQ
	OR HEIGHT SPECIFICATION (IF NOT STANDARD)	DEO
STFH20	20" - (Possible Seat angle of 0°, 3°, 6°, 9°)	
	19" - (Possible Seat angle of 0°, 3° and 6°)	
STFH19	. Trouble source and or	
STFH18	18" - (Possible Seat angle of 0° and 3°)	



October 1st 2024 Alberta AADL-W970BASIC





SOWN15-20-19 -	- (Width adjustment from 15" to 20" wi	th a maximum Depth of 19")				N,
SOWN15-20-22 -	- (Width adjustment from 15" to 20" wi	th a maximum Depth of 22") — (The minimum seat depth with this se	eat option is 18" Deep)		N
15" (SOWN15)	16" (SOWN16)	17" (SOWN17)	18" (SOWN 18)			
19" (SOWN 19S)	20" (SOWN20S)					
. LARGE ADJUS	STABLE SEAT WIDTH RA	NGE BETWEEN 19"	AND 24"			
	- (Width adjustment from 19" to 24" an			eat option is 18" Deen)		N
19" (SOWN19L)	20" (SOWN20L)	21" (SOWN21)	22" (SOWN22)	23" (SOWN23)	24" (SOWN24)	
,						
. ADJUSTABLE	SEAT DEPTH RANGE BE	TWEEN 15" AND 22	2"			
15" (SODN15)	16" (SODN16)	17" (SODN 17)	18" (SODN18)			N
19" (SODN 19)	20" (SODN20)	21" (SODN21)	22" (SODN22)			Ν
			With a 22" long Seat Par the minimum possible se	n SOWN15-20-22 and SOWN1 at depth is 18".	9-24-22,	
				•		
. BACK CANE F	HEIGHT (THE BACK CANE HEIG	GHT MEASUREMENT IS TAK	CEN FROM THE SEAT PAN TO	THE TOP OF THE PUSH HA	NDLES)	
			▼ 22" is the minimum back	k height required with a power	or manual recline.	
16" (SOBCH16)	18" (SOBCH18)	20" (SOBCH20)	22" (SOBCH22)	24" (SOBCH24)	26" (SOBCH26)	
PACK CHIDDO	DT					
. BACK SUPPO						
DSTR-WWHH	Adjustable Tension Back Uph	• '				N
CTDCD MANUAL	▲ Only available with Dual P	· · · · · ·	-L - II L - :L+ - £ 22"		SEATING BENEFIT	¢ 4
STDSB-WWHH	Contour back support up to		(± 1") with a fixed back and 6" ((+ 1") with a reclining back	SEATING BENEFIT	\$6
STDSB-WWHH	Contour back support up to	•		= 1 / Willi a recililing back	SEATING BENEFIT	\$7
31232-44441111			(± 1") with a fixed back and 6" ('± 1") with a reclining back	SEATING BEINEITI	Ψ,
STDSB-WWHH	Contour back support for He				SEATING BENEFIT	\$1,0
	• • •		(± 1") with a fixed back and 6" ((± 1") with a reclining back		, ,
MATRX BACKS E2S-WWHH	AAATDV ELITE EQC DACV (1411. 0011147.1	(/ II · OOII · OII ·		SEATING BENEFIT	\$9
E23-WWIII	MATRX ELITE E2S BACK – (•	s. The minimum space between	the back and seat pan is 4" (±)		Ф7
	and 6" (± 1") with a reclining		5 space 20	2 dan dan da 50d. pan 10 . (= .	, want a note but	
	▲ Weight capacity up to 300	lb				
E2D-WWHH			' Wide - Back height of 6" to 20", i		SEATING BENEFIT	\$1,1
	Back shell height is availab and 6" (± 1") with a reclining		s. The minimum space between	the back and seat pan is 4" (± 1	") with a fixed back	
	▲ This product is not compatil	-	s			
	▲ Weight capacity up to 300	• • • • • • • • • • • • • • • • • • • •				
PBE-WWHH-TR	MATRX ELITE TR BACK – (15	5" to 20" Wide - Back height of	14", 16", 18" and 20")		SEATING BENEFIT	\$9
	_		ninimum space between the back	k and seat pan is 4" (± 1") with (a fixed back	
	and 6" (± 1") with a reclining	_				
	▲ Weight capacity up to 300				CEATINIO DENIERIE	411
PBE-WWHH-HD	MATRX HEAVY DUTY ELITE		-	at man is 4" (+ 1") with a fived b	SEATING BENEFIT	\$1,1
	and 6" (± 1") with a reclining		space between the back and se	ar pan is 4" (± 1") with a fixea t	оаск	
	▲ Weight capacity up to 500	lb				
EDB-WWHH-HD	MATRX ELITE DEEP HD BAC	K – (21" to 24" Wide - Back he	ight of 16", 18" and 20")		SEATING BENEFIT	\$1,
	_		mum space between the back ar	nd seat pan is 4" (± 1") with a fix	ced back	
	and 6" (± 1") with a reclining This product is not compatile	•	•			
	▲ Weight capacity up to 500		•			
	J,, -p					
NXT BACKS						
TAXT BACKS	NXT OPTIMA FH AC CONT	OUR BACK - (15" to 21" Wi	de)		SEATING BENEFIT	\$6
NOACB-WWHH						
NOACB-WWHH	▲ Weight capacity up to 300					
	 ▲ Weight capacity up to 300 NXT OPTIMA FH AC CONT ▲ Weight capacity up to 550 	OUR BACK – (22" to 28" W	ide)		SEATING BENEFIT	\$7









NOPCB-WWHH	NXT OPTIMA FH PC DE Weight capacity up to	EP CONTOUR BACK – (15" to 300 lb	21" Wide)		SEATING BENEFIT	\$790
NOPCB-WWHH		EP CONTOUR BACK - (22" to	28" Wide)		SEATING BENEFIT	\$820
	▲ Weight capacity up to	550 lb patible with Lateral Trunk Support	L			
	▲ Back shell heights only	come in 13", 16" or 19" high. The		k and seat pan is 4" (± 1") wit	h a fixed back	
OMISSION OF THE BA	and 6" (± 1") with a re ACK SUPPORT	clining back				
STDSBO	Omission of the Contour	Back Support ◀ Specify N	Model of Back Support:			N/C
12 PACK SUPPOR	T TOTAL HEICHT					
IS. BACK SUPPOR	RI IOIAL HEIGHI (M	EASURED FROM THE SEAT PAR		c height required with a powe	er or manual recline.	
16" (SOBH16)	18" (SOBH18)	20" (SOBH20)	22" (SOBH22)	24" (SOBH24)	26" (SOBH26)	
28" (SOBH28) This heig	ht is not available with the NXT Opt	ima AC and PC options	, ,			
14. SEAT CUSHION CG AIR - THERAPEUTION						
		ions (Please use the CG Air Order Fo	orm)			
	Cell Height:	2"	3"	4"		
CGA1VSCwwdd-h		with Standard 2-way Stretch Cover)			SEATING BENEFIT	\$600
CGA1V3Dwwdd-h	CG Air Single Valve – (v	vith 3D Mesh Cover)			SEATING BENEFIT	\$690
CGA1VICwwdd-h	CG Air Single Valve – (v	vith Incontinence Cover)			SEATING BENEFIT	\$690
	▲ Cushion sizes only con	ne in even numbers for width and o	depth measurements.			
Dual Valve 15" to 20'	" Wide Note: For custom Cushic	ons (Please use the CG Air Order For	m)			
	Cell Height:	2"	3"	4"		
CGA2VSCwwdd-h	•	th Standard 2-way Stretch Cover)			SEATING BENEFIT	\$600
CGA2V3Dwwdd-h	CG Air Dual Valve – (wi				SEATING BENEFIT	\$690
CGA2VICwwdd-h	CG Air Dual Valve – (wi	•			SEATING BENEFIT	\$690
c: \ \ 000 0		ne in even numbers for width and	•			
Single Valve 22" to 2		nions (Please use the CG Air Order Fo	orm) 3"	4 "		
CGA1VSCwwdd-h	Cell Height:	with Standard 2-way Stretch Cover)	J	4	SEATING BENEFIT	\$890
CGA1V3Dwwdd-h	CG Air Single Valve – (v	·			SEATING BENEFIT	\$910
CGA1VICwwdd-h	CG Air Single Valve – (v				SEATING BENEFIT	\$910
COATVICWWGG-II	•	ne in even numbers for width and	depth measurements.		SEATING BENEFIT	Ψ/ΙΟ
Dual Valve 22" to 24		ons (Please use the CG Air Order For	•			
304. 14.10 22 10 21	Cell Height:	2"	, 3"	4"		
CGA2VSCwwdd-h	CG Air Dual Valve – (wi	th Standard 2-way Stretch Cover)			SEATING BENEFIT	\$890
CGA2V3Dwwdd-h	CG Air Dual Valve – (wi	th 3D Mesh Cover)			SEATING BENEFIT	\$910
CGA2VICwwdd-h	CG Air Dual Valve – (wi	th Incontinence Cover)			SEATING BENEFIT	\$910
	▲ Cushion sizes only con	ne in even numbers for width and o	depth measurements.			
CONTOUR SEAT CUSH	HION					
SCPSC-wwdd	Contour Seat Cushion up	o to 19" Wide			SEATING BENEFIT	\$620
SCPSC-wwdd	Contour Seat Cushion fo	or Non-Standard Sizes of 20" to	o 24" Wide		SEATING BENEFIT	\$735
MATRX CUSHION						
PSP-WWDD	MATRX PSP Seat Cushio	n – (11" to 20" Wide)			SEATING BENEFIT	\$645
	▲ The maximum user we					
	▲ Cushion sizes only con	ne in even numbers for width and o	depth measurements.			
PSP-WWDD	MATRX PSP Seat Cushio	n – (22" to 26" Wide)			SEATING BENEFIT	\$995
	▲ The maximum user we	ight capacity is 550 lb				
	▲ Cushion sizes only con	ne in even numbers for width and	depth measurements.			
NXT BIO-FIT CUSHION	N					
NXTBIOFIT -WWDD	NXT BIO FIT Cushion –	(15" to 21" Wide)			SEATING BENEFIT	\$595
	▲ The maximum user we	•				
NXTBIOFIT -WWDD	NXT BIO FIT Cushion –	(22" to 26" Wide)			SEATING BENEFIT	\$625
	▲ The maximum user we	ight capacity is 400 lb				
	 Cushion sizes only con 	ne in even numbers for width and o	depth measurements.			







SOAFBDLH	Flip-Back Cantilever – Desk Length Left Side – (Height Adjustal	ble from 7" to 15" with 1" incr	ements) - STD I	Length 12"	N/C
SOAFBDRH	Flip-Back Cantilever – Desk Length Right Side – (Height Adjust			Length 12"	N/0
SOAFBFLH	Flip-Back Cantilever – Full Length Left Side – (Height Adjustabl			ength 16"	STI
SOAFBFRH	Flip-Back Cantilever – Full Length Right Side – (Height Adjustal			Length 16"	STI
CUST-112250	Custom Armrest Length – Select Length for the Left side:	Custom Length 18"	Custom Lengt		
CUST-112250	Custom Armrest Length – Select Length for the Right side:	Custom Length 18"	Custom Lengt	h 20" Custom Lei	
CUST-SOAFB	Please select this code when using Cantilever armrests with R	Reclining backs	_		N/0
	▲ The maximum user weight capacity is 300 lb				
6. DUAL POST	– HEIGHT ADJUSTABLE ARMRESTS – INCLUDES	TRANSFER GRIP	FOR NON-REC	LINING BACKS - CHO	OSE 2)
SOADPDLH	Dual Post Height Adjustable – Desk Length Left Side – (Heigh	•			\$168
SOADPDRH	Dual Post Height Adjustable – Desk Length Right Side – (Heig	<u> </u>			\$168
SOADPFLH	Dual Post Height Adjustable – Full Length Left Side – (Height A	-			\$168
SOADPFRH	Dual Post Height Adjustable – Full Length Right Side – (Heigh	nt Adjustable from 10 ½" to 15	5 ¼" with ½" increme	ents)	\$168
7. RECLINING	FLIP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOO	OSE 2)			
SOANIDLH	Reclining armrest – Desk Length Left Side – (Height Adjustable t			D Length 12"	N/0
SOANIDRH	Reclining armrest – Desk Length Right Side – (Height Adjustable	,	-	STD Length 12"	N/0
SOANIFLH	Reclining armrest – Full Length Left Side – (Height Adjustable fro	•		Length 16"	N/C
SOANIFRH	Reclining armrest – Full Length Right Side – (Height Adjustable t			D Length 16"	N/C
CUST-48247	Custom Armrest Length – Select Length for the Left side:	Custom Length 18"	Custom Lengt		-
CUST-48247	Custom Armrest Length – Select Length for the Right side:	Custom Length 18"	Custom Lengt	h 20" Custom Lei	ngth 22" N/C
9. ARMPADS	➤ Set the Armrest Height at:" A The Armrest Height is taken from the seat pan to the top of the armp Not required for Dual Post.	oad.			
FOAM TYPE SELEC	TION The Armrest Height is taken from the seat pan to the top of the armp Not required for Dual Post.	oad. Select side:	Left Hand Side	Right Hand Side	STI
	▲ The Armrest Height is taken from the seat pan to the top of the armp A Not required for Dual Post.	Select side:		Right Hand Side	STI
FOAM TYPE SELEC	TION A The Armrest Height is taken from the seat pan to the top of the armp A Not required for Dual Post. TION Desk Length Waterfall − (8 ½" x 2 ¾")	Select side: mrests when combined with Select side:	Lateral Trunk suppo Left Hand Side	Right Hand Side	STI
FOAM TYPE SELECT SOWAPD SOWAPF	TION Desk Length Waterfall — (8 ½" x 2 ¾") The Waterfall — (13" x 2 ¾")	Select side: mrests when combined with Select side:	Lateral Trunk suppo Left Hand Side	Right Hand Side	
FOAM TYPE SELECT SOWAPD SOWAPF	TION Desk Length Waterfall − (8 ½" x 2 ¾") The Waterfall − (13" x 2 ¾") The Waterfall armpads may interfere with flipping back the answer of the waterfall armpads may interfere with flipping back the answer of the waterfall armpads may interfere with flipping back the answer of the waterfall armpads may interfere with flipping back the answer of the waterfall armpads may interfere with flipping back the answer of the waterfall armpads may interfere with flipping back the answer of the waterfall armpads may interfere with flipping back the answer of the waterfall armpads may interfere with flipping back the answer of the waterfall armpads may interfere with flipping back the answer of the waterfall armpads may interfere with flipping back the answer of the waterfall armpads may interfere with flipping back the answer of the waterfall armpads may interfere with flipping back the answer of the waterfall armpads may interfere with flipping back the answer of the waterfall armpads may interfere with flipping back the answer of the waterfall armpads may interfere with flipping back the answer of the waterfall armpads may interfere with flipping back the armpads may be a waterfall when waterfall wate	Select side: mrests when combined with Select side: mrests when combined with	Lateral Trunk suppo Left Hand Side	Right Hand Side	STE
FOAM TYPE SELECT SOWAPD SOWAPF HYBRID GEL AND	TION Desk Length Waterfall – (8 ½" x 2 ¾") The Waterfall armpads may interfere with flipping back the arm full Length Waterfall – (13" x 2 ¾") The Waterfall armpads may interfere with flipping back the arm full Length Waterfall armpads may interfere with flipping back the arm full Length Waterfall armpads may interfere with flipping back the arm full the waterfall armpads may interfere with flipping back the arm full the waterfall armpads may interfere with flipping back the arm for waterfall armpads may interfere with flipping back the arm for waterfall armpads may interfere with flipping back the arm for waterfall armpads may interfere with flipping back the arm for waterfall armpads may interfere with flipping back the arm for waterfall armpads may interfere with flipping back the arm for waterfall armpads may interfere with flipping back the arm for waterfall armpads may interfere with flipping back the arm for waterfall armpads may interfere with flipping back the arm for waterfall armpads may interfere with flipping back the arm for waterfall armpads may interfere with flipping back the arm for waterfall armpads may interfere with flipping back the arm for waterfall armpads may interfere with flipping back the arm for waterfall armpads may interfere with flipping back the arm for waterfall armpads may interfere with flipping back the arm for waterfall arm for waterfa	Select side: mrests when combined with Select side: mrests when combined with Select side:	Lateral Trunk suppo Left Hand Side Lateral Trunk suppo	Right Hand Side orts.	STE
FOAM TYPE SELECT SOWAPD SOWAPF HYBRID GEL AND SOGELD	TION The Armrest Height is taken from the seat pan to the top of the arms A Not required for Dual Post. Not required for Dual Post. TION Desk Length Waterfall − (8 ½" x 2 ¾") A The Waterfall armpads may interfere with flipping back the arm full Length Waterfall − (13" x 2 ¾") A The Waterfall armpads may interfere with flipping back the arm for the Waterfall armpads may interfere with flipping back the arm for the Waterfall armpads may interfere with flipping back the arm for the Waterfall armpads for the Waterfall armpads for the Waterfall armpad for the Waterfall armpad for the Waterfall fo	Select side: mrests when combined with Select side: mrests when combined with Select side: Select side: L Select side: L 2 ¾") Select side:	Lateral Trunk support Left Hand Side Lateral Trunk support eft Hand Side eft Hand Side eft Hand Side	Right Hand Side orts. Right Hand Side SEA Right Hand Side SEA Right Hand Side SEA	STE ATING BENEFIT \$40 ATING BENEFIT \$40
FOAM TYPE SELECT SOWAPD SOWAPF HYBRID GEL AND SOGELD SOGELF	TION The Armrest Height is taken from the seat pan to the top of the armp Not required for Dual Post. Not required for Dual Post. TION Desk Length Waterfall − (8 ½" x 2 ¾") The Waterfall armpads may interfere with flipping back the arm full Length Waterfall − (13" x 2 ¾") The Waterfall armpads may interfere with flipping back the arm for the Waterfall armpads may interfere with flipping back the arm for the Waterfall armpads may interfere with flipping back the arm for the Waterfall armpads may interfere with flipping back the arm for the Waterfall armpads may interfere with flipping back the arm for the Waterfall armpads may interfere with flipping back the arm for the Waterfall armpads may interfere with flipping back the arm for the Waterfall armpads for the Waterfall arm for the Waterfall ar	Select side: mrests when combined with Select side: mrests when combined with Select side: Select side: L Select side: L 2 ¾") Select side:	Lateral Trunk support Left Hand Side Lateral Trunk support eft Hand Side eft Hand Side eft Hand Side	Right Hand Side orts. Right Hand Side SEA Right Hand Side SEA Right Hand Side SEA	STE ATING BENEFIT \$40 ATING BENEFIT \$90 ATING BENEFIT \$90
FOAM TYPE SELECT SOWAPD SOWAPF HYBRID GEL AND SOGELD SOGELF	TION Desk Length Waterfall — (8 ½" x 2 ¾") The Waterfall armpads may interfere with flipping back the arm the Waterfall armpads may interfere with flipping back the arm the Waterfall armpads may interfere with flipping back the arm the Waterfall armpads may interfere with flipping back the arm to Waterfall armpads may interfere with flipping back the arm to Waterfall armpads may interfere with flipping back the arm to Waterfall armpad — (9 ¾" x 2") Desk Length Hybrid Gel and Foam Flat armpad — (13 ½" x 2") Desk Length Hybrid Gel & Foam Waterfall armpad — (8 ½" x 2") The Waterfall armpads may interfere with flipping back the arm to Waterfall armpad — (13 ½" x 2") The Waterfall armpads may interfere with flipping back the arm to Waterfall armpad — (13 ½" x 2")	Select side: mrests when combined with Select side: mrests when combined with Select side: Select side: Select side: L 2 ¾") Select side: L 2 ¾") Select side: L	Lateral Trunk support Left Hand Side Lateral Trunk support eft Hand Side eft Hand Side eft Hand Side Lateral Trunk support eft Hand Side	Right Hand Side SEA	STE ATING BENEFIT \$40 ATING BENEFIT \$90 ATING BENEFIT \$90
SOWAPF HYBRID GEL AND SOGELD SOGELF SOWGELD	TION Desk Length Waterfall — (8 ½" x 2 ¾") A The Waterfall armpads may interfere with flipping back the arm Full Length Wybrid Gel and Foam Flat armpad — (9 ½" x 2") Desk Length Hybrid Gel & Foam Waterfall armpad — (8 ½" x 2") To Besk Length Hybrid Gel and Foam Flat armpad — (9 ½" x 2") Desk Length Hybrid Gel and Foam Flat armpad — (8 ½" x 2") Desk Length Hybrid Gel and Foam Flat armpad — (8 ½" x 2") Desk Length Hybrid Gel & Foam Waterfall armpad — (8 ½" x 2") Desk Length Hybrid Gel & Foam Waterfall armpad — (8 ½" x 2") A The Waterfall armpads may interfere with flipping back the arm Full Length Hybrid Gel and Foam Waterfall armpad — (13" x 10" x 10	Select side: mrests when combined with Select side: mrests when combined with Select side: Select side: Select side: L 2 ¾") Select side: L 2 ¾") Select side: L	Lateral Trunk support Left Hand Side Lateral Trunk support eft Hand Side eft Hand Side eft Hand Side Lateral Trunk support eft Hand Side	Right Hand Side SEA	STE ATING BENEFIT \$40 ATING BENEFIT \$90 ATING BENEFIT \$90
SOWAPF HYBRID GEL AND SOGELD SOGELF SOWGELF	TION Desk Length Waterfall — (8 ½" x 2 ¾") A The Waterfall armpads may interfere with flipping back the arm Full Length Wybrid Gel and Foam Flat armpad — (9 ½" x 2") Desk Length Hybrid Gel & Foam Waterfall armpad — (8 ½" x 2") To Besk Length Hybrid Gel and Foam Flat armpad — (9 ½" x 2") Desk Length Hybrid Gel and Foam Flat armpad — (8 ½" x 2") Desk Length Hybrid Gel and Foam Flat armpad — (8 ½" x 2") Desk Length Hybrid Gel & Foam Waterfall armpad — (8 ½" x 2") Desk Length Hybrid Gel & Foam Waterfall armpad — (8 ½" x 2") A The Waterfall armpads may interfere with flipping back the arm Full Length Hybrid Gel and Foam Waterfall armpad — (13" x 10" x 10	Select side: mrests when combined with Select side: mrests when combined with Select side: Select side: Select side: L 2 ¾") Select side: L 2 ¾") Select side: L	Lateral Trunk support Left Hand Side Lateral Trunk support eft Hand Side eft Hand Side eft Hand Side Lateral Trunk support eft Hand Side	Right Hand Side SEA	STE ATING BENEFIT \$40 ATING BENEFIT \$90 ATING BENEFIT \$90
FOAM TYPE SELECT SOWAPD SOWAPF HYBRID GEL AND SOGELD SOGELF SOWGELD SOWGELF SPECIALTY TYPE SE	TION Desk Length Waterfall − (8 ½" x 2 ¾") A The Waterfall armpads may interfere with flipping back the arm Full Length Hybrid Gel and Foam Flat armpad − (9 ¾" x 2") Desk Length Hybrid Gel and Foam Flat armpad − (9 ¾" x 2") Full Length Hybrid Gel and Foam Flat armpad − (8 ½" x 2") Desk Length Hybrid Gel and Foam Flat armpad − (8 ½" x 2") Desk Length Hybrid Gel and Foam Flat armpad − (8 ½" x 2") Desk Length Hybrid Gel and Foam Waterfall armpad − (8 ½" x 2") A The Waterfall armpads may interfere with flipping back the arm Full Length Hybrid Gel and Foam Waterfall armpad − (13" x 10" x 1	Select side: mrests when combined with Select side: mrests when combined with Select side: Select side: L Select side: L Wrests when combined with Select side: L Mrests when combined with Select side: L Select side: Select side:	Lateral Trunk support Left Hand Side Lateral Trunk support eft Hand Side eft Hand Side eft Hand Side Lateral Trunk support eft Hand Side Lateral Trunk support Lateral Trunk support	Right Hand Side SEA	STE ATING BENEFIT \$40 ATING BENEFIT \$93 ATING BENEFIT \$93
FOAM TYPE SELECT SOWAPD SOWAPF HYBRID GEL AND ISOGELD SOGELF SOWGELF SOWGELF SPECIALTY TYPE SELECT SOCAR O. FOOTRESTS	TION Desk Length Waterfall — (8 ½" x 2 ¾") The Waterfall armpads may interfere with flipping back the arm full Length Waterfall armpads may interfere with flipping back the arm full Length Waterfall armpads may interfere with flipping back the arm full Length Waterfall armpads may interfere with flipping back the arm full Length Hybrid Gel and Foam Flat armpad — (9 ¾" x 2") Desk Length Hybrid Gel and Foam Flat armpad — (13 ½" x 2") Desk Length Hybrid Gel & Foam Waterfall armpad — (8 ½" x 1") The Waterfall armpads may interfere with flipping back the arm full Length Hybrid Gel and Foam Waterfall armpad — (13" x 1" x 1") The Waterfall armpads may interfere with flipping back the arm full Length Hybrid Gel and Foam Waterfall armpad — (13" x 1" x 1") Arm Trough with Hand Support (18" x 4 ½")	Select side: mrests when combined with Select side: mrests when combined with Select side: Select side: Select side: L Select side: L 2 ¾") Select side: L mrests when combined with Select side: C Select side:	Lateral Trunk support Left Hand Side Lateral Trunk support eft Hand Side eft Hand Side eft Hand Side Lateral Trunk support eft Hand Side Lateral Trunk support Lateral Trunk support	Right Hand Side SEA Right Hand Side	STEATING BENEFIT \$40 ATING BENEFIT \$40 ATING BENEFIT \$93 ATING BENEFIT \$93
FOAM TYPE SELECT SOWAPD SOWAPF HYBRID GEL AND SOGELD SOGELF SOWGELD SOWGELF SPECIALTY TYPE SE	TION Desk Length Waterfall — (8 ½" x 2 ¾") A The Waterfall armpads may interfere with flipping back the arm Full Length Waterfall armpads may interfere with flipping back the arm Foundation (13 ½" x 2 ¾") A The Waterfall armpads may interfere with flipping back the arm Foundation (13 ½" x 2 ¾") A The Waterfall armpads may interfere with flipping back the arm Foundation (13 ½" x 2") Desk Length Hybrid Gel and Foam Flat armpad — (13 ½" x 2") Desk Length Hybrid Gel & Foam Waterfall armpad — (8 ½" x 2") Desk Length Hybrid Gel & Foam Waterfall armpad — (13 ½" x 2") A The Waterfall armpads may interfere with flipping back the arm Full Length Hybrid Gel and Foam Waterfall armpad — (13" x ½" x 1") A The Waterfall armpads may interfere with flipping back the arm Trough with Hand Support (18" x 4 ½") A Arm Trough Armpads may interfere with Armrests Flipping back Signature Swing-Away Footrests	Select side: mrests when combined with Select side: mrests when combined with Select side: Select side: L Select side: L 2 ¾") Select side: L mrests when combined with Select side: L Select side: L Select side: L Mrests when combined with Select side: Ck.	Lateral Trunk support Left Hand Side Lateral Trunk support Left Hand Side	Right Hand Side SEA Right Hand Side	STE
FOAM TYPE SELECT SOWAPD SOWAPF HYBRID GEL AND ISOGELD SOGELF SOWGELF SOWGELF SPECIALTY TYPE SELECT SOCAR O. FOOTRESTS	TION Desk Length Waterfall — (8 ½" x 2 ¾") A The Waterfall armpads may interfere with flipping back the arm Full Length Waterfall armpads may interfere with flipping back the arm Foundation (13 ½" x 2 ¾") A The Waterfall armpads may interfere with flipping back the arm Foundation (13 ½" x 2 ¾") Desk Length Hybrid Gel and Foam Flat armpad — (9 ¾" x 2") Full Length Hybrid Gel and Foam Flat armpad — (13 ½" x 2") Desk Length Hybrid Gel & Foam Waterfall armpad — (8 ½" x 2") Desk Length Hybrid Gel & Foam Waterfall armpad — (13 ½" x 2") A The Waterfall armpads may interfere with flipping back the arm Full Length Hybrid Gel and Foam Waterfall armpad — (13" x 1" x	Select side: mrests when combined with Select side: mrests when combined with Select side: Select side: L Select side: L 2 ¾") Select side: L mrests when combined with Select side: L mrests when combined with Select side: Ck. 60° SOFLA12 (12 ½"- rs (FC9PT and FC9PI)	Lateral Trunk support Left Hand Side Lateral Trunk support Left Hand Side	Right Hand Side SEA Right Hand Side	STE
SOWAPF HYBRID GEL AND SOGELD SOGELF SOWGELD SOWGELF SPECIALTY TYPE SE SOCAR O. FOOTRESTS	TION Desk Length Waterfall — (8 ½" x 2 ¾") A The Waterfall armpads may interfere with flipping back the arm Full Length Waterfall armpads may interfere with flipping back the arm Foundation (13" x 2 ¾") A The Waterfall armpads may interfere with flipping back the arm Foundation (13" x 2 ¾") A The Waterfall armpads may interfere with flipping back the arm Foundation (13 ½" x 2") Desk Length Hybrid Gel and Foam Flat armpad — (13 ½" x 2") Desk Length Hybrid Gel & Foam Waterfall armpad — (8 ½" x 2") Desk Length Hybrid Gel & Foam Waterfall armpad — (13 ½" x 2") A The Waterfall armpads may interfere with flipping back the arm Full Length Hybrid Gel and Foam Waterfall armpad — (13" x 1" x	Select side: mrests when combined with Select side: mrests when combined with Select side: Select side: L Select side: L 2 ¾") Select side: L mrests when combined with Select side: L mrests when combined with Select side: ck.	Lateral Trunk support Left Hand Side Lateral Trunk support Left Hand Side	Right Hand Side SEA STS. Right Hand Side SEA STS. Right Hand Side SEA STS. Right Hand Side	STE
FOAM TYPE SELECT SOWAPD SOWAPF HYBRID GEL AND ISOGELD SOGELF SOWGELF SOWGELF SPECIALTY TYPE SELECT SOCAR O. FOOTRESTS	TION Desk Length Waterfall — (8 ½" x 2 ¾") A The Waterfall armpads may interfere with flipping back the arm Full Length Waterfall armpads may interfere with flipping back the arm Foundation (9 ¾" x 2 ¾") A The Waterfall armpads may interfere with flipping back the arm Foundation (13 ½" x 2 ¾") A The Waterfall armpads may interfere with flipping back the arm Foundation (13 ½" x 2") Desk Length Hybrid Gel and Foam Flat armpad — (9 ¾" x 2") Desk Length Hybrid Gel and Foam Waterfall armpad — (8 ½" x 2") Desk Length Hybrid Gel & Foam Waterfall armpad — (8 ½" x 2") A The Waterfall armpads may interfere with flipping back the arm Full Length Hybrid Gel and Foam Waterfall armpad — (13" x 1" x	Select side: mrests when combined with Select side: mrests when combined with Select side: L Select side: L Select side: L Select side: L Mrests when combined with Select side: L Mrests when combined with Select side: Ck. 60° SOFLA12 (12 ½" - rs (FC9PT and FC9PI) front caster arm option. 60°	Lateral Trunk support Left Hand Side Lateral Trunk support eft Hand Side eft Hand Side Lateral Trunk support eft Hand Side Lateral Trunk support Lateral T	Right Hand Side SEA STAN SIGHT HAND SIDE RIGHT HAND SIDE SOFLA SIDE TO SOFLA S	STE ATING BENEFIT \$40 ATING BENEFIT \$40 ATING BENEFIT \$93 \$170 STE - 19 ½")
SOWAPF HYBRID GEL AND SOGELD SOGELF SOWGELD SOWGELF SPECIALTY TYPE SE SOCAR O. FOOTRESTS	TION Desk Length Waterfall — (8 ½" x 2 ¾") A The Waterfall armpads may interfere with flipping back the arm Full Length Waterfall armpads may interfere with flipping back the arm Foam Type Select Footrest Range: A The Waterfall armpads may interfere with flipping back the arm Foam Trough Ampads may interfere with flipping back the arm Foam Type Select Footrest Range: A The Waterfall armpads may interfere with flipping back the arm Full Length Hybrid Gel and Foam Flat armpad — (9 ¾" x 2") Desk Length Hybrid Gel & Foam Waterfall armpad — (8 ½" x 2") Desk Length Hybrid Gel & Foam Waterfall armpad — (13 ½" x 2") A The Waterfall armpads may interfere with flipping back the arm Full Length Hybrid Gel and Foam Waterfall armpad — (13" x 1") A The Waterfall armpads may interfere with flipping back the arm Full Length Hybrid Gel and Foam Waterfall armpad back the arm Full Length Hybrid Gel and Foam Waterfall armpad back the arm Full Length Hybrid Gel and Foam Waterfall armpad back the arm Full Length Hybrid Gel and Foam Waterfall armpad back the arm Full Length Hybrid Gel and Foam Waterfall armpad back the arm Full Length Hybrid Gel and Foam Waterfall armpad back the arm Full Length Hybrid Gel and Foam Waterfall armpad back the arm Full Length Hybrid Gel and Foam Waterfall armpad back the arm Full Length Hybrid Gel and Foam Waterfall armpad back the arm Full Length Hybrid Gel and Foam Waterfall armpad back the arm Full Length Hybrid Gel and Foam Waterfall armpad back the arm Full Length Hybrid Gel and Foam Waterfall armpad back the arm Full Length Hybrid Gel and Foam Waterfall armpad back the arm Full Length Hybrid Gel and Foam Waterfall armpad back the arm Full Length Hybrid Gel and Foam Waterfall armpad back the arm Full Length Hybrid Gel and Foam Waterfall armpad back the arm Full Length Hybrid Gel and Foam Waterfall armpad back the arm Full Length Hybrid Gel and Foam Waterfall armpad back the arm Full Length Hybrid Gel and Foam Flat armpad back the arm Full Length Hybrid Gel and Foam Flat armpad back the arm	Select side: mrests when combined with Select side: Mrests when combined with Select side: Select side: L Select side: L Select side: L Wrests when combined with Select side: L Mrests when combined with Select side: Ck. 60° SOFLA12 (12 ½" - rs (FC9PT and FC9PI) front caster arm option. 60° SOFLHD12 (12 ½' rs (FC9PT and FC9PI)	Lateral Trunk support Left Hand Side Lateral Trunk support eft Hand Side eft Hand Side Lateral Trunk support eft Hand Side Lateral Trunk support Lateral T	Right Hand Side SEA STS. Right Hand Side SEA STS. Right Hand Side SEA STS. Right Hand Side	STE ATING BENEFIT \$40 ATING BENEFIT \$40 ATING BENEFIT \$93 \$170 STE - 19 ½")
SOWAPF HYBRID GEL AND SOGELD SOGELF SOWGELD SOWGELF SPECIALTY TYPE SE SOCAR O. FOOTRESTS	TION Desk Length Waterfall — (8 ½" x 2 ¾") A The Waterfall armpads may interfere with flipping back the arm Full Length Waterfall armpads may interfere with flipping back the arm Foundation of the secondary of the secondary of the secondary of the waterfall armpads may interfere with flipping back the arm Foundation of the secondary of the se	Select side: mrests when combined with Select side: Mrests when combined with Select side: Select side: L Select side: L Select side: L Wrests when combined with Select side: L Mrests when combined with Select side: Ck. 60° SOFLA12 (12 ½" - rs (FC9PT and FC9PI) front caster arm option. 60° SOFLHD12 (12 ½' rs (FC9PT and FC9PI)	Lateral Trunk support Left Hand Side Lateral Trunk support eft Hand Side eft Hand Side Lateral Trunk support eft Hand Side Lateral Trunk support Lateral T	Right Hand Side SEA STAN SIGHT HAND SIDE RIGHT HAND SIDE SOFLA SIDE TO SOFLA S	STE ATING BENEFIT \$40 ATING BENEFIT \$40 ATING BENEFIT \$93 \$170 STE - 19 ½")









51. FOOTPLATE	S & ACCESSORIES		
SOSFAF	Flip-up Footplates		STD
SOAFP	Angle Adjustable & Flip-up Footplates – (Each)		\$65
SOAHL	Heel Loops – (Each)		\$20
SOACPFR	Calf Pads for Adult Heavy-Duty Swing-Away footrests – (SOAAF) – with adjustable hardware – <i>(Each)</i>		\$93
SOAMA	Swing-away residual limb Support Select : Left leg Right leg		\$455
52 EOOTPEST I	ENGTH ADJUSTMENT AT FACTORY		
52. 1001KLS1 L	> Set the Footrest Length at: "		
	▲ The Footrest Length is taken from the top of the seat pan to the top of the footplate.		
53. CENTER MO	UNTS		
SOAAF90	90° Fixed Center Mount Interface Bracket – (Offers Manual adjustability from 94° to 70°)		\$200
		OFBA16 (16 ½" – 19 ½")	
	▲ When selecting SOFBA16 (16 ½" - 19 ½") range, the lowest possible seat to floor height is 19"		
	▲ Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB).		
	With the split footplates option (SOAFPFB), this bracket offers independent height adjustability for each footplate		
	▲ This option is not compatible with the 9" Caster or the Straight Front Arm option due to mechanical conflicts		
54. FOOT PLATI	FORMS & ACCESSORIES		
SOFUFP	Flip-up one piece Foot Platform		\$140
SOAFPFB	Angle Adjustable & Flip-up Split Footplates for center mount – (Each)		\$65
SOACPCM	Calf Pads for 90° Fixed Center Mount – (SOAAF90) with adjustable hardware – (Each)		\$93
55. FOOT PLATI	FORM HEIGHT ADJUSTMENT AT FACTORY		
	Set the Foot Platform Height at: "		
E/ CEAT DOCK	▲ The Foot Platform Height is taken from the top of the seat pan to the top of the foot platform or split foot plates.		
56. SEAI POSII	IONING (NOT COMPATIBLE WITH THE WC19-ISO OPTION)		
SOAUTO	55" Seat Positioning Strap		STD
SOBPHP2C	Bodypoint padded Hip Belt – (Two Point – Center Pull)		\$170
SOPHB	Padded Hip Belt, 2-PT Magnetic Center Pull		\$ 194
SOBPCS	Bodypoint padded Chest Strap		\$250
SOPCS	Padded Chest Strap, 2-PT Magnetic Center Pull		\$262
57. HEADREST	ne headrest options with the mounting hardware and specify where the headrest will be installed.		
SONUAHR	Using headrest mounting hardware other than SOMAH located bellow. ✓ Specify:		NI/C
SOFHRS	Small Curved Headrest Pad − 4" x 9"		N/C \$155
SOFHRM	Medium Curved Headrest Pad – 5" x 10"		\$155
SOFHRL	Large Curved Headrest Pad – 6" x 11"		\$155
SOMAH	Multi-axis Removable Mounting Hardware		\$220
SOHRBC	Bracket to Mount on the Contour Back Support – (Without Recline)		N/C
SOHRPR	Bracket to Mount on the Seat Frame – (For Reclining Backs)		N/C
	UNK SUPPORTS		.,,
	e lateral pads and the adjustable & removable hardware.		
SOSLS3	Adjustable Laterals with Small Curved Pads – (Each) – 3" x 5"	SEATING BENEFIT	\$100
SOSLM4	Adjustable Laterals with Medium Curved Pads – (Each) – 4" x 6"	SEATING BENEFIT	\$100
SOSLL5	Adjustable Laterals with Large Curved Pads – (Each) – 5" x 7"	SEATING BENEFIT	\$100
SOSLHM	Adjustable Swing-Away Hardware Mounts – (Each)	SEATING BENEFIT	\$220
	▲ Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports		
59. HIP & THIG	H SUPPORTS		
	e hip & thigh support pads and the adjustable & removable hardware.		
SOHTSS10	Adjustable Hip & Thigh Support Pads – (Each) – Small 10" x 4"	SEATING BENEFIT	
SOHTSM12	Adjustable Hip & Thigh Support Pads – (Each) – Medium 12" x 5"	SEATING BENEFIT	
SOHTSL14	Adjustable Hip & Thigh Support Pads – (Each) – Large 14" x 6"	SEATING BENEFIT	
SOHTSARH	Adjustable and Removable Hip & Thigh Support Hardware – (Each)	SEATING BENEFIT	\$136







SOCH	Cup Holder – (Self-Leveling)	Install on:	Left Side	Right Side			\$ 11.5
SOCPH	Ram Mounts X-Grip Cell Phone Holder	Install on:	Left Side	Right Side			\$190
SOTHS	Ram Mounts X-Grip Small Tablet Holder	Install on:	Left Side	Right Side			\$205
SOTHL	Ram Mounts X-Grip Large Tablet Holder with Swivel Standard installation is on the opposite side of joystick With multiple accessories installed on the same side, a	. Installing accessories		Right Side le as the joystick may re	equire a custom (upgrade.	\$360
1. REFLECTOR	KIT						
REFLECT	Red & White Reflector Kit Stickers (They will not be install	led – Included in a bag v	with the owner's n	nanual)			N/C
2. BACK PACK	AND ARMREST SIDE POUCHES						
SOBP	Back Pack — (Comes with durable straps that can be hooked	around the back canes)				CLIENT COST	r \$90
SOAP	Armrest Side Pouch – (Comes with durable straps that can A If only choosing one (1) armrest pouch, please show w		•	rder: Left Side	Right Side	CLIENT COST	r \$53
O. O ² HOLDER	1						
SUPOXY	Custom Non-Articulating Oxygen Tank Holder • Not available with a power recline		М	LH (Mount on Left)	MRH (Moun	t on Right)	\$295
SUPOXYA	Custom Articulating Oxygen Tank Holder • Required with a power recline		M	LH (Mount on Left)	MRH (Moun	t on Right)	\$1,195
	D-Size Oxygen Tank – (* 22" Tall x 4.3" Diameter) – E-Size Oxygen Tank – (* 31" Tall x 4.3" Diameter) – *	=					

73. NOTES / SPECIAL REQUESTS