





MEDm&bility

5711- 104 St, Edmonton AB. T6H 2K1 P: 780-437-3300 • Fax: 780-430-9381

AADL Vendor: 0000612578-001

www.medmobility.ca • www.mmrehab.ca

Address:

City:

Province:

Postal Code:

User Name or Number:

User Weight:

User Height:

Seat Cushion Thickness:

Knee to Heel Length: Left:

" Right:



THE ORDER CANNOT BE PROCESSED WITHOUT THE FOLLOWING:

- A user name or number, the client's measurements and weight Amylior is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
- Order confirmations will be provided by Amylior summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

*IN RED SHOWS THE ADDITION OF NEW OPTIONS, UPGRADES, PRICING MODIFICATIONS OR ADDED NOTES

2. STANDARD OPTIONS FOR HCPCS CODES

Alltrack R3 (HD) Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 8" front casters, and standard auto style buckle seat positioning strap, 6.5mph motors, Weight Capacity = 400 lb

3. ALLTRACK R3 (HD) POWER WHEELCHAIR

Cobalt Blue

Indigo Blue

Candy Red

Cabernet

ATR3-3HD	ALLTRACK R3 (HD) Power Wheelchair				\$8,545
3.5 OWNER'S	MANUAL				
SOOMATENG	English / Anglais	N/C	SOOMATER	Français / French	N/C
4. USER WEIG	HT PACKAGES				
WCA4	400 lb Maximum user weight capacity				STE
5. STANDARE	COLORS				
SCROBM	Onyx Black Matte	N/C	SCRCAB	Cabernet	N/C
SCRCTB	Cobalt Blue	N/C	SCRBGM	Bubble Gum Metallic	N/C
SCRIOB	Indigo Blue	N/C	SCRHAB	Habanero Metallic	N/C
SCRCRE	Candy Red	N/C	SCRLIM	SubLime	N/C
▼ OPTIONAL C	OLORS				
	Desert Digital Camo HydroGraphics - (Military Tan base)	\$ <i>7</i> 95	FCHWL-R	Woodland Camo HydroGraphics - (Military Green base)	\$795
FCHDD-R					

SCHAB-WI

SCLIM-WI

SCBGM-WI

Habanero Metallic

Bubble Gum Metallic

SubLime

N/C

N/C

N/C

net

N/C

Wheel insert colors are not compatible with optional Hydrographic colors (FCHDD, FCHWL and FCHCF)

Wheel insert colors are not compatible with the optional 14" X 4" Extra Wide Cast Wheels (DW144PT and DW144PI)

MKT.F93 | OF | P24047 | R01

SCCTB-WI

SCIOB-WI

SCCRE-WI

SCCAB-WI

▲ Wheel inserts are not available in Onyx Black Matte

N/C

N/C

N/C







TTD4			
	4-Point wheelchair transport brackets		ST
	▲ 4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval.		
WC19-ISO	WC-19 and ISO 7176-19 Occupied Transit Package	CLIENT COST	\$59
	▲ To confirm if your overall wheelchair configuration is WC-19 and ISO 7176-19 compliant, please refer to this website:		
	https://docs.google.com/spreadsheets/d/1KtcNIEA5OQJCS5z3OD1adWEIaFLN1XO3ZcTc6Dl_kaE/edit#gid=1917752765 Other restrictions may apply, please contact CSR for details.		
	▲ This option is only available on new power wheelchairs as an "on-chair" option. It is not available to install on a delivered whe	eelchair.	
	init opinion to the particular of the particular		
B. MOTOR PA	CKAGE		
MP65B	6.5 MPH 4-Pole Motor Package / with Brake Release		ST
	▲ Not compatible with the Smart-Track Assistive Driving Package option (SMARTT)		
MP65-OPT	6.5 MPH 4-Pole Motor Package / with COG Release	CLIENT COST	\$39
ASSISTIVE	DRIVING PACKAGE		
SMARTT	Smart-Track Assistive Driving Package	:	\$1,42
	Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision.		. ,
	This is ideal for those with marginal hand function or switch control.		
	Requires the R-net PM 120 Amp Expandable Controller (ECR120)		
	▲ This option requires the MP65-OPT motor package.		
	Recommended for non-proportional Drive Controls		
IO. BATTERY CI	HARGER		
ВСОВ	8A Offboard Battery Charger		N/
FS24B	Battery Tray for Group 24 Batteries – (Total base width = 25 3/8") A The Straight Front Arm option is not available with any of the Center Mount Front Rigging Options due to Mechanical conflicts.		N/
► PLEASE SELECT ON			
PLEASE SELECT ON	THE STRAIGHT FOR FRONT CASTER ARMS: FLARED OUT (STD) STRAIGHT (OPTIONAL)		
	IE OPTION FOR FRONT CASTER ARMS: FLARED OUT (STD) STRAIGHT (OPTIONAL)	AADL CONTRACT	Γ RFC
12. BATTERIES	FLARED OUT (STD) STRAIGHT (OPTIONAL) - REQUIRES A SELECTION	AADL CONTRACT	r rfc
BAT24GEL BATO	FLARED OUT (STD) STRAIGHT (OPTIONAL) - REQUIRES A SELECTION GEL Battery - Group 24 - 70 Amps (Each) Omission of the batteries	AADL CONTRACT	
BAT24GEL BATO 14. DRIVE WHI	FLARED OUT (STD) STRAIGHT (OPTIONAL) - REQUIRES A SELECTION GEL Battery – Group 24 – 70 Amps (Each) Omission of the batteries	AADL CONTRACT	N/
BAT24GEL BATO 14. DRIVE WHI	FLARED OUT (STD) STRAIGHT (OPTIONAL) - REQUIRES A SELECTION GEL Battery – Group 24 – 70 Amps (Each) Omission of the batteries EEL 14" Cast Wheel Pneumatic Tires	AADL CONTRACT	N/
BAT24GEL BATO 14. DRIVE WHI DW14PT DW14PI	FLARED OUT (STD) STRAIGHT (OPTIONAL) - REQUIRES A SELECTION GEL Battery – Group 24 – 70 Amps (Each) Omission of the batteries EEL 14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires		ST N/
BAT24GEL BATO 14. DRIVE WHI DW14PT DW14PI DW144PT	FLARED OUT (STD) STRAIGHT (OPTIONAL) - REQUIRES A SELECTION GEL Battery – Group 24 – 70 Amps (Each) Omission of the batteries EEL 14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires	CLIENT COST	ST N/ \$20
BAT24GEL BATO 14. DRIVE WHI DW14PT DW14PI	FLARED OUT (STD) STRAIGHT (OPTIONAL) - REQUIRES A SELECTION GEL Battery – Group 24 – 70 Amps (Each) Omission of the batteries EEL 14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires		ST N/ \$20
BAT24GEL BATO 14. DRIVE WHI DW14PT DW144PT DW144PT DW144PT	FLARED OUT (STD) STRAIGHT (OPTIONAL) - REQUIRES A SELECTION GEL Battery - Group 24 - 70 Amps (Each) Omission of the batteries EEL 14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires A Increases the overall width of the base by 2 ¾".	CLIENT COST	ST N/ \$20 \$59
BAT24GEL BATO 14. DRIVE WHI DW14PT DW14PI DW144PI DW144PI DW144PI DW12PT	FLARED OUT (STD) STRAIGHT (OPTIONAL) - REQUIRES A SELECTION GEL Battery - Group 24 - 70 Amps (Each) Omission of the batteries EEL 14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 12 ½" Cast Wheel Pneumatic Tires	CLIENT COST	ST N/ \$20 \$59
BAT24GEL BATO 14. DRIVE WHI DW14PT DW144PT DW144PT DW144PT	FLARED OUT (STD) STRAIGHT (OPTIONAL) - REQUIRES A SELECTION GEL Battery – Group 24 – 70 Amps (Each) Omission of the batteries EEL 14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires	CLIENT COST CLIENT COST	ST N/ \$20 \$59
BAT24GEL BATO 14. DRIVE WHI DW14PT DW14PI DW144PT DW144PI DW144PI DW12PT	FLARED OUT (STD) STRAIGHT (OPTIONAL) - REQUIRES A SELECTION GEL Battery - Group 24 - 70 Amps (Each) Omission of the batteries EEL 14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 12 ½" Cast Wheel Pneumatic Tires	CLIENT COST CLIENT COST	ST N/9 \$20 \$59
BAT24GEL BATO 14. DRIVE WHI DW14PT DW14PI DW144PT DW144PI DW12PT DW12PI	FLARED OUT (STD) STRAIGHT (OPTIONAL) - REQUIRES A SELECTION GEL Battery – Group 24 – 70 Amps (Each) Omission of the batteries EEL 14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires	CLIENT COST CLIENT COST	ST N/ \$20 \$59
BAT24GEL BATO 14. DRIVE WHI DW14PT DW14PI DW144PT DW144PI DW12PT DW12PI	FLARED OUT (STD) STRAIGHT (OPTIONAL) - REQUIRES A SELECTION GEL Battery – Group 24 – 70 Amps (Each) Omission of the batteries EEL 14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires	CLIENT COST CLIENT COST	ST N/ \$20 \$59 N/
BAT24GEL BATO 14. DRIVE WHI DW14PT DW14PI DW144PT DW144PI DW12PT DW12PI	FLARED OUT (STD) STRAIGHT (OPTIONAL) - REQUIRES A SELECTION GEL Battery – Group 24 – 70 Amps (Each) Omission of the batteries EEL 14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires 12 ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque.	CLIENT COST CLIENT COST	ST N/9 \$20 \$59 N/9 ST
BAT24GEL BATO 14. DRIVE WHI DW14PT DW14PI DW144PI DW144PI DW12PI DW12PI DW12PI 15. FRONT CAS	FLARED OUT (STD) STRAIGHT (OPTIONAL) - REQUIRES A SELECTION GEL Battery – Group 24 – 70 Amps (Each) Omission of the batteries EEL 14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires 12 ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. STERS 8" Pneumatic Casters	CLIENT COST CLIENT COST	ST N/ \$20 \$59 N/ N/ ST N/
BATTERIES BAT24GEL BATO 14. DRIVE WHI DW14PT DW14PT DW144PT DW144PT DW12PT DW12PT DW12PI 15. FRONT CAS FC8PTR FC8PIR	FLARED OUT (STD) STRAIGHT (OPTIONAL) - REQUIRES A SELECTION GEL Battery – Group 24 – 70 Amps (Each) Omission of the batteries EEL 14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires 13 ½" Cast Wheel Pneumatic with Foam Filled Tires 14 The Pneumatic Casters 8" Pneumatic Casters 8" Pneumatic Casters with Foam Filled Tires	CLIENT COST CLIENT COST	ST N/ \$20 \$59 N/ N/ ST N/ \$15
BATZ4GEL BATO 14. DRIVE WHI DW14PT DW14PI DW144PT DW144PI DW12PT DW12PI 15. FRONT CAS FC8PIR FC8PIR FC9PT	FLARED OUT (STD) STRAIGHT (OPTIONAL) - REQUIRES A SELECTION GEL Battery – Group 24 – 70 Amps (Each) Omission of the batteries EEL 14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic Tires 12 ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. STERS 8" Pneumatic Casters 8" Pneumatic Casters 8" Pneumatic Casters 9" Pneumatic Casters	CLIENT COST CLIENT COST	STI N/0 \$20









STFH165 STFH175 STFH18 STFH185 STFH19	15 ½" - (Possible Seat angle of 0° only) A Requires the 12 ½" Drive wheels (DW12PT and DW12PI) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 16" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 17" - (Possible Seat angle of 0° and 3°) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° and 3°) 19" - (Possible Seat angle of 0°, 3°, 6°, 9°) DWER TILT, HD POWER TILT / HD RECLINE OR ELEVATE ONLY MODULE d 1.5" when ONLY using the HD Power Seat elevate Module 15 ¾" - (Possible Seat angle of 0° only) A Requires the 12 ½" Drive wheels (DW12PT and DW12PI) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 16 ½" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 17 ½" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only)		
STFH17 STFH18 STFH19 STFH20 OPTIONS FOR HD PC NOTE: Please ac STFH1575 STFH165 STFH175 STFH18 STFH185 STFH185 STFH19	A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 16" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 17" - (Possible Seat angle of 0° and 3°) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° and 3°) 19" - (Possible Seat angle of 0°, 3° and 6°) 20" - (Possible Seat angle of 0°, 3°, 6°, 9°) DWER TILT, HD POWER TILT / HD RECLINE OR ELEVATE ONLY MODULE d 1.5" when ONLY using the HD Power Seat elevate Module 15 ¾" - (Possible Seat angle of 0° only) A Requires the 12 ½" Drive wheels (DW12PT and DW12PI) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 16 ½" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 17 ½" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only)		
STFH17 STFH18 STFH19 STFH20 OPTIONS FOR HD PC NOTE: Please ac STFH1575 STFH165 STFH175 STFH18 STFH185 STFH185 STFH19	16" - (Possible Seat angle of 0° only) ▲ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 17" - (Possible Seat angle of 0° and 3°) ▲ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° and 3°) 19" - (Possible Seat angle of 0°, 3° and 6°) 20" - (Possible Seat angle of 0°, 3°, 6°, 9°) DWER TILT, HD POWER TILT / HD RECLINE OR ELEVATE ONLY MODULE 15 3/4" - (Possible Seat angle of 0° only) ▲ Requires the 12 ½" Drive wheels (DW12PT and DW12PI) ▲ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 16 ½" - (Possible Seat angle of 0° only) ▲ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 17 ½" - (Possible Seat angle of 0° only) ▲ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 17 ½" - (Possible Seat angle of 0° only) ▲ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only)		
STFH17 STFH18 STFH19 STFH20 OPTIONS FOR HD PC NOTE: Please ac STFH1575 STFH165 STFH175 STFH18 STFH185 STFH185 STFH19	The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 17" - (Possible Seat angle of 0° and 3°) ★ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° and 3°) 19" - (Possible Seat angle of 0°, 3° and 6°) 20" - (Possible Seat angle of 0°, 3°, 6°, 9°) DWER TILT, HD POWER TILT / HD RECLINE OR ELEVATE ONLY MODULE d 1.5" when ONLY using the HD Power Seat elevate Module 15 ¾" - (Possible Seat angle of 0° only) ★ Requires the 12 ½" Drive wheels (DW12PT and DW12PI) ★ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 16 ½" - (Possible Seat angle of 0° only) ★ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 17 ½" - (Possible Seat angle of 0° only) ★ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only) ★ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only)		
STFH18 STFH19 STFH20 OPTIONS FOR HD PC NOTE: Please ac STFH1575 STFH165 STFH175 STFH18 STFH18 STFH185 STFH19	17" - (Possible Seat angle of 0° and 3°) ▲ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° and 3°) 19" - (Possible Seat angle of 0°, 3° and 6°) 20" - (Possible Seat angle of 0°, 3°, 6°, 9°) DWER TILT, HD POWER TILT / HD RECLINE OR ELEVATE ONLY MODULE d 1.5" when ONLY using the HD Power Seat elevate Module 15 ¾" - (Possible Seat angle of 0° only) ▲ Requires the 12 ½" Drive wheels (DW12PT and DW12PI) ▲ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 16 ½" - (Possible Seat angle of 0° only) ▲ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 17 ½" - (Possible Seat angle of 0° only) ▲ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only) ▲ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only)		
STFH18 STFH19 STFH20 OPTIONS FOR HD PC NOTE: Please ac STFH1575 STFH165 STFH175 STFH18 STFH18 STFH185 STFH19	The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° and 3°) 19" - (Possible Seat angle of 0°, 3° and 6°) 20" - (Possible Seat angle of 0°, 3°, 6°, 9°) DWER TILT, HD POWER TILT / HD RECLINE OR ELEVATE ONLY MODULE d 1.5" when ONLY using the HD Power Seat elevate Module 15 ¾" - (Possible Seat angle of 0° only) A Requires the 12 ½" Drive wheels (DW12PT and DW12PI) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 16 ½" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 17 ½" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only)		
STFH19 STFH20 OPTIONS FOR HD PC NOTE: Please ac STFH1575 STFH165 STFH175 STFH18 STFH18 STFH185 STFH19	18" - (Possible Seat angle of 0° and 3°) 19" - (Possible Seat angle of 0°, 3° and 6°) 20" - (Possible Seat angle of 0°, 3°, 6°, 9°) WER TILT, HD POWER TILT / HD RECLINE OR ELEVATE ONLY MODULE d 1.5" when ONLY using the HD Power Seat elevate Module 15 ¾" - (Possible Seat angle of 0° only) A Requires the 12 ½" Drive wheels (DW12PT and DW12PI) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 16 ½" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 17 ½" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only) 18 ½" - (Possible Seat angle of 0° only)		
STFH19 STFH20 OPTIONS FOR HD PC NOTE: Please ac STFH1575 STFH165 STFH175 STFH18 STFH18 STFH185 STFH19	19" - (Possible Seat angle of 0°, 3° and 6°) 20" - (Possible Seat angle of 0°, 3°, 6°, 9°) DWER TILT, HD POWER TILT / HD RECLINE OR ELEVATE ONLY MODULE d 1.5" when ONLY using the HD Power Seat elevate Module 15 ¾" - (Possible Seat angle of 0° only) A Requires the 12 ½" Drive wheels (DW12PT and DW12PI) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 16 ½" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 17 ½" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only)		
STFH20 OPTIONS FOR HD PO NOTE: Please and STFH1575 STFH165 STFH175 STFH18 STFH18 STFH185 STFH19	20" - (Possible Seat angle of 0°, 3°, 6°, 9°) DWER TILT, HD POWER TILT / HD RECLINE OR ELEVATE ONLY MODULE d 1.5" when ONLY using the HD Power Seat elevate Module 15 ¾" - (Possible Seat angle of 0° only) A Requires the 12 ½" Drive wheels (DW12PT and DW12PI) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 16 ½" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 17 ½" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only) 18 ½" - (Possible Seat angle of 0° only)		
OPTIONS FOR HD PC NOTE: Please and STFH1575 STFH165 STFH175 STFH18 STFH18 STFH185 STFH19	DWER TILT, HD POWER TILT / HD RECLINE OR ELEVATE ONLY MODULE 1.5 "when ONLY using the HD Power Seat elevate Module 1.5 3/4" - (Possible Seat angle of 0° only) A Requires the 12 1/2" Drive wheels (DW12PT and DW12PI) The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 1.6 1/2" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 1.7 1/2" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 1.8" - (Possible Seat angle of 0° only)		
STFH165 STFH175 STFH18 STFH185 STFH19	d 1.5" when ONLY using the HD Power Seat elevate Module 15 3/4" - (Possible Seat angle of 0° only) A Requires the 12 ½" Drive wheels (DW12PT and DW12PI) The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 16 ½" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 17 ½" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only)		
STFH1575 STFH165 STFH175 STFH18 STFH185 STFH19	15 3/4" - (Possible Seat angle of 0° only) A Requires the 12 1/2" Drive wheels (DW12PT and DW12PI) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 16 1/2" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 17 1/2" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only)		
STFH165 STFH175 STFH18 STFH185 STFH19	A Requires the 12 ½" Drive wheels (DW12PT and DW12PI) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 16 ½" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 17 ½" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only) 18 ½" - (Possible Seat angle of 0° only)		
STFH175 STFH18 STFH185 STFH19	16 ½" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 17 ½" - (Possible Seat angle of 0° only) A The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only) 18 ½" - (Possible Seat angle of 0° only)		
STFH175 STFH18 STFH185 STFH19	 ▲ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 17 ½" - (Possible Seat angle of 0° only) ▲ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only) 18 ½" - (Possible Seat angle of 0° only) 		
STFH18 STFH185 STFH19	17 ½" - (Possible Seat angle of 0° only) ▲ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only) 18 ½" - (Possible Seat angle of 0° only)		
STFH18 STFH185 STFH19	▲ The Heavy Duty Swing-Away footrests (SOAAF) are not available with this seat to floor height 18" - (Possible Seat angle of 0° only) 18 ½" - (Possible Seat angle of 0° only)		
STFH185 STFH19	18" - (Possible Seat angle of 0° only) 18 ½" - (Possible Seat angle of 0° only)		
STFH185 STFH19	18 ½" - (Possible Seat angle of 0° only)		
STFH19			
	19" - (Possible Seat angle of 0° only)		
OPTIONS FOR A COL			
	ABO - HD POWER TILT OR HD POWER TILT / HD RECLINE WITH HD ELEVATE MODULE		
STFH1875	18 ¾" - (Possible Seat angle of 0° only) A Requires the 12 ½" Drive wheels (DW12PT and DW12PI)		
STFH195			
3111193	19 ½" - (Possible Seat angle of 0° only)		
7. SEAT TO FLOC	R HEIGHT SPECIFICATION (IF NOT STANDARD)		
SOMHSS	Specific seat to floor height higher than standard. It's not possible to lower the seat to floor height below minimum ranges	i.	RF
	▲ Required at:" (± ¼" Range)		
B. PRE-SET SEAT	EDAME ANGLE		
SFE-0	0° Pre-set seat frame seat angle – (Must be selected when using power options)		ST
SFE-3	3° Pre-set seat frame seat angle – (Only available with a seat configuration without power options)		N/
SFE-6	6° Pre-set seat frame seat angle – (Only available with a seat configuration without power options)		N/
SFE-9	9° Pre-set seat frame seat angle – (Only available with a seat configuration without power options)		N/
9. LIGHTING PA	CKAGE		
EOLP	LED Light Package – (Includes front and rear lights with integrated flashers)	CLIENT COST	\$1.42
	A Requires the upgraded Joystick with Light Operation or the OMNI 2 (ECVJ6KL, ECELJL, ECRJC35B or EDIB).		¥ .,
	THE CONTROL OF THE CO		
I. EXPANDABLE	ELECTRONICS - PG DRIVES R-NET CONTROLLERS		
ECEL90	R-net EL 90 Amp Expandable Controller		\$ 17
ECR 120	R-net PM 120 Amp Expandable Controller		\$27
	▲ Must be ordered with the expandable controller ECEL90 or ECR120 to interface with Joysticks or OMNI 2 screen		
2. EXPANDABLE	ELECTRONICS - PG DRIVES R-NET JOYSTICKS		
► Selection of one	joystick option below is required with the expandable controller ECEL90 or ECR120		
ECO	Omit Joystick – (For use with an Omni 2 Display)		N/
ECELJ	R-net - (LED) - Joystick		ST
	▲ This joystick is not compatible with the Memory Seat Program option (SACMEMORY and MACMEMORY)		
ECRJC	R-net Joystick with Color screen		\$15
JOYSTICKS WITH LIG	•		
ECELJL	R-net – (LED) – Joystick with Lighting Operation	CLIENT COST	\$ 12
	▲ This joystick is not compatible with the Memory Seat Program option (SACMEMORY and MACMEMORY)		
ECRJCL	R-net Joystick with Color screen and Lighting Operation		\$18
ADVANCED JOYSTIC	K		
ECRJC35B	R-net Advanced Bluetooth Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	CLIENT COST	\$1,10







JSMF	Fixed Joystick Mount					N/C
JSMSA	Swing Away Joystick Mount – Height o	ıdjustable, Angle adjı	ustable and Multi-Ax	cis		\$23.
	Select: Set-up with standard insta	llation to swing-awa	y sideways Se	t-up at 35° to swing-away	sideways and downwards	
	Select: Mechanical Lock (STD)	Magnetic Lock				
JSMCM	Midline Mounted Swing Away Joystick	Mount				\$275
4. JOYSTICK A	NOUNT SUPPORT					
JSMFH	Joystick mount support Bracket					STE
5. JOYSTICK H	IAND MOUNT					
HML	Install Joystick on Left hand side		HMR	Install Joystick o	n Right hand side	
6. JOYSTICK H	IANDIF					
		CTD	IDAT	Crl. 11 11 - 2"	:- 1	¢ 127
JSH JBH	Standard Joystick Gimble	STD	JBAT JFBH	Stick Handle 3" Foam Ball Hand		\$130
	Ball Handle T-Handle	\$85				\$70
JTH	Bodypoint 4" U-shaped Handle	\$155 \$210	JMUSH	Bodypoint Mush	nroom Hanale	\$210
	,	·				
	II 2 - ENHANCED DISPLAY & DIG		EBOX (REQUIRE	D WITH SPECIALTY CONTI	ROLS)	\$1.01
EDIB	Omni 2 – (Enhanced Display & Digital Interf			h - D + f - ll - F d - l- C	-t (ECR120)	\$1,913
	 Allows the switch operation of alternation The Omni 2 display mount must be selected. 	•	•	ne k-ner rully Expandable Cor	ntroller (ECR 120)	
	2 alspia) meen meen 20 sees	order nom mo opnom so				
0. OMNI 2 EN	HANCED DISPLAY MOUNT					
O. OMNI 2 EN EDSAM	HANCED DISPLAY MOUNT User Swing Away Mount				CODE W100	N/C
		EDMR – (Insi	tall Display on RH side)		CODE W100	N/C
EDSAM	User Swing Away Mount EDML – (Install Display on LH side)	EDMR – (Inst	tall Display on RH side)		CODE W100	N/C
EDSAM	User Swing Away Mount EDML – (Install Display on LH side) ENTAL CONTROL MODULE		tall Display on RH side)			
EDSAM	User Swing Away Mount EDML – (Install Display on LH side) ENTAL CONTROL MODULE Environment control module – (Output M	lodule)			CODE W100	
EDSAM	User Swing Away Mount EDML – (Install Display on LH side) ENTAL CONTROL MODULE	lodule)				, -
EDSAM 1. ENVIRONM ECU	User Swing Away Mount EDML – (Install Display on LH side) ENTAL CONTROL MODULE Environment control module – (Output M Requires one of the fully expandable	iodule) R-net controllers (ECEL	90 or ECR120).			
EDSAM 1. ENVIRONM ECU 3. AMYSEAT R	User Swing Away Mount EDML – (Install Display on LH side) EENTAL CONTROL MODULE Environment control module – (Output M Requires one of the fully expandable EHAB SEAT / POWER SEATING S	lodule) R-net controllers (ECEL YSTEMS AND A	90 or ECR120).			\$995
EDSAM 1. ENVIRONM ECU 3. AMYSEAT R SAABAHD-450	User Swing Away Mount EDML – (Install Display on LH side) EENTAL CONTROL MODULE Environment control module – (Output M Requires one of the fully expandable EHAB SEAT / POWER SEATING S Amyseat HD Rehab Seat – (Seat Frame of	lodule) R-net controllers (ECEL YSTEMS AND A	90 or ECR120).			\$995 \$1,045
EDSAM 1. ENVIRONM ECU 3. AMYSEAT R	User Swing Away Mount EDML – (Install Display on LH side) ENTAL CONTROL MODULE Environment control module – (Output M Requires one of the fully expandable EHAB SEAT / POWER SEATING S Amyseat HD Rehab Seat – (Seat Frame of Heavy-Duty CG Power Tilt	lodule) R-net controllers (ECEL SYSTEMS AND A	90 or ECR120).			\$995 \$1,045
EDSAM ECU 3. AMYSEAT R SAABAHD-450 SAPTXHD	User Swing Away Mount EDML – (Install Display on LH side) ENTAL CONTROL MODULE Environment control module – (Output M Requires one of the fully expandable EHAB SEAT / POWER SEATING S Amyseat HD Rehab Seat – (Seat Frame of Heavy-Duty CG Power Tilt This option includes the Amyseat Rehal	lodule) R-net controllers (ECEL SYSTEMS AND A only) b Seat (SAABAHD)	90 or ECR120).			\$995 \$1,045 \$6,195
EDSAM 1. ENVIRONM ECU 3. AMYSEAT R SAABAHD-450	User Swing Away Mount EDML – (Install Display on LH side) ENTAL CONTROL MODULE Environment control module – (Output M Requires one of the fully expandable EHAB SEAT / POWER SEATING S Amyseat HD Rehab Seat – (Seat Frame of Heavy-Duty CG Power Tilt	indule) R-net controllers (ECEL EYSTEMS AND A Enrolly) Discourse (SAABAHD) Unical Shear Reduction	90 or ECR120).			\$995 \$1,045 \$6,195
EDSAM ECU 3. AMYSEAT R SAABAHD-450 SAPTXHD	User Swing Away Mount EDML – (Install Display on LH side) ENTAL CONTROL MODULE Environment control module – (Output M Requires one of the fully expandable EHAB SEAT / POWER SEATING S Amyseat HD Rehab Seat – (Seat Frame of Heavy-Duty CG Power Tilt This option includes the Amyseat Rehal Heavy-Duty Power Recline with Mechal This option includes the Amyseat Rehal	Indule) Renet controllers (ECEL EYSTEMS AND A Innuly) De Seat (SAABAHD) Innical Shear Reduction De Seat (SAABAHD)	90 or ECR120). MODULES n (MSR)	(MSR)		\$1,045 \$6,195 \$7,845
EDSAM 1. ENVIRONM ECU 3. AMYSEAT R SAABAHD-450 SAPTXHD SAPRXHD	User Swing Away Mount EDML – (Install Display on LH side) ENTAL CONTROL MODULE Environment control module – (Output M Requires one of the fully expandable EHAB SEAT / POWER SEATING S Amyseat HD Rehab Seat – (Seat Frame of Heavy-Duty CG Power Tilt This option includes the Amyseat Rehall Heavy-Duty Power Recline with Mechanisms	Indule) Renet controllers (ECEL EYSTEMS AND A Innuly) De Seat (SAABAHD) Innical Shear Reduction De Seat (SAABAHD) Recline with Mechani	90 or ECR120). MODULES n (MSR)	(MSR)		\$1,045 \$6,195 \$7,845
EDSAM 1. ENVIRONM ECU 3. AMYSEAT R SAABAHD-450 SAPTXHD SAPRXHD	User Swing Away Mount EDML — (Install Display on LH side) ENTAL CONTROL MODULE Environment control module — (Output M Requires one of the fully expandable EHAB SEAT / POWER SEATING S Amyseat HD Rehab Seat — (Seat Frame of Heavy-Duty CG Power Tilt This option includes the Amyseat Rehal Heavy-Duty Power Recline with Mechod This option includes the Amyseat Rehal Heavy-Duty CG Power Tilt and Power A This option includes the Amyseat Rehal	SYSTEMS AND Manly) b Seat (SAABAHD) sinical Shear Reduction b Seat (SAABAHD) Recline with Mechani b Seat (SAABAHD).	90 or ECR120). MODULES n (MSR)	(MSR)		\$1,045 \$6,195 \$7,845 \$12,995
EDSAM 1. ENVIRONM ECU 3. AMYSEAT R SAABAHD-450 SAPTXHD SAPRXHD SAPTRXHD	User Swing Away Mount EDML – (Install Display on LH side) ENTAL CONTROL MODULE Environment control module – (Output M Requires one of the fully expandable EHAB SEAT / POWER SEATING S Amyseat HD Rehab Seat – (Seat Frame of Heavy-Duty CG Power Tilt This option includes the Amyseat Rehal Heavy-Duty Power Recline with Mechal This option includes the Amyseat Rehall Heavy-Duty CG Power Tilt and Power	Andule) Renet controllers (ECEL EYSTEMS AND M ENDING ENDIN	90 or ECR120). MODULES n (MSR)	(MSR)		\$1,045 \$6,195 \$7,845 \$12,995
EDSAM 1. ENVIRONM ECU 3. AMYSEAT R SAABAHD-450 SAPTXHD SAPRXHD SAPTRXHD	User Swing Away Mount EDML — (Install Display on LH side) ENTAL CONTROL MODULE Environment control module — (Output M Requires one of the fully expandable EHAB SEAT / POWER SEATING S Amyseat HD Rehab Seat — (Seat Frame of Heavy-Duty CG Power Tilt This option includes the Amyseat Rehal Heavy-Duty Power Recline with Mechod This option includes the Amyseat Rehal Heavy-Duty CG Power Tilt and Power A This option includes the Amyseat Rehal Heavy-Duty ALTA 11 "Power Seat Elev	Andule) In Renet controllers (ECEL) EYSTEMS AND Many) In Seat (SAABAHD) In Seat (SAABAHD) Recline with Mechanian Seat (SAABAHD). In Seat (SAABAHD). In Seat (SAABAHD). In Seat (SAABAHD).	90 or ECR120). MODULES n (MSR)	(MSR)		\$1,045 \$6,195 \$7,845 \$12,995
EDSAM 1. ENVIRONM ECU 3. AMYSEAT R SAABAHD-450 SAPTXHD SAPRXHD SAPTRXHD	User Swing Away Mount EDML — (Install Display on LH side) ENTAL CONTROL MODULE Environment control module — (Output M Requires one of the fully expandable EHAB SEAT / POWER SEATING S Amyseat HD Rehab Seat — (Seat Frame of the Amyseat HD Rehab Seat — (Seat Frame of the Amyseat Rehal Heavy-Duty Power Recline with Mechal Heavy-Duty CG Power Tilt and Power A This option includes the Amyseat Rehal Heavy-Duty CG Power Tilt and Power A This option includes the Amyseat Rehal Heavy-Duty ALTA 11 " Power Seat Eleva This option includes the Amyseat Rehal Heavy-Duty ALTA 11 " Power Seat Eleva This option includes the Amyseat Rehal	Andule) In R-net controllers (ECEL) IN STEMS AND Anduly) In Seat (SAABAHD) In Seat (SAABAHD) Recline with Mechanian Seat (SAABAHD). In Seat (SAABAHD).	90 or ECR120). MODULES In (MSR) Ical Shear Reduction			\$1,045 \$6,195 \$7,845 \$12,995 \$5,495
EDSAM ECU 3. AMYSEAT R SAABAHD-450 SAPTXHD SAPRXHD SAPTRYHD SAPTRYHD SAPESXHD	User Swing Away Mount EDML — (Install Display on LH side) ENTAL CONTROL MODULE Environment control module — (Output M Requires one of the fully expandable EHAB SEAT / POWER SEATING S Amyseat HD Rehab Seat — (Seat Frame of the Seat Frame of the Amyseat Rehal Heavy-Duty CG Power Tilt This option includes the Amyseat Rehal Heavy-Duty CG Power Tilt and Power I This option includes the Amyseat Rehal Heavy-Duty CG Power Tilt and Power I This option includes the Amyseat Rehal Heavy-Duty ALTA 11" Power Seat Elev This option includes the Amyseat Rehal Heavy-Duty ALTA 11" Power Seat Elev This option includes the Amyseat Rehal The maximum user weight with this option	Andule) Renet controllers (ECEL: EYSTEMS AND A ENDING STAND	90 or ECR120). MODULES In (MSR) Ical Shear Reduction			\$1,045 \$6,195 \$7,845 \$12,995 \$5,495
EDSAM 1. ENVIRONM ECU 3. AMYSEAT R SAABAHD-450 SAPTXHD SAPTXHD SAPTRXHD SAPTRXHD SAPTRXHD ADDPESXHD	User Swing Away Mount EDML — (Install Display on LH side) ENTAL CONTROL MODULE Environment control module — (Output M. A Requires one of the fully expandable EHAB SEAT / POWER SEATING S. Amyseat HD Rehab Seat — (Seat Frame of the Heavy-Duty CG Power Tilt) A This option includes the Amyseat Rehal Heavy-Duty Power Recline with Mecha A This option includes the Amyseat Rehal Heavy-Duty CG Power Tilt and Power A This option includes the Amyseat Rehal Heavy-Duty ALTA 11" Power Seat Eleva The maximum user weight with this option Module — Add ALTA 11" Power Seat E	Nodule) Renet controllers (ECEL EYSTEMS AND N Inly) In Seat (SAABAHD) In Seat (SAABAHD) Recline with Mechani In Seat (SAABAHD) Recline with Mechani In Seat (SAABAHD)	90 or ECR120). MODULES In (MSR) Ical Shear Reduction PTXHD, SAPRXHD	or SAPTPRXHD		\$1,045 \$6,195 \$7,845 \$12,995 \$5,495
EDSAM 1. ENVIRONM ECU 3. AMYSEAT R SAABAHD-450 SAPTXHD SAPTXHD SAPTXHD SAPTRXHD ADDPESXHD 44. ELECTRONIC	User Swing Away Mount EDML — (Install Display on LH side) ENTAL CONTROL MODULE Environment control module — (Output M Requires one of the fully expandable EHAB SEAT / POWER SEATING S Amyseat HD Rehab Seat — (Seat Frame of the Seat Frame of	Nodule) Renet controllers (ECEL EYSTEMS AND A Solution Seat (SAABAHD) Enical Shear Reduction Seat (SAABAHD) Recline with Mechani Seat (SAABAHD).	90 or ECR120). MODULES In (MSR) Ical Shear Reduction PTXHD, SAPRXHD	or SAPTPRXHD	CLIENT COST	\$1,045 \$6,195 \$7,845 \$12,995 \$5,495
EDSAM 1. ENVIRONM ECU 3. AMYSEAT R SAABAHD-450 SAPTXHD SAPTXHD SAPTXHD SAPTRXHD ADDPESXHD 44. ELECTRONIC	User Swing Away Mount EDML — (Install Display on LH side) ENTAL CONTROL MODULE Environment control module — (Output M. A Requires one of the fully expandable EHAB SEAT / POWER SEATING S. Amyseat HD Rehab Seat — (Seat Frame of the Amyseat Rehal Heavy-Duty CG Power Tilt A This option includes the Amyseat Rehal Heavy-Duty Power Recline with Mecha A This option includes the Amyseat Rehal Heavy-Duty CG Power Tilt and Power A This option includes the Amyseat Rehal Heavy-Duty ALTA 11" Power Seat Eleva The maximum user weight with this option Module — Add ALTA 11" Power Seat E A The maximum user weight with this option SINGLE (1 ACTUATOR) POWER SEATING	Indule) Renet controllers (ECEL EYSTEMS AND A Inly) In Seat (SAABAHD) In Ical Shear Reduction In Seat (SAABAHD) Recline with Mechani In Seat (SAABAHD) It is 400 lb	90 or ECR120). MODULES In (MSR) Coal Shear Reduction PTXHD, SAPRXHD I CONTROLLER Y (FOR BOTH EXPAN	or SAPTPRXHD	CLIENT COST	\$1,045 \$6,195 \$7,845 \$12,995 \$5,495 \$3,995
EDSAM ECU 3. AMYSEAT R SAABAHD-450 SAPTXHD SAPTRYND SAPESYND ADDPESYND 4. ELECTRONIC SINGLE SEAT FUN	User Swing Away Mount EDML - (Install Display on LH side) ENTAL CONTROL MODULE Environment control module - (Output M Requires one of the fully expandable EHAB SEAT / POWER SEATING S Amyseat HD Rehab Seat - (Seat Frame of Heavy-Duty CG Power Tilt This option includes the Amyseat Rehal Heavy-Duty Power Recline with Mechal Heavy-Duty CG Power Tilt and Power This option includes the Amyseat Rehal Heavy-Duty CG Power Tilt and Power This option includes the Amyseat Rehal Heavy-Duty ALTA 11" Power Seat Elev This option includes the Amyseat Rehal Heavy-Duty ALTA 11" Power Seat Elev This option includes the Amyseat Rehal Heavy-Duty ALTA 11" Power Seat Elev The maximum user weight with this option Module - Add ALTA 11" Power Seat E The maximum user weight with this option USING AN EXTERNAL TOGGLE OR OP Single function controller (Includes an extension of the full of the side of t	Indule) Renet controllers (ECEL EYSTEMS AND A Inly) In Seat (SAABAHD) In Ical Shear Reduction In Seat (SAABAHD) Recline with Mechani In Seat (SAABAHD) It is 400 lb	90 or ECR120). MODULES In (MSR) Coal Shear Reduction PTXHD, SAPRXHD I CONTROLLER Y (FOR BOTH EXPAN	or SAPTPRXHD	CLIENT COST	\$1,045 \$6,195 \$7,845 \$12,995 \$5,495
EDSAM ECU 3. AMYSEAT R SAABAHD-450 SAPTXHD SAPTRXHD SAPESXHD ADDPESXHD 4. ELECTRONIC SINGLE SEAT FUN SOLO	User Swing Away Mount EDML - (Install Display on LH side) ENTAL CONTROL MODULE Environment control module - (Output M Requires one of the fully expandable EHAB SEAT / POWER SEATING S Amyseat HD Rehab Seat - (Seat Frame of Heavy-Duty CG Power Tilt This option includes the Amyseat Rehal Heavy-Duty Power Recline with Mechal Heavy-Duty CG Power Tilt and Power This option includes the Amyseat Rehal Heavy-Duty CG Power Tilt and Power This option includes the Amyseat Rehal Heavy-Duty ALTA 11" Power Seat Elev This option includes the Amyseat Rehal Heavy-Duty ALTA 11" Power Seat Elev This option includes the Amyseat Rehal Heavy-Duty ALTA 11" Power Seat Elev The maximum user weight with this option Module - Add ALTA 11" Power Seat E The maximum user weight with this option USING AN EXTERNAL TOGGLE OR OP Single function controller (Includes an extension of the full of the side of t	Indule) Renet controllers (ECEL EYSTEMS AND A Inly) In Seat (SAABAHD) In Ical Shear Reduction In Seat (SAABAHD) Recline with Mechani In Seat (SAABAHD) It is 400 lb	90 or ECR120). MODULES In (MSR) Coal Shear Reduction PTXHD, SAPRXHD I CONTROLLER Y (FOR BOTH EXPAN	or SAPTPRXHD	CLIENT COST	\$1,045 \$6,195 \$7,845 \$12,995 \$5,495
EDSAM ECU 3. AMYSEAT R SAABAHD-450 SAPTXHD SAPTRYND SAPESXHD ADDPESXHD 4. ELECTRONIC SINGLE SEAT FUN SOLO OPTIONAL SW	User Swing Away Mount EDML — (Install Display on LH side) ENTAL CONTROL MODULE Environment control module — (Output M Requires one of the fully expandable EHAB SEAT / POWER SEATING S Amyseat HD Rehab Seat — (Seat Frame of the avy-Duty CG Power Tilt This option includes the Amyseat Rehald Heavy-Duty Power Recline with Mechod This option includes the Amyseat Rehald Heavy-Duty CG Power Tilt and Power This option includes the Amyseat Rehald Heavy-Duty ALTA 11" Power Seat Elev This option includes the Amyseat Rehald Heavy-Duty ALTA 11" Power Seat Elev This option includes the Amyseat Rehald Heavy-Duty ALTA 11" Power Seat Elev The maximum user weight with this option Module — Add ALTA 11" Power Seat E The maximum user weight with this option USING AN EXTERNAL TOGGLE OR OPTION USING AN EXTERNAL TOGGLE OR OPTICHES	And the second of the second o	90 or ECR120). MODULES In (MSR) Coal Shear Reduction PTXHD, SAPRXHD I CONTROLLER Y (FOR BOTH EXPAN	or SAPTPRXHD	CLIENT COST	\$1,045 \$6,195 \$7,845 \$12,995 \$5,495 \$3,995
EDSAM ECU 3. AMYSEAT R SAABAHD-450 SAPTXHD SAPTXHD SAPTRYHD SAPESXHD ADDPESXHD 4. ELECTRONIC SINGLE SEAT FUN SOLO OPTIONAL SW SWTOGGLE	User Swing Away Mount EDML — (Install Display on LH side) ENTAL CONTROL MODULE Environment control module — (Output M Requires one of the fully expandable EHAB SEAT / POWER SEATING S Amyseat HD Rehab Seat — (Seat Frame of Heavy-Duty CG Power Tilt This option includes the Amyseat Rehald Heavy-Duty Power Recline with Mechod This option includes the Amyseat Rehald Heavy-Duty CG Power Tilt and Power Intervention of the Amyseat Rehald Heavy-Duty CG Power Tilt and Power Intervention of the Amyseat Rehald Heavy-Duty ALTA 11" Power Seat Elev This option includes the Amyseat Rehald Heavy-Duty ALTA 11" Power Seat Elev This option includes the Amyseat Rehald Intervention of the Module — Add ALTA 11" Power Seat Elev The maximum user weight with this option using ALTA 11" Power Seat Elev The maximum user weight with this option USING AN EXTERNAL TOGGLE OR OPTION USING AN EXTERNAL	Indule) In R-net controllers (ECEL EYSTEMS AND A Inly) In Seat (SAABAHD) Recline with Mechani In Seat (SAABAHD). In Sea	90 or ECR120). MODULES In (MSR) Coal Shear Reduction PTXHD, SAPRXHD I CONTROLLER Y (FOR BOTH EXPAN	or SAPTPRXHD R NDABLE AND NON-EXPAN	CLIENT COST IDABLE SYSTEMS) Attendant Activation	\$1,045 \$6,195 \$7,845 \$12,995 \$5,495 \$3,995
EDSAM ECU 3. AMYSEAT R SAABAHD-450 SAPTXHD SAPTRYND SAPESXHD ADDPESXHD 4. ELECTRONIC SINGLE SEAT FUN SOLO OPTIONAL SW SWTOGGLE SWPUSH1	User Swing Away Mount EDML — (Install Display on LH side) ENTAL CONTROL MODULE Environment control module — (Output M Requires one of the fully expandable EHAB SEAT / POWER SEATING S Amyseat HD Rehab Seat — (Seat Frame of the Amyseat Rehal Heavy-Duty CG Power Tilt This option includes the Amyseat Rehal Heavy-Duty CG Power Tilt and Power this option includes the Amyseat Rehal Heavy-Duty CG Power Tilt and Power this option includes the Amyseat Rehal Heavy-Duty ALTA 11" Power Seat Elev This option includes the Amyseat Rehal Heavy-Duty ALTA 11" Power Seat Elev This option includes the Amyseat Rehal the maximum user weight with this option Module — Add ALTA 11" Power Seat E The maximum user weight with this option USING AN EXTERNAL TOGGLE OR OPTION USING AN EXTERNAL TOGGLE OR OPTICHES Single Toggle Switch Single Toggle Switch	Indule) Renet controllers (ECEL EYSTEMS AND A Inly) De Seat (SAABAHD) Recline with Mechani De Seat (SAABAHD). Ation De Seat (SAABAHD). Ation De Seat (SAABAHD). Ation De Seat (SAABAHD). Ation De Seat (SAABAHD). Ation is 400 lb BEAT FUNCTION TIONAL SWITCH ONL External toggle switch De SAC) ACC)	90 or ECR120). MODULES In (MSR) Coal Shear Reduction PTXHD, SAPRXHD I CONTROLLER Y (FOR BOTH EXPAN	or SAPTPRXHD NDABLE AND NON-EXPAN User Activation	CLIENT COST IDABLE SYSTEMS) Attendant Activation Attendant Activation	, -
EDSAM ECU 3. AMYSEAT R SAABAHD-450 SAPTXHD SAPTXHD SAPTXHD SAPESXHD 4. ELECTRONIC SINGLE SEAT FUN SOLO V OPTIONAL SW SWTOGGLE SWPUSH1 SWPUSH2	User Swing Away Mount EDML — (Install Display on LH side) ENTAL CONTROL MODULE Environment control module — (Output M Requires one of the fully expandable EHAB SEAT / POWER SEATING S Amyseat HD Rehab Seat — (Seat Frame of the Amyseat Rehal Heavy-Duty CG Power Tilt This option includes the Amyseat Rehal Heavy-Duty Power Recline with Mechal Heavy-Duty CG Power Tilt and Power this option includes the Amyseat Rehal Heavy-Duty CG Power Tilt and Power This option includes the Amyseat Rehal Heavy-Duty ALTA 11" Power Seat Elev This option includes the Amyseat Rehal Heavy-Duty ALTA 11" Power Seat Elev This option includes the Amyseat Rehal The maximum user weight with this option Module — Add ALTA 11" Power Seat E The maximum user weight with this option USING AN EXTERNAL TOGGLE OR OP Single function controller (Includes an extense of the Amyseat Rehal Single Push Button Switch — (Single Modul Dual Push Button Switch — (Single Modul Dual Push Button Switch — (Dual Mode: S	Indule) Renet controllers (ECEL EYSTEMS AND A Inly) De Seat (SAABAHD) Recline with Mechani De Seat (SAABAHD). Ation De Seat (SAABAHD). Ation De Seat (SAABAHD). Ation De Seat (SAABAHD). Ation De Seat (SAABAHD). Ation is 400 lb BEAT FUNCTION TIONAL SWITCH ONL External toggle switch De SAC) ACC)	90 or ECR120). MODULES In (MSR) Sical Shear Reduction PTXHD, SAPRXHD I CONTROLLER Y (FOR BOTH EXPAN)	or SAPTPRXHD NDABLE AND NON-EXPAN User Activation User Activation	CLIENT COST IDABLE SYSTEMS) Attendant Activation Attendant Activation Attendant Activation	\$1,045 \$6,195 \$7,845 \$12,995 \$5,495 \$3,995 \$100 \$100 \$180









EPSEL	Single Function Through Drive Control with R-net 90-amp controller				N/C
Lr JLL	▲ Allows for activation of single power option through R-net 90-amp controlle	er			14/ C
	▲ Compatible with all R-net joysticks				
	▲ Does not allow for control of power option through drive control and separa	ate switches			
	▲ Can not operate more than one power option				
	▲ If selecting memory seating, choose SAC below				
	▲ If selecting 120-amp R-net controller, choose SAC below				
SAC	Single Function Through Drive Control with R-net 90-amp or 120-amp co	ontroller			N/C
	▲ Allows for activation of single power option through R-net drive controls				
	▲ Compatible with 90-amp or 120-amp controller, all R-net joysticks, Omni 2 of	and specialty controls			
	▲ Capable of operating tilt with power seating elevate				
	▲ Compatible with memory seating				
	ON OPTIONS (OPTIONS BELOW ARE COMPATIBLE ONLY WHEN CHOOSIN	NG SAC ABOVE)			•
SACMEMORY	Memory Seat Program			CLIENT COST	\$1,495
	▲ This option is not compatible with or LED joysticks (ECELJ and ECELJL)				
SELECTION OF SWITE	▲ Memory seat programming is not compatible with the Heavy Duty Seat Elev				
SACTOGGLE	H BELOW GIVES ACCES TO POWER OPTIONS THROUGH DRIVE CONTROLS	AND INKOUGH EXTE	Attendant Activation	CODE W100	\$410
	Single Toggle Switch	11		CODE W100	
SACPUSH1	Single Push Button Switch – (Single Mode: SAC)	User Activation	Attendant Activation	CODE W100	· .
SACPUSH2	Dual Push Button Switch – (Dual Mode: SAC)	User Activation	Attendant Activation	CODE W100	
SACSSBS	Buddy Button Switch Black Red Green Yellow	User Activation	Attendant Activation	CODE W100	
SACSSES	Egg Switch-Black	User Activation	Attendant Activation	CODE W100	
SACSSML	Ultra Light Switch	User Activation	Attendant Activation	CODE W100	\$605
	- MULTIPLE SEAT FUNCTION CONTROL TYPE TIONS THROUGH R-NET				
MAC	E-BX Multiple Function through Drive Control with Expandable Electronic	cs – Powers iQ Actu	ators		\$2,295
MAC OPTIONS					
MACMEMORY	Memory Seat Program				\$1 <i>7</i> 5
	▲ Memory seat programming is not compatible with the Heavy Duty Seat Elev	vate option (SAPESXHD o	ind ADDPESXHD)		
SELECTION OF SWITC	H BELOW GIVES ACCES TO POWER OPTIONS THROUGH DRIVE CONTROLS	AND THROUGH EXTE	RNAL SWITCH		
MACKEYPAD-P	Keypad w/ 5 Push Button Switches	User Activation	Attendant Activation	CODE W100	\$445
MACKEYPAD-T	Keypad w/ 5 Toggle Switches	User Activation	Attendant Activation	CODE W100	\$445
MACMULTI	4-Way Toggle Switch – (Up to 4 Activations)	User Activation	Attendant Activation	CODE W100	\$180
	 By selecting this switch, memory recall is only available through the Joystick 	4.			
MACMULTIT	Triple Toggle Switch – (Up to 5 Activations)	User Activation	Attendant Activation	CODE W100	\$135
	▲ By selecting this switch, memory recall is only available through the Joystick	.			
MACPUSH4	4-Way Push Button Switch	User Activation	Attendant Activation	CODE W100	\$225
MACPUSH5	By selecting this switch, memory recall is only available through the Joystick	6.			
	By selecting this switch, memory recall is only available through the Joystick 5-Way Push Button Switch	User Activation	Attendant Activation	CODE W100	\$240
MIACI GOITG	5-Way Push Button Switch	User Activation	Attendant Activation	CODE W100	\$240
mad dans		User Activation	Attendant Activation	CODE W100	\$240
	5-Way Push Button Switch	User Activation	Attendant Activation	CODE W100	\$240
66. SWITCH ACTIV	5-Way Push Button Switch By selecting this switch, memory recall is only available through the Joystick ATION HAND MOUNT	User Activation	Attendant Activation	CODE W100	
36. SWITCH ACTIV	5-Way Push Button Switch * By selecting this switch, memory recall is only available through the Joystick */ATION HAND MOUNT **TSML* - (Install Switch on LH side)** **TSMR* - (Install Switch on RH side)**	User Activation	Attendant Activation	CODE W100	\$240 N/C
66. SWITCH ACTIV	5-Way Push Button Switch By selecting this switch, memory recall is only available through the Joystick ATION HAND MOUNT	User Activation	Attendant Activation	CODE W100	
66. SWITCH ACTIV	5-Way Push Button Switch * By selecting this switch, memory recall is only available through the Joystick */ATION HAND MOUNT **TSML* - (Install Switch on LH side)** **TSMR* - (Install Switch on RH side)**	User Activation	Attendant Activation	CODE W100	
36. SWITCH ACTIV witch Installation: 37. PRE-SET BACK	5-Way Push Button Switch A By selecting this switch, memory recall is only available through the Joystick /ATION HAND MOUNT TSML – (Install Switch on LH side) TSMR – (Install Switch on RH side) ANGLE (FOR NON-RECLINING BACKS)	User Activation	Attendant Activation	CODE W100	
66. SWITCH ACTIV witch Installation: 67. PRE-SET BACK	5-Way Push Button Switch By selecting this switch, memory recall is only available through the Joystick /ATION HAND MOUNT TSML - (Install Switch on LH side) TSMR - (Install Switch on RH side) ANGLE (FOR NON-RECLINING BACKS) For SOWN 19-24-22 seat range, select one:	User Activation		CODE W100	N/C
6. SWITCH ACTIV witch Installation: 7. PRE-SET BACK	5-Way Push Button Switch By selecting this switch, memory recall is only available through the Joystick /ATION HAND MOUNT TSML — (Install Switch on LH side) TSMR — (Install Switch on RH side) ANGLE (FOR NON-RECLINING BACKS) For SOWN 19-24-22 seat range, select one: 86° 90° 94° 98° 102° 106° 110°	User Activation		CODE W100	N/C
66. SWITCH ACTIV witch Installation: 67. PRE-SET BACK	5-Way Push Button Switch By selecting this switch, memory recall is only available through the Joystick ATION HAND MOUNT TSML — (Install Switch on LH side) TSMR — (Install Switch on RH side) ANGLE (FOR NON-RECLINING BACKS) For SOWN 19-24-22 seat range, select one: 86° 90° 94° 98° 102° 106° 110° For SOWN 24-26-22 seat range, select one:	User Activation		CODE W100	N/C
6. SWITCH ACTIV witch Installation: 7. PRE-SET BACK	5-Way Push Button Switch By selecting this switch, memory recall is only available through the Joystick ATION HAND MOUNT TSML — (Install Switch on LH side) TSMR — (Install Switch on RH side) ANGLE (FOR NON-RECLINING BACKS) For SOWN 19-24-22 seat range, select one: 86° 90° 94° 98° 102° 106° 110° For SOWN24-26-22 seat range, select one: 82° 90° 98° 106°	User Activation		CODE W100	N/C
6. SWITCH ACTIVE witch Installation: 7. PRE-SET BACK SOBAA	5-Way Push Button Switch By selecting this switch, memory recall is only available through the Joystick ATION HAND MOUNT TSML — (Install Switch on LH side) TSMR — (Install Switch on RH side) ANGLE (FOR NON-RECLINING BACKS) For SOWN 19-24-22 seat range, select one: 86° 90° 94° 98° 102° 106° 110° For SOWN24-26-22 seat range, select one: 82° 90° 98° 106°	User Activation		CODE W100	N/C
6. SWITCH ACTIVE witch Installation: 7. PRE-SET BACK SOBAA 9. LARGE ADJUS	5-Way Push Button Switch A By selecting this switch, memory recall is only available through the Joystick /ATION HAND MOUNT TSML — (Install Switch on LH side) ANGLE (FOR NON-RECLINING BACKS) For SOWN 19-24-22 seat range, select one: 86° 90° 94° 98° 102° 106° 110° For SOWN24-26-22 seat range, select one: 82° 90° 98° 106° A Back angles of 102° or greater are not compatible with the OMNI 2.	User Activation		CODE W100	N/C
SOWN19-24-22	5-Way Push Button Switch A By selecting this switch, memory recall is only available through the Joystick /ATION HAND MOUNT TSML – (Install Switch on LH side) ANGLE (FOR NON-RECLINING BACKS) For SOWN19-24-22 seat range, select one: 86° 90° 94° 98° 102° 106° 110° For SOWN24-26-22 seat range, select one: 82° 90° 98° 106° A Back angles of 102° or greater are not compatible with the OMNI 2. TABLE SEAT WIDTH RANGE BETWEEN 19" AND 26"	User Activation		CODE W100	N/C
36. SWITCH ACTIVE SWITCH Installation: 37. PRE-SET BACK SOBAA 39. LARGE ADJUS SOWN19-24-22	5-Way Push Button Switch A By selecting this switch, memory recall is only available through the Joystick /ATION HAND MOUNT TSML — (Install Switch on LH side) ANGLE (FOR NON-RECLINING BACKS) For SOWN 19-24-22 seat range, select one: 86° 90° 94° 98° 102° 106° 110° For SOWN24-26-22 seat range, select one: 82° 90° 98° 106° A Back angles of 102° or greater are not compatible with the OMNI 2. TABLE SEAT WIDTH RANGE BETWEEN 19" AND 26" (Width adjustment from 19" to 24" and a Depth range of 18" to 22")	User Activation		CODE W100	N/C N/C
36. SWITCH ACTIVE Switch Installation: 37. PRE-SET BACK SOBAA 39. LARGE ADJUS SOWN19-24-22 - SOWN24-26-22 -	5-Way Push Button Switch A By selecting this switch, memory recall is only available through the Joystick /ATION HAND MOUNT TSML — (Install Switch on LH side) ANGLE (FOR NON-RECLINING BACKS) For SOWN 19-24-22 seat range, select one: 86° 90° 94° 98° 102° 106° 110° For SOWN 24-26-22 seat range, select one: 82° 90° 98° 106° A Back angles of 102° or greater are not compatible with the OMNI 2. TABLE SEAT WIDTH RANGE BETWEEN 19" AND 26" (Width adjustment from 19" to 24" and a Depth range of 18" to 22")	User Activation		CODE W100	N/C N/C







18" (SODN18)	19" (SODN19)	20" (SODN20)	21" (SODN21)	22" (SODN22)		N/O
. BACK CANE H	EIGHT (THE BACK CANE HI	EIGHT MEASUREMENT IS TA	KEN FROM THE SEAT PAN TO	THE TOP OF THE PUSH H	ANDLES)	
				k height required with a powe		
16" (SOBCH16)	18" (SOBCH18)	20" (SOBCH20)	22" (SOBCH22)	24" (SOBCH24)	26" (SOBCH26)	
10 (00201110)	10 (00201110)	20 (0020.120)	(0020)	(0000)	20 (002020)	
2. BACK SUPPOR	RT					
DSTR-WWHH	Adjustable Tension Back U	Jpholstery, WW x HH				N/
	▲ Only available with Dua					
STDSB-WWHH		to 21" wide, with a maximum	=		SEATING BENEFIT	\$60
CTDCD MOMBILE			" (± 1") with a fixed back and 6"	(± 1") with a reclining back	CEATING DENIEST	ф 7 Г
STDSB-WWHH			sizes with shell height ≥ 23". " (± 1") with a fixed back and 6"	(+ 1") with a raclining back	SEATING BENEFIT	\$75
STDSB-WWHH		Heavy-Duty from 22" wide o		(± 1) with a reclining back	SEATING BENEFIT	\$1,07
31D3B-WWIIII			" (± 1") with a fixed back and 6"	(± 1") with a reclinina back	SLATING BENEFIT	ψ1,07
	, , , , , , , , , , , , , , , , , , , ,		,	, , , , , , , , , , , , , , , , , , , ,		
MATRX BACKS						
PBE-WWHH-HD		E BACK – (21" to 24" Wide - B			SEATING BENEFIT	\$1,15
	Back shell height is avail and 6" (± 1") with a recli		n space between the back and se	eat pan is 4" (± 1") with a fixed	back	
	▲ Weight capacity up to 50	-				
EDB-WWHH-HD	MATRX ELITE DEEP HD BA	ACK – (21" to 24" Wide - Back h	eight of 16", 18" and 20")		SEATING BENEFIT	\$1,19
	_		imum space between the back a	nd seat pan is 4" (± 1") with a	fixed back	
	and 6" (± 1") with a recli	-	.			
	▲ Weight capacity up to 50	atible with Lateral Trunk Suppor 00 lb	TS			
NXT BACKS						
NOACB-WWHH	NXT OPTIMA FH AC COI	NTOUR BACK - (15" to 21" W	ide)		SEATING BENEFIT	\$69
	▲ Weight capacity up to 30	•	•			
NOACB-WWHH	NXT OPTIMA FH AC COI	NTOUR BACK - (22" to 28" W	/ide)		SEATING BENEFIT	\$72
	▲ Weight capacity up to 5:	50 lb				
	Back shell heights only c and 6" (± 1") with a recli		minimum space between the ba	ck and seat pan is 4" (± 1") wit	h a fixed back	
NOPCB-WWHH		P CONTOUR BACK – (15" to	21 147: - 1		SEATING BENEFIT	\$79
NOPCB-WWITH	▲ Weight capacity up to 30	·	Zi wide)		SEATING BENEFIT	Φ/ 9
NOPCB-WWHH		P CONTOUR BACK – (22" to	28" Wide)		SEATING BENEFIT	\$82
	▲ Weight capacity up to 5	•	20 ,,,,,,,,		02/111/0 22/12/11	4 02
	▲ This product is not comp	atible with Lateral Trunk Suppor	ts			
			minimum space between the ba	ck and seat pan is 4" (± 1") wit	h a fixed back	
OMISSION OF THE R	and 6" (± 1") with a recli	ning back				
STDSBO	Omission of the Contour B	lack Support Specify	Model of Back Support:			N/
3. BACK SUPPOR	RT TOTAL HEIGHT (MEA	ASURED FROM THE SEAT PA				
				k height required with a powe		
16" (SOBH16)	18" (SOBH18)	20" (SOBH20)	22" (SOBH22)	24" (SOBH24)	26" (SOBH26)	
28" (SOBH28) This heigh	ght is not available with the NXT Optin	na AC and PC options				
4. SEAT CUSHIOI	NS (SEATING BENEFIT)					
CG AIR - THERAPEUT						
Single Valve 19" to 2	O" Wide Note: For custom Cushio	ns (Please use the CG Air Order F	orm)			
	Cell Height:	2"	3"	4"		
CGA1VSCwwdd-h	CG Air Single Valve – (wit	h Standard 2-way Stretch Cover)			SEATING BENEFIT	\$60
CGA1V3Dwwdd-h	CG Air Single Valve – (wit	th 3D Mesh Cover)			SEATING BENEFIT	\$69
CGA1VICwwdd-h	CG Air Single Valve – (wit	th Incontinence Cover)			SEATING BENEFIT	\$69
	▲ Cushion sizes only come	in even numbers for width and	depth measurements.			
Dual Valve 19" to 20'	' Wide Note: For custom Cushions	(Please use the CG Air Order For	-m)			
	Cell Height:	2"	3"	4"		
CGA2VSCwwdd-h	CG Air Dual Valve - (with	Standard 2-way Stretch Cover)			SEATING BENEFIT	\$60









CGA2V3Dwwdd-h	CG Air Dual Valve –	(with 3D Mesh Cover)				SEATING BENEFIT	\$69
CGA2VICwwdd-h	CG Air Dual Valve –	(with Incontinence Cover)				SEATING BENEFIT	\$69
	▲ Cushion sizes only	come in even numbers for v	vidth and depth measurements.				
Single Valve 22" to 24		Cushions (Please use the CG A	·				
	Cell Height:	2"	3"	4"			
CGA1VSCwwdd-h	•	- (with Standard 2-way Stret	ch Cover)			SEATING BENEFIT	\$89
CGA1V3Dwwdd-h	CG Air Single Valve					SEATING BENEFIT	\$9
CGA1VICwwdd-h	•	- (with Incontinence Cover)	vidth and depth measurements.			SEATING BENEFIT	\$9
Dual Valvo 22" to 24"		shions (Please use the CG Air	•				
Dual valve 22 to 24	Cell Height:	snions (riedse use the CG Air	3"	4"			
CGA2VSCwwdd-h		(with Standard 2-way Stretch		_		SEATING BENEFIT	\$89
CGA2V3Dwwdd-h	CG Air Dual Valve –	•	Covery			SEATING BENEFIT	\$9
CGA2VICwwdd-h	CG Air Dual Valve –					SEATING BENEFIT	\$9
			vidth and depth measurements.				Ψ,
Single Valve 26"+ Wid	le Note: For custom Cushion	ns (Please use the CG Air Ord	er Form)				
.	Cell Height:	2"	3"	4"			
CGA1VSCwwdd-h	<u> </u>	- (with Standard 2-way Stret	ch Cover)			SEATING BENEFIT	\$99
CGA1V3Dwwdd-h	CG Air Single Valve	· ,	<u> </u>			SEATING BENEFIT	\$1,0
CGA1VICwwdd-h	CG Air Single Valve	- (with Incontinence Cover)				SEATING BENEFIT	\$1,0
	▲ Cushion sizes only	come in even numbers for v	vidth and depth measurements.				
Dual Valve 26"+ Wide	Note: For custom Cushions	(Please use the CG Air Order	r Form)				
	Cell Height:	2"	3"	4"			
CGA2VSCwwdd-h	CG Air Dual Valve –	(with Standard 2-way Stretch	Cover)			SEATING BENEFIT	\$99
CGA2V3Dwwdd-h	CG Air Dual Valve –	(with 3D Mesh Cover)				SEATING BENEFIT	\$1,0
CGA2VICwwdd-h	CG Air Dual Valve –	(with Incontinence Cover)				SEATING BENEFIT	\$1,0
	▲ Cushion sizes only	come in even numbers for v	vidth and depth measurements.				
CONTOUR SEAT CUSH	ION						
SCPSC-wwdd	Contour Seat Cushion	n up to 19" Wide				SEATING BENEFIT	\$62
SCPSC-wwdd		n for Non-Standard Size				SEATING BENEFIT	\$73
SCPSC-wwdd	Contour Seat Cushion	n for Heavy-Duty of ≥ 25	" Wide ◀ Specify: Width:	" Depth:	"	SEATING BENEFIT	\$86
MATRY CUELION							
MATRX CUSHION PSP-WWDD	MATRX PSP Seat Cus	hion – (11" to 20" Wide)				SEATING BENEFIT	\$64
10		weight capacity is 300 lb				OLYMING BENEFIT	ΨΟ-
			vidth and depth measurements.				
PSP-WWDD	MATRX PSP Seat Cus	hion – (22" to 26" Wide)				SEATING BENEFIT	\$99
	▲ The maximum user	weight capacity is 550 lb					
	▲ Cushion sizes only	come in even numbers for v	vidth and depth measurements.				
NXT BIO-FIT CUSHION		/15" - 01" \ / / \				CEATING DENIEUT	¢ 5 (
NXTBIOFIT -WWDD	NXT BIO FIT Cushion	- (15" to 21" Wide) weight capacity is 300 lb				SEATING BENEFIT	\$5
NXTBIOFIT -WWDD	NXT BIO FIT Cushion	. ,				SEATING BENEFIT	\$62
NAIBIOFII -WWDD		weight capacity is 400 lb				SEATING BENEFIT	φ0.
		0 , ,	vidth and depth measurements.				
5. CANTILEVER -	HEIGHT ADJUSTA	ABLE ARMRESTS -	OPENS WITH A 5° AN	IGLE (CHOOSE	2)		
SOAFBDLH	Flip-Back Cantilever	– Desk Length Left Side –	- (Height Adjustable from 7" to 15" wi	th 1" increments) –	STD Length 12"		N/
SOAFBDRH	Flip-Back Cantilever	- Desk Length Right Side	– (Height Adjustable from 7" to 15"	with 1" increments) -	STD Length 12"		N/
SOAFBFLH	Flip-Back Cantilever	- Full Length Left Side – (Height Adjustable from 7" to 15" with	1" increments) –	STD Length 16"		S
SOAFBFRH	Flip-Back Cantilever	- Full Length Right Side -	- (Height Adjustable from 7" to 15" wi	th 1" increments) –	STD Length 16"		S
6 DIIAI DOST – L	IEIGHT ADIIICTA	RIE ADMDECTC _	INCLUDES TRANSFER	CDIDS (EOD A)	ON-BECHAUNG PAG	CVS - CHOOSE 21	
						.N.3 - CHOOSE 21	
SOADPDLH		•	ft Side – (Height Adjustable from 10		•		\$10
SOADPDRH	· ·		ght Side – (Height Adjustable from 1				\$10
SOADPFLH			Side – (Height Adjustable from 10 ½		•		\$16
SOADPFRH	Dual Post Height Adju	ustable – Full Length Righ	it Side – (Height Adjustable from 10	1/4" to 15 1/4" with 1/2	2" increments)		\$16







47. RECLINING FI	LIP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2)	
SOANIDLH	Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) –	N/C
SOANIDRH	Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 ½ " to 14" with ½ " increments) – STD Length 12"	N/C
SOANIFLH	Reclining armrest – Full Length Left Side – (Height Adjustable from 10 ½" to 14" with ½" increments) – STD Length 16"	N/C
SOANIFRH	Reclining armrest – Full Length Right Side – (Height Adjustable from 10 ½ to 14" with ½ increments) – STD Length 16"	N/C
CUST-48247	Custom Armrest Length – Select Length for the Left side: Custom Length 18" Custom Length 20" Custom Length 22"	N/C
CUST-48247	Custom Armrest Length – Select Length for the Right side: Custom Length 18" Custom Length 20" Custom Length 22"	N/C
48. ARMREST HEI	IGHT ADJUSTMENT AT FACTORY	
	► Set the Armrest Height at:"	
	▲ The Armrest Height is taken from the seat pan to the top of the armpad.	
	▲ Not required for Dual Post.	
19. ARMPADS FOAM TYPE SELECTION		
SOWAPD	Desk Length Waterfall – (8 ½" x 2 ¾") Select side: Left Hand Side Right Hand Side	STI
JOWAID	▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.	011
SOWAPF	Full Length Waterfall – (13" x 2 ¾") Select side: Left Hand Side Right Hand Side	STI
	▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.	
HYBRID GEL AND FO	DAM TYPE SELECTION (THE GEL ALWAYS STAYS SOFT)	
SOGELD	Desk Length Hybrid Gel and Foam Flat armpad – (9 ¾" x 2") Select side: Left Hand Side Right Hand Side SEATING BEN	EFIT \$40
SOGELF	Full Length Hybrid Gel and Foam Flat armpad – (13 ½" x 2") Select side: Left Hand Side Right Hand Side SEATING BEN	
SOWGELD	Desk Length Hybrid Gel & Foam Waterfall armpad –(8 ½" x 2 ¾") Select side: Left Hand Side Right Hand Side SEATING BEN	
	▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.	
SOWGELF	Full Length Hybrid Gel and Foam Waterfall armpad – (13" x 2 ¾") Select side: Left Hand Side Right Hand Side SEATING BEN	EFIT \$9.
	▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.	
SPECIALTY TYPE SELE	ECTION	
SOCAR	Arm Trough with Hand Support (18" x 4 ½") Select side: Left Hand Side Right Hand Side	\$ 17
SOAAF	Signature Heavy Duty Swing-Away Footrests Set at: 60° 70° Select Footrest Range: SOFLHD12 (12 ½" - 17 ½") SOFLHD14 (14 ½" - 19 ½") A The 70° footrest angle is not compatible with the 9" front casters (FC9PT and FC9PI)	\$ 1 <i>7</i> .
	and may interfere with the casters when selecting the straight front caster arm option	
ADDML	Signature Manual Elevating & Articulating Legrests - Pair	\$593
	Select Footrest Range: SOFLME12 (12 ½" - 17 ½") SOFLME14 (14 ½" - 19 ½")	
ADDPLHD	▲ Does not include calf pads. Please select calf pads in section 51. Signature Heavy Duty Power Elevating & Articulating Legrests	\$2.74
ADDPLIND	Select Function: Individual Combined	\$2,74
	Select Footrest Range: SOFLPW12 (12 ½" - 17 ½") SOFLPW14 (14 ½" - 19 ½") A This option includes calf pads. Individual legs count as two power functions. Combined legs count as one power function.	
51. FOOTPLATES		
		CTI
SOSFAF	Flip-up Footplates	STI
SOAFP	Angle Adjustable & Flip-up Footplates – (Each)	\$63
SOAHL	Heel Loops – (Each)	\$20
SOACPFR	Calf Pads for Adult Heavy-Duty Swing-Away footrests – (SOAAF) – with adjustable hardware – (Each)	\$93
SOAMA	Swing-away residual limb Support Select : Left leg Right leg	\$453
52. FOOTREST LEI	NGTH ADJUSTMENT AT FACTORY	
	▶ Set the Footrest Length at:"	
	▲ The Footrest Length is taken from the top of the seat pan to the top of the footplate.	
53. CENTER MOU	INTS	
SOAAF90	90° Fixed Center Mount Interface Bracket – (Offers Manual adjustability from 94° to 70°)	\$20
JUMAFYU	·	φΖΟ
	Select Foot Platform Range: SOFBA12 (12 ½" – 16 ½") SOFBA16 (16 ½" – 19 ½") Men selecting SOFBA16 (16 ½" - 19 ½") range, the lowest possible seat to floor height is 19"	
	► When selecting SOFBATO (10 ½" - 19 ½") range, the lowest possible seat to floor height is 19" ► Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB).	
	With the split footplates option (SOAFFB), this bracket offers independent height adjustability for each footplate.	
	▲ This option is not compatible with the 9" Caster or the Straight Front Arm option due to Mechanical conflicts	
MKT.F93 OF P24047 F		







ADDPFHD 90° Heavy-Duty Power Center Mount Elevating & Articulating Foot Platform

Select Foot Platform Range: SOFBPW12 (10 ½"- 16")

\$ 2,745 **SOFBPW16** (16"- 20")

- ▲ When selecting SOFBPW16 (16"- 20") range, the lowest possible seat to floor height is 19"
- ▲ This option includes calf pads. The power center mount counts as one power function.
- ▲ Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB).
- ▲ This option is not compatible with the 9" Casters or the Straight Front Arm option due to Mechanical conflicts.
- ▲ For leg lengths between 10 ½" and 12 ½", there is a partial conflict where the call pads prevent the foot platform or foot plates from folding completely.

54. FOOT PLATFORMS & ACCESSORIES

SOFUFP	Flip-up one piece Foot Platform	\$140
SOAFPFB	Angle Adjustable & Flip-up Split Footplates for center mount – (Each)	\$65
SOACPCM	Calf Pads for 90° Fixed Center Mount – (SOAAF90) with adjustable hardware – (<i>Each</i>)	\$93

55. FOOT PLATFORM HEIGHT ADJUSTMENT AT FACTORY

- ► Set the Foot Platform Height at: ______
- ▲ The Foot Platform Height is taken from the top of the seat pan to the top of the foot platform or split foot plates.

56. SEAT POSITIONING (NOT COMPATIBLE WITH THE WC19-ISO OPTION)

SOAUTO	55" Seat Positioning Strap	STD
SOAUTO80	80" Seat Positioning Strap	\$75
SOBPHP2C	Bodypoint padded Hip Belt — (Two Point – Center Pull)	\$170
SOBPHP2C-L82	XL 82" Bodypoint padded Hip Belt – (Two Point – Center Pull)	\$190
SOPHB	Padded Hip Belt, 2-PT Magnetic Center Pull	\$194
SOBPCS	Bodypoint padded Chest Strap	\$250
SOPCS	Padded Chest Strap, 2-PT Magnetic Center Pull	\$262

57. HEADREST

▼ Select one of the	e headrest options with the mounting hardware and specify where the headrest will be installed.	
SONUAHR	Using headrest mounting hardware other than SOMAH located bellow. ◀ Specify:	N/C
SOFHRS	Small Curved Headrest Pad – 4" x 9"	\$155
SOFHRM	Medium Curved Headrest Pad – 5" x 10"	\$155
SOFHRL	Large Curved Headrest Pad – 6" x 11"	\$155
SOMAH	Multi-axis Removable Mounting Hardware	\$220
SOHRBC	Bracket to Mount on the Contour Back Support – (Without Recline)	N/C
SOHRPR	Bracket to Mount on the Seat Frame – (For Reclining Backs)	N/C

58. LATERAL TRUNK SUPPORTS

▼ Select one of	the lateral pads and the adjustable & removable hardware.		
SOSLS3	Adjustable Laterals with Small Curved Pads – (Each) – 3" x 5"	SEATING BENEFIT	\$100
SOSLM4	Adjustable Laterals with Medium Curved Pads – (Each) – 4" x 6"	SEATING BENEFIT	\$100
SOSLL5	Adjustable Laterals with Large Curved Pads – (Each) – 5" x 7"	SEATING BENEFIT	\$100
SOSLHM	Adjustable Swing-Away Hardware Mounts – (Each)	SEATING BENEFIT	\$220
	▲ Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports		

59. HIP & THIGH SUPPORTS

▼ Select one of the	▼ Select one of the hip & thigh support pads and the adjustable & removable hardware.					
SOHTSS10	Adjustable Hip & Thigh Support Pads – (Each) – Small 10" x 4"	SEATING BENEFIT \$130				
SOHTSM12	Adjustable Hip & Thigh Support Pads – (Each) – Medium 12" x 5"	SEATING BENEFIT \$130				
SOHTSL14	Adjustable Hip & Thigh Support Pads – (Each) – Large 14" x 6"	SEATING BENEFIT \$130				
SOHTSARH	Adjustable and Removable Hip & Thigh Support Hardware – (Each)	SEATING BENEFIT \$136				

60. ACCESSORIES

SOCH	Cup Holder – (Self-Leveling)	Install on:	Left Side	Right Side	\$ 115
SOCPH	Ram Mounts X-Grip Cell Phone Holder	Install on:	Left Side	Right Side	\$190
SOTHS	Ram Mounts X-Grip Small Tablet Holder	Install on:	Left Side	Right Side	\$205
SOTHL	Ram Mounts X-Grip Large Tablet Holder with Swivel	Install on:	Left Side	Right Side	\$360
	▲ Standard installation is on the opposite side of joystick	c. Installing access	ories on the same :	side as the joystick may require a custom	upgrade.
	▲ With multiple accessories installed on the same side, a	ı custom upgrade v	vill be required.		

•	61. REFLECTOR RTI				
	REFLECT	Red & White Reflector Kit Stickers (They will not be installed — Included in a bag with the owner's manual)	N/C		

DEELECTOR VIT







62. BACK PACK AND ARMREST SIDE POUCHES

SOBP	Back Pack – (Comes with durable straps that can be hooked around the back canes)			CLIENT COST	\$90
SOAP	Armrest Side Pouch – (Comes with durable straps that can be hooked around the armrest tubes) Order: Left Side Right S		Right Side	CLIENT COST	\$53
	▲ If only choosing one (1) armrest pouch, please show what side it should be installed				

63. SWITCHES AND OPTIONS

ASCPWIFI	PGDT - Wireless programmer, WIFI dongle	NOT COVERED BY AADL	\$844
ASCPCP	PGDT R-NET Dongle and PC programmer kit	NOT COVERED BY AADL	\$600
SSBS	Buddy Button Switch		\$230
SSES	Egg Switch-Black		\$116
SSML	Ultra Light Switch		\$295
ESS-RED	Emergency STOP Switch - Red		\$314









SPECIALTY DRIVER CONTROL OPTIONS

▼ Specialty Drive Control options all require the Omni 2 Enhanced Display & Digital Interface Box (EDIB)

64.	THERAFIN	SIP-N-PUFF	KIT (CODE W100)
-----	----------	------------	-----------------

SCSNPK	Therafin Sip-N-Puff Kit			\$1,975
SCSNPBTK	Therafin Sip-N-Puff Breath Tube Kit			N/C
	▲ Required with the Therafin Sip-N-Puff kit.			
SCSRMSNP	Stealth Rock-n-Lock Swingaway Arm for Sip-N-Puff	SWL (Swings on Left)	SWR (Swings on Right)	\$300
	▲ Required with the Therafin Sip-N-Puff kit.			
SCSRM	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)	\$510
SSES	Egg Switch for Changing Modes – Black	MLH (Mount on Left)	MRH (Mount on Right)	\$116
	▲ Required with the Stealth Rock-n-Lock Swing Away mount.			
	▲ The Mode Switch Type can be changed from this selection in SWITCHES &	OPTIONS section.		
ESS-RED	Emergency STOP Switch - Red	User Activation	Attendant Activation	\$314
	▲ Required with the Therafin Sip-N-Puff kit.			
SOMAH	Multi-axis Headrest Removable Mounting Hardware			\$220
	▲ Required with the Therafin Sip-N-Puff kit.			
CHOOSE ONE (1)	HEADREST PAD			
SOFHRS	Small Curved Headrest Pad – 4" x 9"			\$155
SOFHRM	Medium Curved Headrest Pad – 5" x 10"			\$155
SOFHRL	Large Curved Headrest Pad – 6" x 11"			\$155

65. PROXIMITY HEAD ARRAY (CODE W100)

OOT I ROMANIII	THE PARTY (CODE WICC)			
SCSIHAA	Adult - Switch-It 3 Switch Proximity Head Array with 1/8" Mono Jack	k for mode/reverse		\$5,995
SCSRM	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)	\$510
SSES	Egg Switch for Changing Modes – Black Required with the Stealth Rock-n-Lock Swing Away mount.	MLH (Mount on Left)	MRH (Mount on Right)	\$116
	▲ The Mode Switch Type can be changed from this selection in SWITCHES &	& OPTIONS section.		
ESS-RED	Emergency STOP Switch - Red	User Activation	Attendant Activation	\$314
	Required with the Proximity Head Array.			
SOMAH	Multi-axis Headrest Removable Mounting Hardware			\$220
	Required with the Proximity Head Array.			

66. LIGHT TOUCH PROPORTIONAL MINI JOYSTICK FOR CHIN / LIP CONTROL (CODE W100)

SCSIMP	Switch-It Light touch mini Proportional Joystick			\$4,495
SCSRMMP	Stealth Rock-n-Lock Swingaway Arm for Chin MP	SWL (Swings on Left)	SWR (Swings on Right)	\$870
	▲ Required with the Light touch mini Proportional Joystick.			
SCSRM	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)	\$510
SSES	Egg Switch for Changing Modes – Black	MLH (Mount on Left)	MRH (Mount on Right)	\$116
	▲ Required with the Stealth Rock-n-Lock Swing Away mount.			
	▲ The Mode Switch Type can be changed from this selection in SWITCHES &	OPTIONS section.		
JCC	Chin Cup			\$55
SOMAH	Multi-axis Headrest Removable Mounting Hardware			\$220
	▲ Required with the Light touch mini Proportional Joystick.			
CHOOSE ONE (1)	HEADREST PAD			
SOFHRS	Small Curved Headrest Pad – 4" x 9"			\$155
SOFHRM	Medium Curved Headrest Pad – 5" x 10"			\$155
SOFHRL	Large Curved Headrest Pad – 6" x 11"			\$155



October 1st 2024 Alberta AADL-W970HD





SPECIALTY DRIVER CONTROL OPTIONS (CONTINUED)

▼ Specialty Drive Control options all require the Omni 2 Enhanced Display & Digital Interface Box (EDIB)

SCPGMJS	PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount			\$2,369
SCGMJSM	Gatlin Midline Swing-away Mount for JC200	MLH (Mount on Left)	MRH (Mount on Right)	\$325
	▲ Must be selected for use with the PG Drives JC200 Mini Joystick.			
SCSIMP	Switch-It Light touch mini Proportional Joystick			\$4,495
SCGMPM	Gatlin Midline Swing-away Mount for Light touch mini proportional Joystick	MLH (Mount on Left)	MRH (Mount on Right)	\$ <i>7</i> 50
	▲ Must be selected for use with the Light touch mini Proportional Joystick.			
SCBTM	Bullet Hand Tray for Light Touch mini Proportional Joystick	MLH (Mount on Left)	MRH (Mount on Right)	\$ <i>7</i> 50
	▲ This option is only compatible with the Light touch Mini Proportional Joystick.			

68. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR ARMREST MOUNT (CODE W100)

SCPGMJS-M	PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount			\$2,369
SCARMJSM	Swing-away and Multi-Axis armrest mount	MLH (Mount on Left)	MRH (Mount on Right)	\$325
	▲ Must be selected for use with the PG Drives JC200 Mini Joystick.			
SCSIMP	Switch-It Light touch mini Proportional Joystick			\$4,495
SCARMPM	Swing-away and Multi-Axis armrest mount	MLH (Mount on Left)	MRH (Mount on Right)	\$375
	▲ Must be selected for use with the Light touch mini Proportional Joystick.			
SCBTM	Bullet Hand Tray for Light Touch mini Proportional Joystick	MLH (Mount on Left)	MRH (Mount on Right)	\$ <i>7</i> 50
	▲ This option is only compatible with the Light touch Mini Proportional Joystick.			

69. PROPORTIONAL RIM HEAD CONTROL PACKAGE (CODE W100)

SCPHC	Proportional RIM Head Control Package			\$2, <i>7</i> 95
SCSRM	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)	\$510
SSES	Egg Switch for Changing Modes – Black	MLH (Mount on Left)	MRH (Mount on Right)	\$116
	▲ Required with the Stealth Rock-n-Lock Swing Away mount.			
	▲ The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section.			
SOMAH	Multi-axis Headrest Removable Mounting Hardware			\$220
	Required with the Proportional RIM Head Control.			







CUSTOM SECTION

Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for Quote and specifications for these options.

70. O² HOLDER

SOVTBE

SUPOXY	Custom Non-Articulating Oxygen Tank Holder	MLH (Mount on Left)	MRH (Mount on Right)	\$295
	Not available with a power recline			
SUPOXYA	Custom Articulating Oxygen Tank Holder A Required with a power recline	MLH (Mount on Left)	MRH (Mount on Right)	\$1,195
	D-Size Oxygen Tank – (* 22" Tall x 4.3" Diameter) – * The height includes the valve			
	E-Size Oxygen Tank – (* 31" Tall x 4.3" Diameter) – * The height includes the valve			

71. VENT TRAY (PLEASE COMPLETE IN FULL)

▼ Amylior does	s not supply the battery, charger or the wiring for the Vent. These items are normally provided by the Vent Manufacturer.	
SOVENT	Custom Vent Tray	
	Articulating Vent Box – (Required with Power Tilt and/or Recline)	\$1,360
	Fixed Vent Box	\$400
	SPECIFY MODEL	
	Trilogy 100/200	
	LTV	
	LTV with Sprintpack	

The Vent is being powered by 1 U1 Battery and the chair by 2 Group 24 batteries

The Vent is being powered by 1 Group 22NF Battery and the chair Powered by 2 Group 24 batteries

72. OTHER CUSTOM OPTIONS (REQUEST FOR QUOTE)

Other, specify: _

Extended Battery Compartment

▼ Please specify de	etails and specifications for these options.			
CUSTOM	Rear view Camera with 5" Monitor	CLIENT COST RFG		
CUSTOM	USB Charger Port ◀ Specify the location for the installation:	CLIENT COST RFG		
CUSTOM	Folding Backrest for Additional Storage possibilities and Travel accessibility	CLIENT COST RFQ		
CUSTOM	All-Terrain Package with 9" Rear Casters. Other conditions apply, please contact CSR for additional details • Requires 9" front casters, R-net 120-amp controller and 14" drive-wheels	CLIENT COST RFQ		
CUSTOM	Large Ball Handle	CLIENT COST RFG		
CUSTOM	Power Anterior Tilt	CLIENT COST RFG		
CUSTOM	Rearview mirror Left Side Right Side	CLIENT COST RFQ		
CUSTOM	Power Flip-up Foot Platform — (Please call CSR for availability with configuration and user weight capacity)	CLIENT COST RFQ		
▲ This option is not available with the Straight Front Caster Arms on Hybrid-Wheel Drive configurations.				
CUSTOM	Power Vertical Lifting Foot Platform – (Please call CSR for availability with configuration and user weight capacity)	CLIENT COST RFG		
	▲ This option is not available with the Straight Front Caster Arms on Hybrid-Wheel Drive configurations.			
CUSTOM	Independent Depth Adjustability built into the Footrest Receiver that is attached to the Seat Pan	CLIENT COST RFG		
CUSTOM	Heavy-Duty wheelchair cover, Large	CLIENT COST RFG		
CUSTOM	Endomorphic Back Canes – (Pair) 1" per side towards the inside = 2" 2" per side towards the inside =	4" CLIENT COST RFG		
CUSTOM	Transfer Handles – (Pair) Select a height range: 5" to 8" 6" to 9"	CLIENT COST RFG		
CUSTOM	Foot Box Length: Width: Please confirm with CSR on sizing possibility	ties CLIENT COST RFQ		
CUSTOM # 1	Other custom options. Specify in notes section below	CLIENT COST RFQ		
CUSTOM # 2	Other custom options. Specify in notes section below	CLIENT COST RFQ		

\$495







73. NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS			

MKT.F93 | OF | P24047 | R01