



1. ACCOUNT INFORMATION

PO # _____

MEDm&bility
 5711- 104 St, Edmonton AB. T6H 2K1
 P: 780-437-3300 • Fax: 780-430-9381
 AADL Vendor: 0000612578-001
 www.medmobility.ca • www.mmrehab.ca

City: _____

Province: _____ Postal Code: _____

User Name or Number: _____

User Weight: _____

User Height: _____

Seat Cushion Thickness: _____

Knee to Heel Length: Left: _____ " Right: _____ "



THE ORDER CANNOT BE PROCESSED WITHOUT THE FOLLOWING:

- A user name or number, the client's measurements and weight - Amylor is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
- Order confirmations will be provided by Amylor summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

***IN RED SHOWS THE ADDITION OF NEW OPTIONS, UPGRADES, PRICING MODIFICATIONS OR ADDED NOTES**

2. STANDARD OPTIONS

Alltrack M3 Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 6" front casters, and standard auto style buckle seat positioning strap, 6.5mph motors, **Weight Capacity = 300 lb**

3. ALLTRACK M3 POWER WHEELCHAIR

ATM3	ALLTRACK M3 Power Wheelchair	\$8,020
-------------	------------------------------	---------

3.5 OWNER'S MANUAL

SOOMATENG	English / Anglais	N/C	SOOMATFR	Français / French	N/C
------------------	-------------------	-----	-----------------	-------------------	-----

4. USER WEIGHT PACKAGES

WCA25	250 lb Maximum user weight capacity	STD
WCA3	300 lb Maximum user weight capacity	STD

5. STANDARD COLORS

SCMOBM	Onyx Black Matte	N/C	SCMCAB	Cabernet	N/C
SCMCTB	Cobalt Blue	N/C	SCMBGM	Bubble Gum Metallic	N/C
SCMIOB	Indigo Blue	N/C	SCMHAB	Habanero Metallic	N/C
SCMCRE	Candy Red	N/C	SCMLIM	Sublime	N/C

5.5 WHEEL INSERT COLORS

SCCTB-WI	Cobalt Blue	N/C	SCHAB-WI	Habanero Metallic	N/C
SCIOB-WI	Indigo Blue	N/C	SCLIM-WI	SubLime	N/C
SCCRE-WI	Candy Red	N/C	SCBGM-WI	Bubble Gum Metallic	N/C
SCCAB-WI	Cabernet	N/C			

- ▲ Wheel insert colors are not compatible with optional Hydrographic colors (FCHDD, FCHWL and FCHCF)
- ▲ Wheel insert colors are not compatible with the optional 14" X 4" Extra Wide Cast Wheels (DW144PT and DW144PI)
- ▲ Wheel inserts are not available in Onyx Black Matte



7. TRANSPORT OPTION

TTD4	4-Point wheelchair transport brackets ▲ 4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval.	STD
WC19-ISO	WC-19 and ISO 7176-19 Occupied Transit Package ▲ To confirm if your overall wheelchair configuration is WC-19 and ISO 7176-19 compliant, please refer to this website: https://docs.google.com/spreadsheets/d/1K1tNIEA5OQJCS5z3OD1adWElaFLN1XO3ZcTc6DL_kaE/edit#gid=1917752765 ▲ Other restrictions may apply, please contact CSR for details. ▲ This option is only available on new power wheelchairs as an "on-chair" option. It is not available to install on a delivered wheelchair ▲ Not compatible with the narrow base configurations (FS2424B and FS2221B)	CLIENT COST \$595

8. MOTOR PACKAGE

MP65B	6.5MPH 4-Pole Motor Package / with Brake Release ▲ Not compatible with the Smart-Track Assistive Driving Package option (SMARTT)	STD
MP65-OPT	6.5MPH 4-Pole Motor MP65-OPT Package / with COG Release ▲ Not compatible with the narrow base configuration (FS2221B)	CLIENT COST \$395

10. BATTERY CHARGER

BCOB	8A Offboard Battery Charger	N/C
-------------	-----------------------------	-----

11. BATTERY TRAY AND BASE WIDTH

FS2221B	N2221 - Battery Tray for Group 22 Batteries with a Narrow 21" base width (Total base width = 21") ▶ NOT AVAILABLE WITH THE FOLLOWING OPTIONS: ▲ WC-19 and ISO 7176-19 Occupied Transit Package (WC19-ISO) ▲ 6.5MPH 4-Pole Motor Package / with COG Release option (MP65-OPT) ▲ Smart-Track option (SMARTT) ▲ 8" front casters (FC8PTM and FC8PIM) ▲ 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires (DW144PT and DW144PI) ▲ Not compatible with 23" and 24" seat widths selections (SOWN23 and SOWN24)	N/C
FS22B	Battery Tray for Group 22NF Batteries – (Total base width = 23 3/8")	STD
FS2424B	N2424 - Battery Tray for Group 24 Batteries with a Narrow 24" base width (Total base width = 24") ▲ The starting angle is reduced from 90° to 85° for some seat configurations when used with the narrow base configuration (FS2424B).	N/C
FS24B	Battery Tray for Group 24 Batteries – (Total base width = 25 3/8")	N/C

12. BATTERIES - REQUIRES A SELECTION

BAT22NFCEL	GEL Battery – Group 22NF – 50 Amps (Each)	AADL CONTRACT RFQ
BAT24GEL	GEL Battery – Group 24 – 70 Amps (Each)	AADL CONTRACT RFQ
BATO	Omission of the batteries	N/C

14. DRIVE WHEEL

DW14PT	14" Cast Wheel Pneumatic Tires	STD
DW14PI	14" Cast Wheel Pneumatic with Foam Filled Tires	N/C
DW144PT	14" x 4" Extra Wide Cast Wheels, Pneumatic Tires	CLIENT COST \$200
DW144PI	14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires ▲ Increases the overall width of the base by 2 3/4" ▲ Not compatible with the narrow base configuration (FS2221B)	CLIENT COST \$595
DW12PT	12 1/2" Cast Wheel Pneumatic Tires	N/C
DW12PI	12 1/2" Cast Wheel Pneumatic with Foam Filled Tires ▲ 12 1/2" Drive wheels reduce overall seat to floor height by 3/4", lowers ground clearance and speed, but increases motor torque.	N/C

15. FRONT CASTERS

FC6S	6" Solid Casters – (Not available with the 14" x 4" Extra Wide Cast Wheel options DW144PT or DW144PI)	STD
FC8PTM	8" Pneumatic Casters	N/C
FC8PIM	8" Pneumatic Casters with Foam Filled Tires ▲ The 8" casters are NOT compatible with the 12 1/2" Drive wheel configuration (DW12PT and DW12PI) ▲ Not compatible with the narrow base configuration (FS2221B)	N/C



16. SEAT TO FLOOR HEIGHT (MEASUREMENT TO THE TOP OF SEAT PAN ± ¼")

▶ **OPTIONS FOR A REHAB SEAT ONLY - NO POWER SEATING**

STFH155	15 ½" – (Possible Seat angle of 0° only) ▲ Requires the 12 ½" Drive wheels (DW12PT and DW12PI)		
STFH1625	16 ¼" – (Possible Seat angle of 0° only)	STFH1925	19 ¼" – (Possible Seat angle of 0°, 3° and 6°)
STFH1725	17 ¼" – (Possible Seat angle of 0° and 3°)	STFH2025	20 ¼" – (Possible Seat angle of 0°, 3°, 6°, 9°)
STFH1825	18 ¼" – (Possible Seat angle of 0° and 3°)		

17. SEAT TO FLOOR HEIGHT SPECIFICATION (IF NOT STANDARD)

SOMHSS	Specific seat to floor height higher than standard. It's not possible to lower the seat to floor height below minimum ranges. ▲ Required at: _____" (± ¼" Range)	RFQ
---------------	---	-----

18. PRE-SET SEAT FRAME ANGLE

SFE-0	0° Pre-set seat frame seat angle – (Must be selected when using power options)	STD
SFE-3	3° Pre-set seat frame seat angle – (Only available with a seat configuration without power options)	N/C
SFE-6	6° Pre-set seat frame seat angle – (Only available with a seat configuration without power options)	N/C
SFE-9	9° Pre-set seat frame seat angle – (Only available with a seat configuration without power options)	N/C

21. EXPANDABLE ELECTRONICS - PG DRIVES R-NET CONTROLLERS

ECEL90	R-net EL 90 Amp Expandable Controller	\$175
ECR120	R-net PM 120 Amp Expandable Controller	\$275

22. EXPANDABLE ELECTRONICS - PG DRIVES R-NET JOYSTICKS

▶ Selection of one joystick option below is required with the expandable controller ECEL90 or ECR120

ECO	Omit Joystick – (For use with an Omni 2 Display)	N/C
ECELJ	R-net - (LED) – Joystick ▲ This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY).	STD
ECRJJC	R-net Joystick with Color screen	\$155
▶ JOYSTICKS WITH LIGHTING OPERATION		
ECELJL	R-net – (LED) – Joystick with Lighting Operation ▲ This joystick is not compatible with the Memory Seat Program Option (SACMEMORY and MACMEMORY).	CLIENT COST \$125
ECRJCL	R-net Joystick with Color screen and Lighting Operation	\$180
▶ ADVANCED JOYSTICK		
ECRJJC35B	R-net Advanced Bluetooth Joystick (3.5" Screen). Lighting Operation, paddle switches, shortcut keys and stereo jacks	CLIENT COST \$1,105

23. JOYSTICK MOUNT

JSMF	Fixed Joystick Mount	N/C
JMSA	Swing Away Joystick Mount - Height adjustable, Angle adjustable and Multi-Axis Select: Set-up with standard installation to swing-away sideways Set-up at 35° to swing-away sideways and downwards	\$235
	Select: Mechanical Lock (STD) Magnetic Lock	
JSMCM	Midline Mounted Swing Away Joystick Mount	\$275

24. JOYSTICK MOUNT SUPPORT

JSMFH	Joystick mount support Bracket	STD
--------------	--------------------------------	-----

25. JOYSTICK HAND MOUNT

HML	Install Joystick on Left hand side	HMR	Install Joystick on Right hand side
------------	------------------------------------	------------	-------------------------------------

26. JOYSTICK HANDLE

JSH	Standard Joystick Gimble	STD	JBAT	Stick Handle 3" in Length	\$130
JBH	Ball Handle	\$85	JFBH	Foam Ball Handle	\$70
JTH	T-Handle	\$155	JMUSH	Bodypoint Mushroom Handle	\$210
JGP	Bodypoint 4" U-shaped Handle	\$210			

37. PRE-SET BACK ANGLE (FOR NON-RECLINING BACKS)

SOBAA	Select one: 86° 90° 94° 98° 102° 106° 110° 114° 118° 122° ▲ Back angles of 102° or greater are not compatible with the OMNI 2.
--------------	---



38. STANDARD ADJUSTABLE SEAT WIDTH RANGE BETWEEN 15" AND 20"

SOWN15-20-19 – (Width adjustment from 15" to 20" with a maximum Depth of 19")						N/C
SOWN15-20-22 – (Width adjustment from 15" to 20" with a maximum Depth of 22") – (The minimum seat depth with this seat option is 18" Deep)						N/C
15" (SOWN15)	16" (SOWN16)	17" (SOWN17)	18" (SOWN18)	19" (SOWN19S)	20" (SOWN20S)	

39. LARGE ADJUSTABLE SEAT WIDTH RANGE BETWEEN 19" AND 24"

SOWN19-24-22 – (Width adjustment from 19" to 24" and Depth range of 18" to 22") – (The minimum seat depth with this seat option is 18" Deep)						N/C
19" (SOWN19L)	20" (SOWN20L)	21" (SOWN21)	22" (SOWN22)	23" (SOWN23)	24" (SOWN24)	▲ 23" and 24" Seat widths are not compatible with the N2221 - Narrow 21" base width option (FS2221B)

40. ADJUSTABLE SEAT DEPTH RANGE BETWEEN 15" AND 22"

15" (SODN15)	16" (SODN16)	17" (SODN17)	18" (SODN18)	N/C
19" (SODN19)	20" (SODN20)	21" (SODN21)	22" (SODN22)	N/C
▲ With a 22" long Seat Pan SOWN15-20-22 and SOWN19-24-22, the minimum possible seat depth is 18".				

41. BACK CANE HEIGHT (THE BACK CANE HEIGHT MEASUREMENT IS TAKEN FROM THE SEAT PAN TO THE TOP OF THE PUSH HANDLES)

▼ 22" is the minimum back height required with a power or manual recline.					
16" (SOBCH16)	18" (SOBCH18)	20" (SOBCH20)	22" (SOBCH22)	24" (SOBCH24)	26" (SOBCH26)

42. BACK SUPPORT

DSTR-WWHH	Adjustable Tension Back Upholstery, WW x HH	N/C
▲ Only available with Dual Post armrests (SOADP)		
STDSB-WWHH	Contour back support up to 21" wide, with a maximum shell height of 22".	SEATING BENEFIT \$605
▲ The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back		
STDSB-WWHH	Contour back support up to 21" wide for non-standard sizes with shell height ≥ 23".	SEATING BENEFIT \$755
▲ The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back		
STDSB-WWHH	Contour back support for Heavy-Duty from 22" wide and higher, with any height.	SEATING BENEFIT \$1,075
▲ The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back		
▶ MATRIX BACKS		
E2S-WWHH	MATRIX ELITE E2S BACK – (14" to 20" Wide - Back height of 6" to 20", in 2" increments)	SEATING BENEFIT \$995
▲ Back shell height is available in 6" to 20", in 2" increments. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back		
▲ Weight capacity up to 300 lb		
E2D-WWHH	MATRIX DEEP CONTOUR ELITE E2D BACK – (14" to 20" Wide - Back height of 6" to 20", in 2" increments)	SEATING BENEFIT \$1,155
▲ Back shell height is available in 6" to 20", in 2" increments. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back		
▲ This product is not compatible with Lateral Trunk Supports		
▲ Weight capacity up to 300 lb		
PBE-WWHH-TR	MATRIX ELITE TR BACK – (15" to 20" Wide - Back height of 14", 16", 18" and 20")	SEATING BENEFIT \$910
▲ Back shell height is available in 14", 16", 18" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back		
▲ Weight capacity up to 300 lb		
PBE-WWHH-HD	MATRIX HEAVY DUTY ELITE BACK – (21" to 24" Wide - Back height of 16" and 20")	SEATING BENEFIT \$1,150
▲ Back shell height is available in 16" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back		
▲ Weight capacity up to 500 lb		
EDB-WWHH-HD	MATRIX ELITE DEEP HD BACK – (21" to 24" Wide - Back height of 16", 18" and 20")	SEATING BENEFIT \$1,195
▲ Back shell height is available in 16", 18" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back		
▲ This product is not compatible with Lateral Trunk Supports		
▲ Weight capacity up to 500 lb		
▶ NXT BACKS		
NOACB-WWHH	NXT OPTIMA FH AC CONTOUR BACK – (15" to 21" Wide)	SEATING BENEFIT \$690
▲ Weight capacity up to 300 lb		
NOACB-WWHH	NXT OPTIMA FH AC CONTOUR BACK – (22" to 28" Wide)	SEATING BENEFIT \$720
▲ Weight capacity up to 550 lb		
▲ Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back		



NOPCB-WWHH	NXT OPTIMA FH PC DEEP CONTOUR BACK – (15" to 21" Wide) ▲ Weight capacity up to 300 lb	SEATING BENEFIT	\$790
NOPCB-WWHH	NXT OPTIMA FH PC DEEP CONTOUR BACK – (22" to 28" Wide) ▲ Weight capacity up to 550 lb ▲ This product is not compatible with Lateral Trunk Supports ▲ Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back	SEATING BENEFIT	\$820
▶ OMISSION OF THE BACK SUPPORT			
STDSBO	Omission of the Contour Back Support	◀ Specify Model of Back Support:	N/C

43. BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)

▼ 22" is the minimum back height required with a power or manual recline.

16" (SOBH16)	18" (SOBH18)	20" (SOBH20)	22" (SOBH22)	24" (SOBH24)	26" (SOBH26)
28" (SOBH28) This height is not available with the NXT Optima AC and PC options					

44. SEAT CUSHIONS (SEATING BENEFIT)

▶ CG AIR - THERAPEUTIC AIR CUSHION

Single Valve 15" to 20" Wide Note: For custom Cushions (Please use the CG Air Order Form)			
	Cell Height:	2"	3"
CGA1VSCwwdd-h	CG Air Single Valve – (with Standard 2-way Stretch Cover)	SEATING BENEFIT	\$600
CGA1V3Dwwdd-h	CG Air Single Valve – (with 3D Mesh Cover)	SEATING BENEFIT	\$690
CGA1VICwwdd-h	CG Air Single Valve – (with Incontinence Cover) ▲ Cushion sizes only come in even numbers for width and depth measurements.	SEATING BENEFIT	\$690
Dual Valve 15" to 20" Wide Note: For custom Cushions (Please use the CG Air Order Form)			
	Cell Height:	2"	3"
CGA2VSCwwdd-h	CG Air Dual Valve – (with Standard 2-way Stretch Cover)	SEATING BENEFIT	\$600
CGA2V3Dwwdd-h	CG Air Dual Valve – (with 3D Mesh Cover)	SEATING BENEFIT	\$690
CGA2VICwwdd-h	CG Air Dual Valve – (with Incontinence Cover) ▲ Cushion sizes only come in even numbers for width and depth measurements.	SEATING BENEFIT	\$690
Single Valve 22" to 24" Wide Note: For custom Cushions (Please use the CG Air Order Form)			
	Cell Height:	2"	3"
CGA1VSCwwdd-h	CG Air Single Valve – (with Standard 2-way Stretch Cover)	SEATING BENEFIT	\$890
CGA1V3Dwwdd-h	CG Air Single Valve – (with 3D Mesh Cover)	SEATING BENEFIT	\$910
CGA1VICwwdd-h	CG Air Single Valve – (with Incontinence Cover) ▲ Cushion sizes only come in even numbers for width and depth measurements.	SEATING BENEFIT	\$910
Dual Valve 22" to 24" Wide Note: For custom Cushions (Please use the CG Air Order Form)			
	Cell Height:	2"	3"
CGA2VSCwwdd-h	CG Air Dual Valve – (with Standard 2-way Stretch Cover)	SEATING BENEFIT	\$890
CGA2V3Dwwdd-h	CG Air Dual Valve – (with 3D Mesh Cover)	SEATING BENEFIT	\$910
CGA2VICwwdd-h	CG Air Dual Valve – (with Incontinence Cover) ▲ Cushion sizes only come in even numbers for width and depth measurements.	SEATING BENEFIT	\$910
▶ CONTOUR SEAT CUSHION			
SCPSC-wwdd	Contour Seat Cushion up to 19" Wide	SEATING BENEFIT	\$620
SCPSC-wwdd	Contour Seat Cushion for Non-Standard Sizes of 20" to 24" Wide	SEATING BENEFIT	\$735
▶ MATRX CUSHION			
PSP-WWDD	MATRX PSP Seat Cushion – (11" to 20" Wide) ▲ The maximum user weight capacity is 300 lb ▲ Cushion sizes only come in even numbers for width and depth measurements.	SEATING BENEFIT	\$645
PSP-WWDD	MATRX PSP Seat Cushion – (22" to 26" Wide) ▲ The maximum user weight capacity is 550 lb ▲ Cushion sizes only come in even numbers for width and depth measurements.	SEATING BENEFIT	\$995
▶ NXT BIO-FIT CUSHION			
NXTBIOFIT-WWDD	NXT BIO FIT Cushion – (15" to 21" Wide) ▲ The maximum user weight capacity is 300 lb	SEATING BENEFIT	\$595
NXTBIOFIT-WWDD	NXT BIO FIT Cushion – (22" to 26" Wide) ▲ The maximum user weight capacity is 400 lb ▲ Cushion sizes only come in even numbers for width and depth measurements.	SEATING BENEFIT	\$625



45. CANTILEVER – HEIGHT ADJUSTABLE ARMRESTS – OPENS WITH A 5° ANGLE (CHOOSE 2)

SOAFBDLH	Flip-Back Cantilever – Desk Length Left Side – (Height Adjustable from 7" to 15" with 1" increments) –	STD Length 12"	N/C		
SOAFBDRH	Flip-Back Cantilever – Desk Length Right Side – (Height Adjustable from 7" to 15" with 1" increments) –	STD Length 12"	N/C		
SOAFBFLH	Flip-Back Cantilever – Full Length Left Side – (Height Adjustable from 7" to 15" with 1" increments) –	STD Length 16"	STD		
SOAFBFRH	Flip-Back Cantilever – Full Length Right Side – (Height Adjustable from 7" to 15" with 1" increments) –	STD Length 16"	STD		
CUST-112250	Custom Armrest Length – Select Length for the Left side:	Custom Length 18"	Custom Length 20"	Custom Length 22"	N/C
CUST-112250	Custom Armrest Length – Select Length for the Right side:	Custom Length 18"	Custom Length 20"	Custom Length 22"	N/C
CUST-SOAFB	Select this code when using Cantilever armrests with Reclining backs				N/C

▲ The maximum user weight capacity is 300 lb

46. DUAL POST – HEIGHT ADJUSTABLE ARMRESTS – INCLUDES TRANSFER GRIPS (FOR NON-RECLINING BACKS - CHOOSE 2)

SOADPDH	Dual Post Height Adjustable – Desk Length Left Side – (Height Adjustable from 10 1/4" to 15 1/4" with 1/2" increments)	\$168
SOADPDRH	Dual Post Height Adjustable – Desk Length Right Side – (Height Adjustable from 10 1/4" to 15 1/4" with 1/2" increments)	\$168
SOADPFLH	Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 1/4" to 15 1/4" with 1/2" increments)	\$168
SOADPFRH	Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 1/4" to 15 1/4" with 1/2" increments)	\$168

47. RECLINING FLIP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2)

SOANIDLH	Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) –	STD Length 12"	N/C		
SOANIDRH	Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) –	STD Length 12"	N/C		
SOANIFLH	Reclining armrest – Full Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) –	STD Length 16"	N/C		
SOANIFRH	Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) –	STD Length 16"	N/C		
CUST-48247	Custom Armrest Length – Select Length for the Left side:	Custom Length 18"	Custom Length 20"	Custom Length 22"	N/C
CUST-48247	Custom Armrest Length – Select Length for the Right side:	Custom Length 18"	Custom Length 20"	Custom Length 22"	N/C

48. ARMREST HEIGHT ADJUSTMENT AT FACTORY

- ▶ Set the Armrest Height at: _____ "
- ▲ The Armrest Height is taken from the seat pan to the top of the armpad. (Not required for Dual Post.)

49. ARMPADS

▶ **FOAM TYPE SELECTION**

SOWAPD	Desk Length Waterfall – (8 1/2" x 2 3/4")	Select side:	Left Hand Side	Right Hand Side	STD
▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.					
SOWAFP	Full Length Waterfall – (13" x 2 3/4")	Select side:	Left Hand Side	Right Hand Side	STD
▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.					

▶ **HYBRID GEL AND FOAM TYPE SELECTION (THE GEL ALWAYS STAYS SOFT)**

SOGELD	Desk Length Hybrid Gel and Foam Flat armpad – (9 3/4" x 2")	Select side:	Left Hand Side	Right Hand Side	SEATING BENEFIT \$40
SOGELF	Full Length Hybrid Gel and Foam Flat armpad – (13 1/2" x 2")	Select side:	Left Hand Side	Right Hand Side	SEATING BENEFIT \$40
SOWGELD	Desk Length Hybrid Gel & Foam Waterfall armpad – (8 1/2" x 2 3/4")	Select side:	Left Hand Side	Right Hand Side	SEATING BENEFIT \$95
▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.					
SOWGELF	Full Length Hybrid Gel and Foam Waterfall armpad – (13" x 2 3/4")	Select side:	Left Hand Side	Right Hand Side	SEATING BENEFIT \$95
▲ The Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports.					

▶ **SPECIALTY TYPE SELECTION**

SOCAR	Arm Trough with Hand Support (18" x 4 1/2")	Select side:	Left Hand Side	Right Hand Side	\$170
▲ Arm Trough Armpads may interfere with Armrests Flipping back.					

50. FOOTRESTS

SOSAFA	Signature Swing-Away Footrests	Set at:	60°	70°	STD
		Select Footrest Range:	SOFLA12 (12 1/2" - 17 1/2")	SOFLA14 (14 1/2" - 19 1/2")	
SOAAF	Signature Heavy Duty Swing-Away Footrests	Set at:	60°	70°	\$175
		Select Footrest Range:	SOFLHD12 (12 1/2" - 17 1/2")	SOFLHD14 (14 1/2" - 19 1/2")	
ADDML	Signature Manual Elevating & Articulating Legrests - Pair				\$595
		Select Footrest Range:	SOFLME12 (12 1/2" - 17 1/2")	SOFLME14 (14 1/2" - 19 1/2")	

▲ Does not include calf pads. Please select calf pads in section 51.



51. FOOTPLATES & ACCESSORIES

SOSFAF	Flip-up Footplates	STD
SOAFP	Angle Adjustable & Flip-up Footplates – (Each)	\$65
SOAHL	Heel Loops – (Each)	\$20
SOACPFR	Calf Pads for Adult Heavy-Duty Swing-Away footrests (SOAAF) with adjustable hardware – (Each)	\$185
SOAMA	Swing-away residual limb Support	Select : Left leg Right leg \$455

52. FOOTREST LENGTH ADJUSTMENT AT FACTORY

- ▶ Set the Footrest Length at: _____ "
- ▲ The Footrest Length is taken from the top of the seat pan to the top of the footplate.

53. CENTER MOUNTS

SOAAF90	90° Fixed Center Mount Interface Bracket – (Offers Manual adjustability from 94° to 70°)	200\$
	Select Foot Platform Range: SOFBA12 (12 ½" – 16 ½") SOFBA16 (16 ½" – 19 ½")	
	▲ When selecting SOFBA16 (16 ½" – 19 ½") range, the lowest possible seat to floor height is 18.75"	
	▲ Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB).	
	▲ With the split footplates option (SOAFPFB), this bracket offers independent height adjustability for each footplate.	

54. FOOT PLATFORMS & ACCESSORIES

SOFUFP	Flip-up one piece Foot Platform	\$140
SOAFPFB	Angle Adjustable & Flip-up Split Footplates for center mount – (Each)	\$65
SOACPCM	Calf Pads for 90° Fixed Center Mount – (SOAAF90) with adjustable hardware – (Each)	\$93

55. FOOT PLATFORM HEIGHT ADJUSTMENT AT FACTORY

- ▶ Set the Foot Platform Height at: _____ "
- ▲ The Foot Platform Height is taken from the top of the seat pan to the top of the foot platform or split foot plates.

56. SEAT POSITIONING (NOT COMPATIBLE WITH THE WC19-ISO OPTION)

SOAUTO	55" Seat Positioning Strap	STD
SOBPHP2C	Bodypoint padded Hip Belt (Two Point – Center Pull)	\$170
SOPHB	Padded Hip Belt, 2-PT Magnetic Center Pull	\$194
SOBPCS	Bodypoint padded Chest Strap	\$250
SOPCS	Padded Chest Strap, 2-PT Magnetic Center Pull	\$262

57. HEADREST

▼ Select one of the headrest options with the mounting hardware and specify where the headrest will be installed.		
SONUAHR	Using headrest mounting hardware other than SOMAH located bellow. ◀ Specify: _____	N/C
SOFHRS	Small Curved Headrest Pad – 4" x 9"	\$155
SOFHRM	Medium Curved Headrest Pad – 5" x 10"	\$155
SOFHRL	Large Curved Headrest Pad – 6" x 11"	\$155
SOMAH	Multi-axis Removable Mounting Hardware	\$220
SOHRBC	Bracket to Mount on the Contour Back Support (Without Recline)	N/C
SOHRPR	Bracket to Mount on the Seat Frame (For Reclining Backs)	N/C

58. LATERAL TRUNK SUPPORTS

▼ Select one of the lateral pads and the adjustable & removable hardware.		
SOSLS3	Adjustable Laterals with Small Curved Pads – (Each) – 3" x 5"	SEATING BENEFIT \$100
SOSLM4	Adjustable Laterals with Medium Curved Pads – (Each) – 4" x 6"	SEATING BENEFIT \$100
SOSLL5	Adjustable Laterals with Large Curved Pads – (Each) – 5" x 7"	SEATING BENEFIT \$100
SOSLHM	Adjustable Swing-Away Hardware Mounts – (Each)	SEATING BENEFIT \$220
▲ Waterfall arm pads may interfere with flipping back the armrests when combined with Lateral Trunk supports		

59. HIP & THIGH SUPPORTS

▼ Select one of the hip & thigh support pads and the adjustable & removable hardware.		
SOHTSS10	Adjustable Hip & Thigh Support Pads – (Each) – Small 10" x 4"	SEATING BENEFIT \$130
SOHTSM12	Adjustable Hip & Thigh Support Pads – (Each) – Medium 12" x 5"	SEATING BENEFIT \$130
SOHTSL14	Adjustable Hip & Thigh Support Pads – (Each) – Large 14" x 6"	SEATING BENEFIT \$130
SOHTSARH	Adjustable and Removable Hip & Thigh Support Hardware – (Each)	SEATING BENEFIT \$136



60. ACCESSORIES

SOCH	Cup Holder – (Self-Leveling)	Install on:	Left Side	Right Side	\$115
SOPH	Ram Mounts X-Grip Cell Phone Holder	Install on:	Left Side	Right Side	\$190
SOTHS	Ram Mounts X-Grip Small Tablet Holder	Install on:	Left Side	Right Side	\$205
SOTHL	Ram Mounts X-Grip Large Tablet Holder with Swivel	Install on:	Left Side	Right Side	\$360
▲ Standard installation is on the opposite side of joystick. Installing accessories on the same side as the joystick may require a custom upgrade.					
▲ With multiple accessories installed on the same side, a custom upgrade will be required.					

61. REFLECTOR KIT

REFLECT	Red & White Reflector Kit Stickers (They will not be installed – Included in a bag with the Owner's Manual)	N/C
----------------	---	-----

62. BACK PACK AND ARMREST SIDE POUCHES

SOBP	Back Pack – (Comes with durable straps that can be hooked around the back canes)		CLIENT COST	\$90		
SOAP	Armrest Side Pouch – (Comes with durable straps that can be hooked around the armrest tubes)	Order:	Left Side	Right Side	CLIENT COST	\$53
▲ If only choosing one (1) armrest pouch, please show what side it should be installed						

70. O² HOLDER

SUPOXY	Custom Non-Articulating Oxygen Tank Holder	MLH (Mount on Left)	MRH (Mount on Right)	\$295
▲ Not available with a power recline				
SUPOXYA	Custom Articulating Oxygen Tank Holder	MLH (Mount on Left)	MRH (Mount on Right)	\$1,195
▲ Required with a power recline				
D-Size Oxygen Tank – (* 22" Tall x 4.3" Diameter) – * The height includes the valve				
E-Size Oxygen Tank – (* 31" Tall x 4.3" Diameter) – * The height includes the valve				

73. NOTES / SPECIAL REQUESTS