



1. ACCOUNT INFORMATION

 S711- 104 St, Edmonton AB. T6H 2K1

 P: 780-437-3300 • Fax: 780-430-9381

 AADL Vendor: 0000612578-001

 www.medmobility.ca • www.mmrehab.ca

ser Weight:			
ser Height:			
at Cushion Thickness:			
nee to Heel Length: Left:	п	Right:	
inter i e i i e e i e e e e e e e e e e e e			



THE ORDER CANNOT BE PROCESSED WITHOUT THE FOLLOWING:

- A user name or number, the client's measurements and weight - Amylior is not responsible for configuration or size discrepancies resulting from customer errors on the order form.

- Order confirmations will be provided by Amylior summarizing the items selected. Please review this carefully.

- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

*IN RED SHOWS THE ADDITION OF NEW OPTIONS, UPGRADES, PRICING MODIFICATIONS OR ADDED NOTES

2. STANDARD OPTIONS

U Se K

Alltrack M3 (HD) Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 6" front casters, and standard auto style buckle seat positioning strap, 6.5mph motors, Weight Capacity = 450 lb

3. ALLTRACK M3 POWER WHEELCHAIR

ATM3-3HD	ALLTRACK M3 (HD) Power Wheelchair				\$8,545
3.5 OWNER'S	MANUAL				
SOOMATENG	English / Anglais	N/C	SOOMATER	Français / French	N/C
4. USER WEI	GHT PACKAGES				
WCA4	400 lb Maximum user weight capacity				STD
WCA45	450 lb Maximum user weight capacity				STD
5. STANDAR	D COLORS				
SCMOBM	Onyx Black Matte	N/C	SCMCAB	Cabernet	N/C
SCMCTB	Cobalt Blue	N/C	SCMBGM	Bubble Gum Metallic	N/C
SCMIOB	Indigo Blue	N/C	SCMHAB	Habanero Metallic	N/C

SCMCRE	Candy Red	N/C	SCMLIM	SubLime	N/C				
FCHDD-M	Desert Digital Camo HydroGraphics - (Military Tan base)	\$795	FCHWL-M	Woodland Camo HydroGraphics - (Military Green base)	\$795				
FCHCF-M	Carbon fiber HydroGraphics - (Matte black base)	\$795							

5.5 WHEEL INSERT COLORS

SCCTB-WI	Cobalt Blue	N/C	SCHAB-WI	Habanero Metallic	N/C
SCIOB-WI	Indigo Blue	N/C	SCLIM-WI	SubLime	N/C
SCCRE-WI	Candy Red	N/C	SCBGM-WI	Bubble Gum Metallic	N/C
SCCAB-WI	Cabernet	N/C			

- ▲ Wheel insert colors are not compatible with optional Hydrographic colors (FCHDD, FCHWL and FCHCF)
- ▲ Wheel insert colors are not compatible with the optional 14" X 4" Extra Wide Cast Wheels (DW144PT and DW144PI)
- Wheel inserts are not available in Onyx Black Matte





7. TRANSPORT OPTION

TTD4	4-Point wheelchair transport brackets		
	4-i olin wheekhan halispon blackers		ST
	4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval.		
WC19-ISO	WC-19 and ISO 7176-19 Occupied Transit Package	CLIENT COST	\$59
	To confirm if your overall wheelchair configuration is WC-19 and ISO 7176-19 compliant, please refer to this website: https://docs.google.com/spreadsheets/d/1KtcNIEA5OQJCS5z3OD1adWEIaFLN1XO3ZcTc6DLkaE/edit#gid=1917752765		
	 Other restrictions may apply, please contact CSR for details. 		
	This option is only available on new power wheelchairs as an "on-chair" option. It is not available to install on a delivered wheelchair	r.	
. MOTOR PAC	KAGE		
MP65B	6.5 MPH 4-Pole Motor Package / with Brake Release - (Not compatible with the Smart-Track Assistive Driving Package option (SMART	т)	ST
	The Maximum user wieght with this option is 400lb		
MP65-OPT	0 ,	CLIENT COST	\$39
	The Maximum user weight with this option is 400 lb		
MP544B	5.4 MPH 4-Pole Motor Package / with Brake Release - (Not compatible with the Smart-Track Assistive Driving Package option (SMART		
MP544-OPT	5.4 MPH 4-Pole Motor Package / with COG Release	CLIENT COST	\$3 [,]
. ASSISTIVE D	RIVING PACKAGE		
SMARTT	Smart-Track	:	\$1,42
	Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision.		
	This is ideal for those with marginal hand function or switch control. Requires the R-net PM 120 Amp Expandable Controller (ECR120).		
	 This option requires the MP65-OPT Motor Package 		
	Recommended for non-proportional Drive Controls		
0. BATTERY CH			
BCOB	8A Offboard Battery Charger		N/
FS24B	Battery Tray for Group 24 Batteries – (Total base width = 25 3/8")		N
2. BATTERIES -	REQUIRES A SELECTION		·
	REQUIRES A SELECTION	DL CONTRACT	RF
2. BATTERIES - BAT24GEL BATO	REQUIRES A SELECTION GEL Battery - Group 24 - 70 Amps (Each) Omission of the batteries	DL CONTRACT	RF
2. BATTERIES - BAT24GEL BATO 4. DRIVE WHEE	REQUIRES A SELECTION GEL Battery - Group 24 - 70 Amps (Each) Omission of the batteries	DL CONTRACT	RF N/
2. BATTERIES - BAT24GEL BATO 4. DRIVE WHEE DW14PT	REQUIRES A SELECTION GEL Battery - Group 24 - 70 Amps (Each) Omission of the batteries EL 14" Cast Wheel Pneumatic Tires	DL CONTRACT	RF N/ S
2. BATTERIES - BAT24GEL BATO 4. DRIVE WHEE DW14PT DW14PI	REQUIRES A SELECTION GEL Battery - Group 24 - 70 Amps (Each) Omission of the batteries EL 14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires		RI N, S
2. BATTERIES - BAT24GEL BATO 4. DRIVE WHEE DW14PT DW14PT DW144PT	REQUIRES A SELECTION GEL Battery – Group 24 – 70 Amps (Each) Omission of the batteries Omission of the batteries EL 14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires	CLIENT COST	RF N/ S N/ \$20
2. BATTERIES - BAT24GEL BATO 4. DRIVE WHEE DW14PT DW14PI	REQUIRES A SELECTION GEL Battery – Group 24 – 70 Amps (Each) Omission of the batteries Omission of the batteries EL 14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires		RF N/ S N/ \$20
2. BATTERIES - BAT24GEL BATO 4. DRIVE WHEE DW14PT DW14PT DW144PT DW144PT	REQUIRES A SELECTION GEL Battery – Group 24 – 70 Amps (Each) Omission of the batteries Omission of the batteries EL 14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic With Foam Filled Tires Increases the overall width of the base by 2 ¾"	CLIENT COST	RF N/ \$20 \$50
2. BATTERIES - BAT24GEL BATO 4. DRIVE WHEE DW14PT DW14PT DW144PT DW144PT DW144PI DW12PT	REQUIRES A SELECTION AAI GEL Battery - Group 24 - 70 Amps (Each) AAI Omission of the batteries AI I4" Cast Wheel Pneumatic Tires I4" Cast Wheel Pneumatic with Foam Filled Tires 14" Cast Wheel Pneumatic with Foam Filled Tires I4" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires I4" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires I2 ½" Cast Wheel Pneumatic Tires	CLIENT COST	S N, \$20 \$5
2. BATTERIES - BAT24GEL BATO 4. DRIVE WHEE DW14PT DW14PT DW144PT DW144PT	REQUIRES A SELECTION GEL Battery – Group 24 – 70 Amps (Each) Omission of the batteries Omission of the batteries EL 14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires	CLIENT COST	RI N, \$2 \$5 N,
2. BATTERIES - BAT24GEL BATO 4. DRIVE WHEE DW14PT DW14PT DW144PT DW144PT DW144PI DW12PT DW12PI	REQUIRES A SELECTION AAI GEL Battery – Group 24 – 70 Amps (Each) AAI Omission of the batteries AI I4" Cast Wheel Pneumatic Tires I4" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires I4" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires Ia Increases the overall width of the base by 2 ¾" 12 ½" Cast Wheel Pneumatic Tires I2 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires Ia I2 ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque.	CLIENT COST	RI N \$2 \$5 N
2. BATTERIES - BAT24GEL BATO 4. DRIVE WHEE DW14PT DW144PT DW144PT DW144PT DW12PT DW12PT 5. FRONT CAST	REQUIRES A SELECTION AAI GEL Battery – Group 24 – 70 Amps (Each) AAI Omission of the batteries AI I4" Cast Wheel Pneumatic Tires I4" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires I4" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires Ia Increases the overall width of the base by 2 ¾" 12 ½" Cast Wheel Pneumatic Tires I2 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires Ia I2 ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque.	CLIENT COST	 RI N, \$2 \$5 N, N,
2. BATTERIES - BAT24GEL BATO 4. DRIVE WHEE DW14PT DW14PT DW144PT DW144PT DW144PI DW12PT DW12PI	REQUIRES A SELECTION AAI GEL Battery – Group 24 – 70 Amps (Each) AAI Omission of the batteries AI I4" Cast Wheel Pneumatic Tires I4" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires I4" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires Ia Increases the overall width of the base by 2 ¾" 12 ½" Cast Wheel Pneumatic Tires I2 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires Ia I2 ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque.	CLIENT COST	RI N, \$2 \$5 N, N,
2. BATTERIES - BAT24GEL BATO 4. DRIVE WHEE DW14PT DW144PT DW144PT DW144PT DW12PT DW12PT 5. FRONT CAST	REQUIRES A SELECTION AAI GEL Battery – Group 24 – 70 Amps (Each) AAI Omission of the batteries AI 14" Cast Wheel Pneumatic Tires AI 14" Cast Wheel Pneumatic with Foam Filled Tires AII 14" Cast Wheel Pneumatic with Foam Filled Tires AIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	CLIENT COST	 RF N, \$20 \$5 N, \$6
2. BATTERIES - BAT24GEL BATO 4. DRIVE WHEE DW14PT DW14PT DW144PT DW144PT DW12PT DW12PT DW12PT 5. FRONT CAST FC6S	REQUIRES A SELECTION AAI GEL Battery – Group 24 – 70 Amps (Each) AAI Omission of the batteries AI 14" Cast Wheel Pneumatic Tires AI 14" Cast Wheel Pneumatic with Foam Filled Tires AI 14" Cast Wheel Pneumatic with Foam Filled Tires AI 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires AI 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires Ancreases the overall width of the base by 2 ¾" 12 ½" Cast Wheel Pneumatic Tires AI 12 ½" Cast Wheel Pneumatic with Foam Filled Tires AI 12 ½" Cast Wheel Pneumatic with Foam Filled Tires AI 12 ½" Cast Wheel Pneumatic with Foam Filled Tires AII 12 ½" Cast Wheel Pneumatic with Foam Filled Tires AIIII ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. TERS 6" Solid Casters – (Not available with the 14" x 4" Extra Wide Cast Wheel options DW144PT or DW144PI) 8" Pneumatic Casters 8" Pneumatic Casters 8" Pneumatic Casters with Foam Filled Tires BIIII AIIII AIIIII AIIIIIIIIIIIIIIIIIII	CLIENT COST	S N/ \$2(\$5' N/ S N/
2. BATTERIES - BAT24GEL BATO 4. DRIVE WHEE DW14PT DW14PT DW144PT DW144PT DW12PT DW12PT DW12PT 5. FRONT CAST FC6S FC8PTM	REQUIRES A SELECTION AAI GEL Battery – Group 24 – 70 Amps (Each) AAI Omission of the batteries AI 14" Cast Wheel Pneumatic Tires AI 14" Cast Wheel Pneumatic with Foam Filled Tires AII 14" Cast Wheel Pneumatic with Foam Filled Tires AIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	CLIENT COST	 RF N, \$20 \$5 N, \$6
2. BATTERIES - BAT24GEL BATO 4. DRIVE WHEE DW14PT DW14PT DW144PT DW144PT DW12PT DW12PT 5. FRONT CAS1 FC6S FC8PTM FC8PIM	REQUIRES A SELECTION AAI GEL Battery – Group 24 – 70 Amps (Each) AAI Omission of the batteries AI 14" Cast Wheel Pneumatic Tires AI 14" Cast Wheel Pneumatic with Foam Filled Tires AI 14" Cast Wheel Pneumatic with Foam Filled Tires AI 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires AI 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires Ancreases the overall width of the base by 2 ¾" 12 ½" Cast Wheel Pneumatic Tires AI 12 ½" Cast Wheel Pneumatic with Foam Filled Tires AI 12 ½" Cast Wheel Pneumatic with Foam Filled Tires AI 12 ½" Cast Wheel Pneumatic with Foam Filled Tires AII 12 ½" Cast Wheel Pneumatic with Foam Filled Tires AIIII ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. TERS 6" Solid Casters – (Not available with the 14" x 4" Extra Wide Cast Wheel options DW144PT or DW144PI) 8" Pneumatic Casters 8" Pneumatic Casters 8" Pneumatic Casters with Foam Filled Tires BIIII AIIII AIIIII AIIIIIIIIIIIIIIIIIII	CLIENT COST	 RF N, \$20 \$5 N, \$6
2. BATTERIES - BAT24GEL BATO 4. DRIVE WHEE DW14PT DW14PT DW144PT DW144PT DW12PT DW12PT 5. FRONT CAST FC6S FC8PTM FC8PIM 6. SEAT TO FLO	REQUIRES A SELECTION AAI GEL Battery – Group 24 – 70 Amps (Each) AAI Omission of the batteries Id" cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic Tires Id" cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires Id" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires Increases the overall width of the base by 2 ½" 12 ½" Cast Wheel Pneumatic Tires Increases the overall width of the base by 2 ½" 12 ½" Cast Wheel Pneumatic Tires Increases the overall width of the base by 2 ½" 12 ½" Cast Wheel Pneumatic Tires Increases the overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. TERS 6" Solid Casters – (Not available with the 14" x 4" Extra Wide Cast Wheel options DW144PT or DW144PI) 8" Pneumatic Casters 8" Pneumatic Casters 8" Pneumatic Casters 8" Pneumatic Casters 8" Pneumatic Casters are NOT compatible with the 12 ½" Drive wheel configuration (DW12PT and DW12PI)	CLIENT COST	 RF N, \$20 \$5 N, \$6
2. BATTERIES - BAT24GEL BATO 4. DRIVE WHEE DW14PT DW14PT DW144PT DW144PT DW12PT DW12PT 5. FRONT CAST FC6S FC8PTM FC8PIM 6. SEAT TO FLO	REQUIRES A SELECTION AAI GEL Battery - Group 24 - 70 Amps (Each) AAI Omission of the batteries Id 14" Cast Wheel Pneumatic Tires Id 14" Cast Wheel Pneumatic with Foam Filled Tires Id 14" X 4" Extra Wide Cast Wheels, Pneumatic Tires Id 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires Id 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires Increases the overall width of the base by 2 3/4" 12 ½" Cast Wheel Pneumatic Tires Increases the overall width of the base by 2 3/4" 12 ½" Cast Wheel Pneumatic Tires Increases the overall width of the base by 2 3/4" 12 ½" Cast Wheel Pneumatic Tires Increases the overall width foam Filled Tires * Increases the overall seat to floor height by 3/4", Iowers ground clearance and speed, but increases motor torque. TERS 6" Solid Casters - (Not available with the 14" x 4" Extra Wide Cast Wheel options DW144PT or DW144PI) 8" Pneumatic Casters 8" Pneumatic Casters 8" Pneumatic Casters with Foam Filled Tires A The 8" casters are NOT compatible with the 12 ½" Drive wheel configuration (DW12PT and DW12PI) DOR HEIGHT (MEASUREMENT TO THE TOP OF SEAT PAN ± ½") DOR	CLIENT COST	S N/ \$2(\$5' N/ S N/
2. BATTERIES - BAT24GEL BATO 4. DRIVE WHEE DW14PT DW14PT DW144PT DW144PT DW12PT DW12PT 5. FRONT CAST FC6S FC8PTM FC8PIM 6. SEAT TO FLO OPTIONS FOR HD	REQUIRES A SELECTION AAI GEL Battery – Group 24 – 70 Amps (Each) AAI Omission of the batteries Id" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic Tires Id" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires Id" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires Increases the overall width of the base by 2 34" 12 ½" Cast Wheel Pneumatic Tires Increases the overall width of the base by 2 34" 12 ½" Cast Wheel Pneumatic Tires I 12 ½" Cast Wheel Pneumatic Tires I 12 ½" Drive wheels reduce overall seat to floor height by 34", lowers ground clearance and speed, but increases motor torque. TERS 6" Solid Casters – (Not available with the 14" x 4" Extra Wide Cast Wheel options DW144PT or DW144PI) 8" Pneumatic Casters 8" Pneumatic Casters 8" Pneumatic Casters with Foam Filled Tires A The 8" casters are NOT compatible with the 12 ½" Drive wheel configuration (DW12PT and DW12PI) DOC HEIGHT (MEASUREMENT TO THE TOP OF SEAT PAN ± ½") REHAB SEAT ONLY - NO POWER SEATING	CLIENT COST	S N/ \$2(\$5 ⁶ N/ N/ S N/
2. BATTERIES - BAT24GEL BATO 4. DRIVE WHEE DW14PT DW14PT DW144PT DW144PT DW12PT DW12PT 5. FRONT CAST FC6S FC8PTM FC8PIM 6. SEAT TO FLO OPTIONS FOR HD	REQUIRES A SELECTION GEL Battery – Group 24 – 70 Amps (Each) AAL Omission of the batteries EL 14" Cast Wheel Pneumatic Tires 14" Cast Wheel Pneumatic with Foam Filled Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic Tires 12 ½" Cast Wheel Pneumatic with Foam Filled Tires 12 ½" Cast Wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. TERS 6" Solid Casters – (Not available with the 14" x 4" Extra Wide Cast Wheel options DW144PT or DW144PI) 8" Pneumatic Casters 8" Pneumatic Casters 8" Pneumatic Casters with Foam Filled Tires • The 8" casters are NOT compatible with the 12 ½" Drive wheel configuration (DW12PT and DW12PI) COR HEIGHT (MEASUREMENT TO THE TOP OF SEAT PAN ± ½") REHAB SEAT ONLY - NO POWER SEATING 15 ½" - (Possibl	CLIENT COST CLIENT COST	N/ ST N/ \$20





STFH155	e add 1.5" when O	ONLY using the HD Power Seat ele	evate Module		
5111155	15 ½" – (Po	ossible Seat angle of 0° only)			
	A Require	es the 12 ½" Drive wheels (DW12PT a	and DW12PI)		
STFH1625	16 ¼" – (Po	ossible Seat angle of 0° only)	STFH1825	18 ¼" – (Possible Seat of	angle of 0° only)
STFH1725	17 ¼" – (Po	ossible Seat angle of 0° only)	STFH1875	18 ¾" – (Possible Seat of	angle of 0° only)
STFH1775	17 ¾" – (Po	ossible Seat angle of 0° only)			
OPTIONS FOR A	COMBO - POWER 1	TILT WITH AN HD POWER ELEVAT	IE MODULE		
STFH185	18 ½" – (Po	ossible Seat angle of 0° only)			
	A Require	es the 12 ½" Drive wheels (DW12PT a	and DW12PI)		
STFH1925	19 ¼" – (Po	ossible Seat angle of 0° only)			
7. SEAT TO FLO	OOR HEIGHT	SPECIFICATION (IF NOT S	TANDARD)		
SOMHSS	Specific sec	at to floor height higher than stan [,]	dard. It's not possible to lower th	e seat to floor height below minimu	m ranges. R
	A Require		•	, and the second s	
8. PRE-SET SE/					
SFE-0		seat frame seat angle – (Must be se			S
SFE-3		eat frame seat angle – (Only avail			N
SFE-6		seat frame seat angle – (Only avail			N
SFE-9	9° Pre-set se	eat frame seat angle – (Only avail	able with a seat configuration without p	ower options)	N
9. LIGHTING I	PACKAGE				
EOLP	LED Light Po	ackage – (Includes front and rear	r lights with integrated flashers)		CLIENT COST \$1,4
	A Require:	es the upgraded Joystick with Light Op	peration or the OMNI 2 (ECVJ6KL, E	ELJL, ECRJCL, ECRJC35B or EDIB).	
ECEL90 ECR120) Amp Expandable Controller 20 Amp Expandable Controller			\$1
2. EXPANDAB	LE ELECTRON	IICS - PG DRIVES R-NET	JOYSTICKS		
-		below is required with the expan		20	
ECO	Omit Joystic	ck — (For use with an Omni 2 Display)			N
ECELJ	D) – Joystick			S
	K-net - (LED)				
		stick is not compatible with the Memo	ory Seat Program Option (SACMEMO	DRY and MACMEMORY).	
ECRJC	This joys	stick is not compatible with the Memo ick with Color screen	ory Seat Program Option (SACMEM)	JRY and MACMEMORY).	\$1
ECRJC	This joys	ck with Color screen	ory Seat Program Option (SACMEM	JRY and MACMEMORY).	\$1
ECRJC	This joys R-net Joystic LIGHTING OPERAT	ck with Color screen			
ECRJC JOYSTICKS WITH	This joys R-net Joystic LIGHTING OPERAT R-net – (LED	ck with Color screen TION	ion		
ECRJC JOYSTICKS WITH	 This joys R-net Joystic LIGHTING OPERAT R-net – (LED This joys 	ick with Color screen TION D) – Joystick with Lighting Operati	ion ory Seat Program Option (SACMEMO		CLIENT COST \$1
ECRJC JOYSTICKS WITH ECELJL ECRJCL ADVANCED JOYS	▲ This joys R-net Joystic LIGHTING OPERAT R-net - (LED ▲ This joys R-net Joystic TICK	ick with Color screen FION D) – Joystick with Lighting Operati stick is not compatible with the Memo ick with Color screen and Lighting	tion ory Seat Program Option (SACMEMO g Operation	DRY and MACMEMORY).	CLIENT COST \$1
ECRJC JOYSTICKS WITH ECELJL ECRJCL	▲ This joys R-net Joystic LIGHTING OPERAT R-net - (LED ▲ This joys R-net Joystic TICK	ick with Color screen FION D) – Joystick with Lighting Operati stick is not compatible with the Memo ick with Color screen and Lighting	tion ory Seat Program Option (SACMEMO g Operation		CLIENT COST \$1
ECRJC JOYSTICKS WITH ECELJL ECRJCL ADVANCED JOYS ECRJC35B	▲ This joys R-net Joystic LIGHTING OPERAT R-net – (LED ▲ This joys R-net Joystic TICK R-net Advan	ick with Color screen FION D) – Joystick with Lighting Operati stick is not compatible with the Memo ick with Color screen and Lighting	tion ory Seat Program Option (SACMEMO g Operation	DRY and MACMEMORY).	CLIENT COST \$1
ECRJC JOYSTICKS WITH ECELJL ECRJCL ADVANCED JOYS ECRJC35B	This joys R-net Joystic LIGHTING OPERAT R-net - (LED This joys R-net Joystic TICK R-net Advan	ick with Color screen FION D) – Joystick with Lighting Operati stick is not compatible with the Memo ick with Color screen and Lighting inced Bluetooth Joystick (3.5" Scree	tion ory Seat Program Option (SACMEMO g Operation	DRY and MACMEMORY).	CLIENT COST \$1 \$1 cks CLIENT COST \$1,1
ECRJC JOYSTICKS WITH ECELJL ECRJCL ADVANCED JOYS ECRJC35B 3. JOYSTICK A JSMF	This joys R-net Joystic LIGHTING OPERAT R-net - (LED This joys R-net Joystic TICK R-net Advan Fixed Joystic Fixed Joystic	ick with Color screen FION D) – Joystick with Lighting Operati stick is not compatible with the Memo ick with Color screen and Lighting Inced Bluetooth Joystick (3.5" Scree ick Mount	ion ory Seat Program Option (SACMEMO g Operation en). Lighting Operation, paddle s	DRY and MACMEMORY). witches, shortcut keys and stereo ja	CLIENT COST \$1 \$1 cks CLIENT COST \$1,10 N,
ECRJC JOYSTICKS WITH ECELJL ECRJCL ADVANCED JOYS ECRJC35B	▲ This joys R-net Joystic LIGHTING OPERAT R-net – (LED ▲ This joys R-net Joystic TICK R-net Advan Fixed Joystic Swing Awa	ick with Color screen TION D) – Joystick with Lighting Operati stick is not compatible with the Memo ick with Color screen and Lighting Inced Bluetooth Joystick (3.5" Screen ick Mount by Joystick Mount – Height adjust	tion ory Seat Program Option (SACMEMO g Operation en). Lighting Operation, paddle s table, Angle adjustable and Mult	DRY and MACMEMORY). witches, shortcut keys and stereo jar	CLIENT COST \$1 \$1 \$1 cks CLIENT COST \$1,1 N, \$2
ECRJC JOYSTICKS WITH ECELJL ECRJCL ADVANCED JOYS ECRJC35B 3. JOYSTICK A JSMF	This joys R-net Joystic LIGHTING OPERAT R-net - (LED This joys R-net Joystic TICK R-net Advan Fixed Joystic Fixed Joystic	ick with Color screen TION D) – Joystick with Lighting Operati stick is not compatible with the Memo ick with Color screen and Lighting unced Bluetooth Joystick (3.5" Scree ick Mount ay Joystick Mount – Height adjust Set-up with standard installatio	tion ory Seat Program Option (SACMEMO g Operation en). Lighting Operation, paddle s table, Angle adjustable and Mult on to swing-away sideways	DRY and MACMEMORY). witches, shortcut keys and stereo ja	CLIENT COST \$1 \$1 \$1 cks CLIENT COST \$1,1 N, \$2
ECRJC JOYSTICKS WITH ECELJL ECRJCL ADVANCED JOYS ECRJC35B 3. JOYSTICK A JSMF	▲ This joys R-net Joystic LIGHTING OPERAT R-net – (LED ▲ This joys R-net Joystic TICK R-net Advan Fixed Joystic Swing Awa Select: Select:	ick with Color screen TION D) – Joystick with Lighting Operati stick is not compatible with the Memo ick with Color screen and Lighting unced Bluetooth Joystick (3.5" Scree ick Mount ay Joystick Mount – Height adjust Set-up with standard installatio Mechanical Lock (STD) M	tion ory Seat Program Option (SACMEMO g Operation en). Lighting Operation, paddle s table, Angle adjustable and Mult on to swing-away sideways tagnetic Lock	DRY and MACMEMORY). witches, shortcut keys and stereo jar	CLIENT COST \$1 \$1 cks CLIENT COST \$1,1 N, \$2 ways and downwards
ECRJC JOYSTICKS WITH ECELJL ECRJCL ADVANCED JOYS ECRJC35B 3. JOYSTICK A JSMF JSMSA JSMSA	▲ This joys R-net Joystic LIGHTING OPERAT R-net - (LED ▲ This joys R-net Joystic TICK R-net Advan Fixed Joystic Swing Awa Select: Select: Midline Mo	ick with Color screen TION D) – Joystick with Lighting Operati stick is not compatible with the Memo ick with Color screen and Lighting Inced Bluetooth Joystick (3.5" Scree ick Mount ay Joystick Mount – Height adjust Set-up with standard installatio Mechanical Lock (STD) Mounted Swing Away Joystick Mou	tion ory Seat Program Option (SACMEMO g Operation en). Lighting Operation, paddle s table, Angle adjustable and Mult on to swing-away sideways tagnetic Lock	DRY and MACMEMORY). witches, shortcut keys and stereo jar	CLIENT COST \$1 \$1 cks CLIENT COST \$1,1 N, \$2 ways and downwards
ECRJC JOYSTICKS WITH ECELJL ECRJCL ADVANCED JOYS ECRJC35B 23. JOYSTICK N JSMF JSMSA JSMCM 24. JOYSTICK N	▲ This joys R-net Joystic LIGHTING OPERAT R-net – (LED ▲ This joys R-net Joystic TICK R-net Advan Fixed Joystic Swing Awa Select: Select: Midline Mo MOUNT SUPP	ick with Color screen TION D) – Joystick with Lighting Operati stick is not compatible with the Memo ick with Color screen and Lighting unced Bluetooth Joystick (3.5" Scree ick Mount ay Joystick Mount – Height adjust Set-up with standard installatio Mechanical Lock (STD) Mounted Swing Away Joystick Mou PORT	tion ory Seat Program Option (SACMEMO g Operation en). Lighting Operation, paddle s table, Angle adjustable and Mult on to swing-away sideways tagnetic Lock	DRY and MACMEMORY). witches, shortcut keys and stereo jar	CLIENT COST \$1 \$1 cks CLIENT COST \$1,1 \$2 ways and downwards \$2
ECRJC JOYSTICKS WITH ECELJL ECRJCL ADVANCED JOYS ECRJC35B 23. JOYSTICK N JSMF JSMSA	▲ This joys R-net Joystic LIGHTING OPERAT R-net – (LED ▲ This joys R-net Joystic TICK R-net Advan Fixed Joystic Swing Awa Select: Select: Midline Mo MOUNT SUPP	ick with Color screen TION D) – Joystick with Lighting Operati stick is not compatible with the Memo ick with Color screen and Lighting Inced Bluetooth Joystick (3.5" Scree ick Mount ay Joystick Mount – Height adjust Set-up with standard installatio Mechanical Lock (STD) Mounted Swing Away Joystick Mou	tion ory Seat Program Option (SACMEMO g Operation en). Lighting Operation, paddle s table, Angle adjustable and Mult on to swing-away sideways tagnetic Lock	DRY and MACMEMORY). witches, shortcut keys and stereo jar	N, \$2
ECRJC JOYSTICKS WITH ECELJL ECRJCL ADVANCED JOYS ECRJC35B 3. JOYSTICK N JSMF JSMSA JSMCM	▲ This joys R-net Joystic LIGHTING OPERAT R-net - (LED ▲ This joys R-net Joystic TICK R-net Advan AOUNT Fixed Joystic Swing Awa Select: Select: Midline More Joystick more	ick with Color screen TION D) – Joystick with Lighting Operati stick is not compatible with the Memo ick with Color screen and Lighting unced Bluetooth Joystick (3.5" Scree ick Mount by Joystick Mount – Height adjust Set-up with standard installatio Mechanical Lock (STD) Mounted Swing Away Joystick Mou PORT bunt support Bracket	tion ory Seat Program Option (SACMEMO g Operation en). Lighting Operation, paddle s table, Angle adjustable and Mult on to swing-away sideways tagnetic Lock	DRY and MACMEMORY). witches, shortcut keys and stereo jar	CLIENT COST \$1 \$1 cks CLIENT COST \$1,1 \$2 ways and downwards \$2

26. JOYSTICK HANDLE



b. JOISIICK HA	ANDLE					
JSH	Standard Joystick Gimble	STD	JBAT	Stick Handle 3" in Length		\$13
JBH	Ball Handle	\$85	JFBH	Foam Ball Handle		\$7
JTH	T-Handle	\$155	JMUSH	Bodypoint Mushroom Handle		\$21
JGP	Bodypoint 4" U-shaped Handle	\$210				
9. R-NET OMNI	2 - ENHANCED DISPLAY & DIGI	TAL INTERFAC	EBOX (REQUIRED	WITH SPECIALTY CONTROLS)		
EDIB	Omni 2 – (Enhanced Display & Digital Interfa	ce Box with Infrared)			5	\$1,91
	Allows the switch operation of alternativ	e devices through driv	er controls. Requires the	e R-net fully Expandable Controller (ECR120)	1	
	The Omni 2 display mount must be select	ted from the option be	low.			
0. OMNI 2 ENH	ANCED DISPLAY MOUNT User Swing Away Mount				CODE W100	N/
EDSAM	8 ,					IN/
	EDML – (Install Display on LH side)	EDMR – (Ins	tall Display on RH side)			
	ENTAL CONTROL MODULE Environment control module – (Output Mo				CLIENT COST	\$99
	Requires one of the fully expandable R-	net controllers (ECEL9)	0 or ECR 120).			
	HAB SEAT / POWER SEATING S		MODULES			
SAABAHD-450	Amyseat HD Rehab Seat - (Seat Frame on	ly)			•	1,04
SAPTXHD	Heavy-Duty CG Power Tilt				\$	\$6,19
	This option includes the Amyseat Rehab		•••••			
SAPRXHD	Heavy-Duty Power Recline with Mechar		n (MSR)		\$	\$7,84
	 This option includes the Amyseat Rehab 					
SAPTPRXHD	Heavy-Duty CG Power Tilt and Power R		cal Shear Reduction	(MSR)	\$1	12,99
	This option includes the Amyseat Rehab	Seat (SAABAHD)				
SAPESXHD	Heavy-Duty ALTA 11" Power Seat Eleva				\$	5,49
	This option includes the Amyseat Rehab					
	The maximum user weight with this optic	on is 400 lb				
ADDPESXHD	Module – Add Heavy-Duty ALTA 11" Pa	ower Seat Elevation	to either SAPTXHD, S	SAPRXHD or SAPTPRXHD	\$	3,995
	The maximum user weight with this optic	on is 400 lb				

34. ELECTRONICS - SINGLE (1 ACTUATOR) POWER SEAT FUNCTION CONTROLLER

SINGLE SEAT FUN	CTION USING AN EXTERNAL TOGGLE OR OPTIONAL SWITCH ONLY (FOR BOTH EX	PANDABLE AND NON-EXPAN	DABLE SYSTEMS)	
SOLO	Single function controller (Includes an external toggle switch)			STD
 OPTIONAL SWI 	ITCHES			
SWTOGGLE	Single Toggle Switch		Attendant Activation	\$100
SWPUSH1	Single Push Button Switch – (Single Mode: SAC) User Activation		Attendant Activation	\$90
SWPUSH2	Dual Push Button Switch — (Dual Mode: SAC)	User Activation	Attendant Activation	\$180
SSBS	Buddy Button Switch Black Red Green Yellow	User Activation	Attendant Activation	\$230
SSES	Egg Switch-Black	User Activation	Attendant Activation	\$116
SSML	Ultra Light Switch	User Activation	Attendant Activation	\$295
SINGLE SEAT FUN	CTION THROUGH DRIVE CONTROL			
EPSEL	Single Function Through Drive Control with R-net 90-amp controller			N/C
	Allows for activation of single power option through R-net 90-amp controller			
	 Compatible with all R-net joysticks 			
	Does not allow for control of power option through drive control and separate sw	vitches		
	Can not operate more than one power option			
	If selecting memory seating, choose SAC below			
	If selecting 120-amp R-net controller, choose SAC below			
SAC	Single Function Through Drive Control with R-net 90-amp or 120-amp contro	ller		N/C
	Allows for activation of single power option through R-net drive controls			
	Compatible with 90-amp or 120-amp controller, all R-net joysticks, Omni 2 and s	pecialty controls		
	Capable of operating tilt with power seat elevate			
	Compatible with memory seating			
SACMEMORY	Memory Seat Program		CLIENT COST	\$1,495
	This option is not compatible with LED joysticks (ECELJ and ECELJL)			
	Memory seat programming is not compatible with the Heavy Duty Seat Elevate of the seat	option (SAPESXHD and ADDPES)	(HD)	





SACTOGGLE	Single Toggle Switch		Attendant Activation	CODE W100	\$410
SACPUSH1	Single Push Button Switch – (Single Mode: SAC)	Attendant Activation	CODE W100	\$400	
SACPUSH2	Dual Push Button Switch — (Dual Mode: SAC)	User Activation	Attendant Activation	CODE W100	\$490
SACSSBS	Buddy Button Switch Black Red Green Yellow	User Activation	Attendant Activation	CODE W100	\$540
SACSSES	Egg Switch-Black	User Activation	Attendant Activation	CODE W100	\$426
SACSSML	Ultra Light Switch	User Activation	Attendant Activation	CODE W100	\$605

35. ELECTRONICS - MULTIPLE SEAT FUNCTION CONTROL TYPE

	MULTIPLE SEAT FUNC	TIONS THROUGH R-NET				
	MAC	E-BX Multiple Function through Drive Control with Expandable Electronics	– Powers iQ Actua	tors	9	\$2,295
►	MAC OPTIONS					
	MACMEMORY	Memory Seat Program				\$175
		Memory seat programming is not compatible with the Heavy Duty Seat Eleva	te option (SAPESXHD ar	nd ADDPESXHD)		
►	SELECTION OF SWITC	CH BELOW GIVES ACCES TO POWER OPTIONS THROUGH DRIVE CONTROLS A	ND THROUGH EXTER	NAL SWITCH		
	MACKEYPAD-P	Keypad w/ 5 Push Button Switches	User Activation	Attendant Activation	CODE W100	\$445
	MACKEYPAD-T	Keypad w/ 5 Toggle Switches	User Activation	Attendant Activation	CODE W100	\$445
	MACMULTI	4-Way Toggle Switch – (Up to 4 Activations)	User Activation	Attendant Activation	CODE W100	\$180
_		▲ By selecting this switch, memory recall is only available through the Joystick.				
	MACMULTIT	Triple Toggle Switch – (Up to 5 Activations)	User Activation	Attendant Activation	CODE W100	\$135
		By selecting this switch, memory recall is only available through the Joystick.				
	MACPUSH4	4-Way Push Button Switch	User Activation	Attendant Activation	CODE W100	\$225
		▲ By selecting this switch, memory recall is only available through the Joystick.				
	MACPUSH5	5-Way Push Button Switch	User Activation	Attendant Activation	CODE W100	\$240
_		▲ By selecting this switch, memory recall is only available through the Joystick.				
30	5. SWITCH ACTIV	ATION HAND MOUNT				
						NI/C

Switch Installation:	TSML – (Install Switch on LH side)	TSMR – (Install Switch on RH side)	N/C

37. PRE-SET BACK ANGLE (FOR NON-RECLINING BACKS) SOBAA

For SOWN 19-24-22 seat range, select one:

94° 98° 102° 106° 110° 118° 122° 86° 90° 114° For SOWN24-26-22 seat range, select one:

82° 90° 98° 106°

▲ Back angles of 102° or greater are not compatible with the OMNI 2.

39. LARGE ADJUSTABLE SEAT WIDTH RANGE BETWEEN 19" AND 26"

SOWN19-24-22 – (Wi	SOWN 19-24-22 – (Width adjustment from 19" to 24" and Depth range of 18" to 22")		
SOWN24-26-22 – (Wi	idth adjustment from 24" to 26" ar	d Depth range of 18" to 22")	\$475
19" (SOWN19L)	20" (SOWN20L)	21" (SOWN21)	
22" (SOWN22)	23" (SOWN23)	24" (SOWN24)	
24" (SOWN24HDL)	25" (SOWN25HDL)	26" (SOWN26HDL)	

40. ADJUSTABLE SEAT DEPTH RANGE BETWEEN 18" AND 22"

18" (SODN18)	19" (SODN 19)	20" (SODN20)	21" (SODN21)	22" (SODN22)	N/C

41. BACK CANE HEIGHT (THE BACK CANE HEIGHT MEASUREMENT IS TAKEN FROM THE SEAT PAN TO THE TOP OF THE PUSH HANDLES)

			▼ 22" is the minimum back	height required with a power re	cline.
16" (SOBCH16)	18" (SOBCH18)	20" (SOBCH20)	22" (SOBCH22)	24" (SOBCH24)	26" (SOBCH26)

42. BACK SUPPORT

DSTR-WWHH	Adjustable Tension Back Upholstery, WW x HH		N/C
	 Only available with Dual Post armrests (SOADP) 		
STDSB-WWHH	Contour back support up to 21" wide, with a maximum shell height of 22".	SEATING BENEFIT	\$605
	▲ The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back		
STDSB-WWHH	Contour back support up to 21" wide for non-standard sizes with shell height ≥ 23".	SEATING BENEFIT	\$755
	▲ The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back		
STDSB-WWHH	Contour back support for Heavy-Duty from 22" wide and higher, with any height.	SEATING BENEFIT	\$1,075
	▲ The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back		







MAT	TRX BACKS			
PBE-	WWHH-HD	MATRX HEAVY DUTY ELITE BACK - (21" to 24" Wide - Back height of 16" and 20")	SEATING BENEFIT	\$1,150
		Back shell height is available in 16" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back	1	
		 Weight capacity up to 500 lb 		
EDB-	-WWHH-HD	MATRX ELITE DEEP HD BACK - (21" to 24" Wide - Back height of 16", 18" and 20")	SEATING BENEFIT	\$1,195
		Back shell height is available in 16", 18" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed and 6" (± 1") with a reclining back	back	
		This product is not compatible with Lateral Trunk Supports		
		 Weight capacity up to 500 lb 		
► NXT	BACKS			
NOA	ACB-WWHH	NXT OPTIMA FH AC CONTOUR BACK - (15" to 21" Wide)	SEATING BENEFIT	\$690
		 Weight capacity up to 300 lb 		
NOA	ACB-WWHH	NXT OPTIMA FH AC CONTOUR BACK - (22" to 28" Wide)	SEATING BENEFIT	\$720
		 Weight capacity up to 550 lb 		
		Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with a fix and 6" (± 1") with a reclining back	xed back	
NOP	PCB-WWHH	NXT OPTIMA FH PC DEEP CONTOUR BACK - (15" to 21" Wide)	SEATING BENEFIT	\$790
		Weight capacity up to 300 lb		
NOP	PCB-WWHH	NXT OPTIMA FH PC DEEP CONTOUR BACK - (22" to 28" Wide)	SEATING BENEFIT	\$820
		Weight capacity up to 550 lb		
		This product is not compatible with Lateral Trunk Supports		
		Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with a fix and 6" (± 1") with a reclining back	xed back	
▶ омі	ISSION OF THE B	ACK SUPPORT		
STDS	SBO	Omission of the Contour Back Support Specify Model of Back Support:		N/C

43. BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)

	 22" is the minimum back height required with a power recline. 				
16" (SOBH16)	18" (SOBH18)	20" (SOBH20)	22" (SOBH22)	24" (SOBH24)	26" (SOBH26)
28" (SOBH28) This height is not available with the NXT Optima AC and PC options					

44. SEAT CUSHIONS (SEATING BENEFIT)

CG AIR - THERAPEUTIC						
Single Valve 19" to 20)" Wide Note: For custom Cushions (Pl	ease use the CG Air Or	der Form)			
	Cell Height:	2"	3"	4"		
CGA1VSCwwdd-h	CG Air Single Valve – (with Star	ndard 2-way Stretch Co	ver)		SEATING BENEFIT	\$600
CGA1V3Dwwdd-h	CG Air Single Valve – (with 3D	Mesh Cover)			SEATING BENEFIT	\$690
CGA1VICwwdd-h	CG Air Single Valve – (with Inco	ontinence Cover)			SEATING BENEFIT	\$690
	 Cushion sizes only come in ev 	en numbers for width	and depth measurements.			
Dual Valve 19" to 20"	Wide Note: For custom Cushions (Plea	ase use the CG Air Orde	r Form)			
	Cell Height:	2"	3"	4"		
CGA2VSCwwdd-h	CG Air Dual Valve – (with Stand	lard 2-way Stretch Cove	er)		SEATING BENEFIT	\$600
CGA2V3Dwwdd-h	CG Air Dual Valve – (with 3D M	esh Cover)			SEATING BENEFIT	\$690
CGA2VICwwdd-h	CG Air Dual Valve – (with Incon	tinence Cover)			SEATING BENEFIT	\$690
	 Cushion sizes only come in ev 	en numbers for width	and depth measurements.			
Single Valve 22" to 24	4" Wide Note: For custom Cushions (Pl	ease use the CG Air Or	der Form)			
	Cell Height:	2"	3"	4"		
CGA1VSCwwdd-h	CG Air Single Valve – (with Star	ndard 2-way Stretch Co	ver)		SEATING BENEFIT	\$890
CGA1V3Dwwdd-h	CG Air Single Valve – (with 3D	Mesh Cover)			SEATING BENEFIT	\$910
CGA1VICwwdd-h	CG Air Single Valve – (with Inco	ontinence Cover)			SEATING BENEFIT	\$910
	 Cushion sizes only come in ev 	en numbers for width	and depth measurements.			
Dual Valve 22" to 24"	Wide Note: For custom Cushions (Plea	ase use the CG Air Orde	er Form)			
	Cell Height:	2"	3"	4"		
CGA2VSCwwdd-h	CG Air Dual Valve – (with Stand	lard 2-way Stretch Cove	er)		SEATING BENEFIT	\$890
CGA2V3Dwwdd-h	CG Air Dual Valve – (with 3D M	esh Cover)			SEATING BENEFIT	\$910
CGA2VICwwdd-h	CG Air Dual Valve – (with Incon	tinence Cover)			SEATING BENEFIT	\$910
	Cushion sizes only come in ev	en numbers for width	and depth measurements.			





	Single Valve 26"+ Wi	de Note: For custom Cushions	(Please use the CG Air Order	r Form)			
		Cell Height:	2"	3"	4"		
	CGA1VSCwwdd-h	CG Air Single Valve –	(with Standard 2-way Stretch	Cover)		SEATING BENEFIT	\$990
	CGA1V3Dwwdd-h	CG Air Single Valve –	(with 3D Mesh Cover)			SEATING BENEFIT	\$1,010
	CGA1VICwwdd-h	CG Air Single Valve –	(with Incontinence Cover)			SEATING BENEFIT	\$1,010
		Cushion sizes only control	ome in even numbers for wi	dth and depth measurements.			
	Dual Valve 26"+ Wide	Note: For custom Cushions (F	Please use the CG Air Order F	orm)			
		Cell Height:	2"	3"	4"		
	CGA2VSCwwdd-h	CG Air Dual Valve – (v	vith Standard 2-way Stretch (Cover)		SEATING BENEFIT	\$990
	CGA2V3Dwwdd-h	CG Air Dual Valve – (v	vith 3D Mesh Cover)			SEATING BENEFIT	\$1,010
	CGA2VICwwdd-h	CG Air Dual Valve – (v	vith Incontinence Cover)			SEATING BENEFIT	\$1,010
		Cushion sizes only control	ome in even numbers for wi	dth and depth measurements.			
►	CONTOUR SEAT CUSH	lion					
	SCPSC-wwdd	Contour Seat Cushion	up to 19" Wide			SEATING BENEFIT	\$620
	SCPSC-wwdd	Contour Seat Cushion	for Non-Standard Sizes	of 20" to 24" Wide		SEATING BENEFIT	\$735
	SCPSC-wwdd	Contour Seat Cushion	for Heavy-Duty of ≥ 25"	Wide Specify: Width:	" Depth:	SEATING BENEFIT	\$865
►	MATRX CUSHION						
	PSP-WWDD	MATRX PSP Seat Cushi	on – (11" to 20" Wide)			SEATING BENEFIT	\$645
		The maximum user w	veight capacity is 300 lb				
		Cushion sizes only control	ome in even numbers for wi	dth and depth measurements.			
	PSP-WWDD	MATRX PSP Seat Cushi	on – (22" to 26" Wide)			SEATING BENEFIT	\$995
		The maximum user w	eight capacity is 550 lb				
		Cushion sizes only control	ome in even numbers for wi	dth and depth measurements.			
►	NXT BIO-FIT CUSHION	1					
	NXTBIOFIT -WWDD	NXT BIO FIT Cushion -	. ,			SEATING BENEFIT	\$595
		The maximum user w	eight capacity is 300 lb				
	NXTBIOFIT -WWDD	NXT BIO FIT Cushion -	- (22" to 26" Wide)			SEATING BENEFIT	\$625
		The maximum user w	eight capacity is 400 lb				
		Cushion sizes only control	ome in even numbers for wi	dth and depth measurements.			

45. CANTILEVER - HEIGHT ADJUSTABLE ARMRESTS - OPENS WITH A 5° ANGLE (CHOOSE 2)

SOAFBDLH	Flip-Back Cantilever – Desk Length Left Side – (Height Adjustable from 7" to 15" with 1" increments) – STD Length 12"	N/C
SOAFBDRH	Flip-Back Cantilever – Desk Length Right Side – (Height Adjustable from 7" to 15" with 1" increments) – STD Length 12"	N/C
SOAFBFLH	Flip-Back Cantilever – Full Length Left Side – (Height Adjustable from 7" to 15" with 1" increments) – STD Length 16"	STD
SOAFBFRH	Flip-Back Cantilever – Full Length Right Side – (Height Adjustable from 7" to 15" with 1" increments) – STD Length 16"	STD

46. DUAL POST - HEIGHT ADJUSTABLE ARMRESTS - INCLUDES TRANSFER GRIPS (FOR NON-RECLINING BACKS - CHOOSE 2)

SOADPDLH	Dual Post Height Adjustable – Desk Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments)	\$168
SOADPDRH	Dual Post Height Adjustable – Desk Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments)	\$168
SOADPFLH	Dual Post Height Adjustable – Full Length Left Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments)	\$168
SOADPFRH	Dual Post Height Adjustable – Full Length Right Side – (Height Adjustable from 10 ¼" to 15 ¼" with ½" increments)	\$168

47. RECLINING FLIP-UP, HEIGHT ADJUSTABLE ARMRESTS (CHOOSE 2)

SOANIDLH	Reclining armrest – Desk Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 12"	N/C
SOANIDRH	Reclining armrest – Desk Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 12"	N/C
SOANIFLH	Reclining armrest – Full Length Left Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 16 "	N/C
SOANIFRH	Reclining armrest – Full Length Right Side – (Height Adjustable from 10 1/2" to 14" with 1/2" increments) – STD Length 16"	N/C
CUST-48247	Custom Armrest Length – Select Length for the Left side: Custom Length 18" Custom Length 20" Custom Length 22"	N/C
CUST-48247	Custom Armrest Length – Select Length for the Right side: Custom Length 18" Custom Length 20" Custom Length 22"	N/C

п

48. ARMREST HEIGHT ADJUSTMENT AT FACTORY

- Set the Armrest Height at: _____
- ▲ The Armrest Height is taken from the seat pan to the top of the armpad.
- Not required for Dual Post.





49. ARMPADS

►	FOAM TYPE SELECT	ION				
	SOWAPD	Desk Length Waterfall – (8 ½" x 2 ¾")	Select side:	Left Hand Side	Right Hand Side	STD
		The Waterfall armpads may interfere with flipping back the armrests	when combined w	vith Lateral Trunk supports.		
	SOWAPF	Full Length Waterfall – (13" x 2 ¾")	Select side:	Left Hand Side	Right Hand Side	STD
		The Waterfall armpads may interfere with flipping back the armrests	when combined w	vith Lateral Trunk supports.		
	 HYBRID GEL AND FOAM TYPE SELECTION (THE GEL ALWAYS STAYS SOFT) 					
	SOGELD	Desk Length Hybrid Gel and Foam Flat armpad – (9 ¾" × 2")	Select side:	Left Hand Side	Right Hand Side	\$40
	SOGELF	Full Length Hybrid Gel and Foam Flat armpad – (13 ½" x 2")	Select side:	Left Hand Side	Right Hand Side	\$40
	SOWGELD	Desk Length Hybrid Gel & Foam Waterfall armpad – (8 ½" x 2 ¾")	Select side:	Left Hand Side	Right Hand Side	\$95
		The Waterfall armpads may interfere with flipping back the armrests	when combined w	vith Lateral Trunk supports.		
	SOWGELF	Full Length Hybrid Gel and Foam Waterfall armpad – (13" x 2 ¾")	Select side:	Left Hand Side	Right Hand Side	\$95
		The Waterfall armpads may interfere with flipping back the armrests	when combined w	vith Lateral Trunk supports.		
	SPECIALTY TYPE SE	LECTION				
	SOCAR	Arm Trough with Hand Support (18" x 4 ½")	Select side:	Left Hand Side	Right Hand Side	\$170
		Arm Trough Armpads may interfere with Armrests Flipping back.				

50. FOOTRESTS

SOAAF	Signature Heavy Duty Swing-Away Footrests Set at:	60°	70°	\$17.
	Select Footrest Range:	SOFLHD12 (12 ½" - 17 ½")	SOFLHD14 (14 ½" – 19 ½")	
ADDML	Signature Manual Elevating & Articulating Legrests - Pair			\$593
	Select Footrest Range:	SOFLME12 (12 ½" - 17 ½")	SOFLME14 (14 ½" - 19 ½")	
	Does not include calf pads. Please select calf pads in section 51.			
ADDPLHD	Signature Heavy Duty Adult Power Elevating & Articulating Le	grests		\$2,74
	Select Function:	Individual	Combined	
	Select Footrest Range:	SOFLPW12 (12 ½" – 17 ½")	SOFLPW14 (14 ½" – 19 ½")	
	This option includes calf pads. Individual legs count as two power f	functions. Combined legs count as one po	wer function.	

51. FOOTPLATES & ACCESSORIES

SOSFAF	Flip-up Footplates	STD
SOAFP	Angle Adjustable & Flip-up Footplates – <i>(Each)</i>	\$65
SOAHL	Heel Loops – (Each)	\$20
SOACPFR	Calf Pads for Adult Heavy-Duty Swing-Away footrests – (SOAAF) – with adjustable hardware – (Each)	\$93
SOAMA	Swing-away residual limb Support Select : Left leg Right leg	\$455

...

52. FOOTREST LENGTH ADJUSTMENT AT FACTORY

Set the Footrest Length at: _____

▲ The Footrest Length is taken from the top of the seat pan to the top of the footplate.

53. CENTER MOUNTS

SOAAF90	90° Fixed Center Mount Interface Bracket – (Offers Manual c	udjustability from 94° to 70°)		\$200	
	Select Foot Platform Range:	SOFBA12 (12 ½" - 16 ½")	SOFBA16 (16 ½" – 19 ½")		
	▲ When selecting SOFBA16 (16 ½" - 19 ½") range, the lowest pos	sible seat to floor height is 18.75"			
	Select the one piece center mount foot platform (SOFUFP) or the	e split footplates (SOAFPFB).			
	With the split footplates option (SOAFPFB), this bracket offers independent height adjustability for each footplate.				
ADDPFHD	90° Heavy Duty Power Center Mount Elevating & Articulating Foot Platform				
	Select Foot Platform Range:	SOFBPW12 (10 ½"- 16")	SOFBPW16 (16"- 20")		
	▲ When selecting SOFBPW16 (16"- 20") range, the lowest possib	le seat to floor height is 18.75"			
	This option includes calf pads. The power center mount counts as one power function.				
	Select the one piece center mount foot platform (SOFUFP) or th	e split footplates (SOAFPFB).			
	For leg lengths between 10 $\frac{1}{2}$ " and 12 $\frac{1}{2}$ ", there is a partial con	flict where the calf pads prevent the foot pl	atform or foot plates from folding comple	etely.	

54. FOOT PLATFORMS & ACCESSORIES

SOFUFP	Flip-up one piece Foot Platform	\$140
SOAFPFB	Angle Adjustable & Flip-up Split Footplates for center mount – (Each)	\$65
SOACPCM	Calf Pads for 90° Fixed Center Mount – (SOAAF90) with adjustable hardware – (Each)	\$93





55. FOOT PLATFORM HEIGHT ADJUSTMENT AT FACTORY

▲ The Foot Platform Height is taken from the top of the seat pan to the top of the foot platform or split foot plates.

...

56. SEAT POSITIONING (NOT COMPATIBLE WITH THE WC19-ISO OPTION)

SOAUTO	55" Seat Positioning Strap	STD
SOAUTO80	80" Seat Positioning Strap	\$75
SOBPHP2C	Bodypoint padded Hip Belt – (Two Point – Center Pull)	\$170
SOBPHP2C-L82	XL 82" Bodypoint padded Hip Belt - (Two Point - Center Pull)	\$ 190
SOPHB	Padded Hip Belt, 2-PT Magnetic Center Pull	\$194
SOBPCS	Bodypoint padded Chest Strap	\$250
SOPCS	Padded Chest Strap, 2-PT Magnetic Center Pull	\$262

57. HEADREST

 Select one of th 	e headrest options with the mounting hardware and specify where the headrest will be installed.	
SONUAHR	Using headrest mounting hardware other than SOMAH located bellow. <a>Specify:	N/C
SOFHRS	Small Curved Headrest Pad – 4" x 9"	\$155
SOFHRM	Medium Curved Headrest Pad – 5" x 10"	\$155
SOFHRL	Large Curved Headrest Pad – 6" x 11"	\$155
SOMAH	Multi-axis Removable Mounting Hardware	\$220
SOHRBC	Bracket to Mount on the Contour Back Support – (Without Recline)	N/C
SOHRPR	Bracket to Mount on the Seat Frame – (For Reclining Backs)	N/C

58. LATERAL TRUNK SUPPORTS

Select one of the lateral pads and the adjustable & removable hardware.				
SOSLS3	Adjustable Laterals with Small Curved Pads – (Each) – 3" x 5"	SEATING BENEFIT	\$100	
SOSLM4	Adjustable Laterals with Medium Curved Pads – (Each) – 4" x 6"	SEATING BENEFIT	\$100	
SOSLL5	Adjustable Laterals with Large Curved Pads – (Each) – 5" x 7"	SEATING BENEFIT	\$100	
SOSLHM	Adjustable Swing-Away Hardware Mounts – (Each)	SEATING BENEFIT	\$220	
	Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports			

59. HIP & THIGH SUPPORTS

 Select one of th 	e hip & thigh support pads and the adjustable & removable hardware.	
SOHTSS10	Adjustable Hip & Thigh Support Pads – (Each) – Small 10" x 4"	SEATING BENEFIT \$130
SOHTSM12	Adjustable Hip & Thigh Support Pads – (Each) – Medium 12" x 5"	SEATING BENEFIT \$130
SOHTSL14	Adjustable Hip & Thigh Support Pads – (Each) – Large 14" x 6"	SEATING BENEFIT \$130
SOHTSARH	Adjustable and Removable Hip & Thigh Support Hardware – (Each)	SEATING BENEFIT \$136

60. ACCESSORIES

SOCH	Cup Holder - (Self-Leveling)	Install on:	Left Side	Right Side	\$115
SOCPH	Ram Mounts X-Grip Cell Phone Holder	Install on:	Left Side	Right Side	\$190
SOTHS	Ram Mounts X-Grip Small Tablet Holder	Install on:	Left Side	Right Side	\$205
SOTHL	Ram Mounts X-Grip Large Tablet Holder with Swivel	Install on:	Left Side	Right Side	\$360
	Standard installation is on the opposite side of joystick	. Installing access	ories on the same	side as the joystick may require a custom upgrade.	
	With multiple accessories installed on the same side, a custom upgrade will be required.				

61. REFLECTOR KIT

		СТ

Red & White Reflector Kit Stickers (They will not be installed – Included in a bag with the Owner's Manual)

62. BACK PACK AND ARMREST SIDE POUCHES

SOBP	Back Pack – (Comes with durable straps that can be hooked around the back canes)			CLIENT COST	\$90
SOAP	Armrest Side Pouch - (Comes with durable straps that can be hooked around the armrest tubes) Order:	Left Side	Right Side	CLIENT COST	\$53
	If only choosing one (1) armrest pouch, please show what side it should be installed				

MKT.F77 | OF | P24047 | R01

N/C





63. SWITCHES AND OPTIONS

ASCPWIFI	PGDT - Wireless programmer, WIFI dongle	NOT COVERED BY AADL	\$844
ASCPCP	PGDT R-NET Dongle and PC programmer kit	NOT COVERED BY AADL	\$600
SSBS	Buddy Button Switch		\$230
SSES	Egg Switch-Black		\$116
SSML	Ultra Light Switch		\$295
ESS-RED	Emergency STOP Switch - Red		\$314





SPECIALTY DRIVER CONTROL OPTIONS

▼ Specialty Drive Control options all require the Omni 2 Enhanced Display & Digital Interface Box (EDIB)

64. THERAFIN SIP-N-PUFF KIT (CODE W100)

SCSNPK	Therafin Sip-N-Puff Kit			\$1,975
SCSNPBTK	Therafin Sip-N-Puff Breath Tube Kit			N/C
	Required with the Therafin Sip-N-Puff kit.			
SCSRMSNP	Stealth Rock-n-Lock Swingaway Arm for Sip-N-Puff	SWL (Swings on Left)	SWR (Swings on Right)	\$300
	Required with the Therafin Sip-N-Puff kit.			
SCSRM	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)	\$510
SSES	Egg Switch for Changing Modes – Black	MLH (Mount on Left)	MRH (Mount on Right)	\$116
	Required with the Stealth Rock-n-Lock Swing Away mount.			
	The Mode Switch Type can be changed from this selection in SWITCHES & C	OPTIONS section		
ESS-RED	Emergency STOP Switch - Red	User Activation	Attendant Activation	\$314
	Required with the Therafin Sip-N-Puff kit.			
SOMAH	Multi-axis Headrest Removable Mounting Hardware			\$220
	Required with the Therafin Sip-N-Puff kit.			
CHOOSE ONE (1)	HEADREST PAD			
SOFHRS	Small Curved Headrest Pad – 4" x 9"			\$155
SOFHRM	Medium Curved Headrest Pad – 5" x 10"			\$155
				\$155

65. PROXIMITY HEAD ARRAY (CODE W100)

SCSIHAA	Adult – Switch-It 3 Switch Proximity Head Array with 1/8" Mono Jack for mode/reverse		\$5,995	
SCSRM	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)	\$510
SSES	Egg Switch for Changing Modes – Black	MLH (Mount on Left)	MRH (Mount on Right)	\$116
	Required with the Stealth Rock-n-Lock Swing Away mount.			
	The Mode Switch Type can be changed from this selection in SWITCHES &	OPTIONS section.		
ESS-RED	Emergency STOP Switch - Red	User Activation	Attendant Activation	\$314
	Required with the Proximity Head Array.			
SOMAH	Multi-axis Headrest Removable Mounting Hardware			\$220
	Required with the Proximity Head Array.			

66. LIGHT TOUCH PROPORTIONAL MINI JOYSTICK FOR CHIN / LIP CONTROL (CODE W100)

SCSIMP	Switch-It Light touch mini Proportional Joystick			\$4,495
SCSRMMP	Stealth Rock-n-Lock Swingaway Arm for Chin MP	SWL (Swings on Left)	SWR (Swings on Right)	\$870
	Required with the Light touch mini Proportional Joystick.			
SCSRM	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)	\$510
SSES	Egg Switch for Changing Modes – Black	MLH (Mount on Left)	MRH (Mount on Right)	\$116
	Required with the Stealth Rock-n-Lock Swing Away mount.			
	The Mode Switch Type can be changed from this selection in SWITCHES & C	OPTIONS section.		
JCC	Chin Cup			\$55
SOMAH	Multi-axis Headrest Removable Mounting Hardware			\$220
	Required with the Light touch mini Proportional Joystick.			
CHOOSE ONE (1)	HEADREST PAD			
SOFHRS	Small Curved Headrest Pad – 4" x 9"			\$155
SOFHRM	Medium Curved Headrest Pad – 5" x 10"			\$155
SOFHRL	Large Curved Headrest Pad – 6" x 11"			\$155





SPECIALTY DRIVER CONTROL OPTIONS (CONTINUED)

▼ Specialty Drive Control options all require the Omni 2 Enhanced Display & Digital Interface Box (EDIB)

67. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR MIDLINE MOUNT (CODE W100)

SCPGMJS	PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount			\$2,369
SCGMJSM	Gatlin Midline Swing-away Mount for JC200	MLH (Mount on Left)	MRH (Mount on Right)	\$325
	Must be selected for use with the PG Drives JC200 Mini Joystick.			
SCSIMP	Switch-It Light touch mini Proportional Joystick			\$4,495
SCGMPM	Gatlin Midline Swing-away Mount for Light touch mini proportional Joystick	MLH (Mount on Left)	MRH (Mount on Right)	\$750
	Must be selected for use with the Light touch mini Proportional Joystick.			
SCBTM	Bullet Hand Tray for Light Touch mini Proportional Joystick	MLH (Mount on Left)	MRH (Mount on Right)	\$750
	This option is only compatible with the Light touch Mini Proportional Joystick.			

68. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR ARMREST MOUNT (CODE W100)

SCPGMJS-M	PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount			\$2,369
SCARMJSM	Swing-away and Multi-Axis armrest mount	MLH (Mount on Left)	MRH (Mount on Right)	\$325
	Must be selected for use with the PG Drives JC200 Mini Joystick.			
SCSIMP	Switch-It Light touch mini Proportional Joystick			\$4,495
SCARMPM	Swing-away and Multi-Axis armrest mount	MLH (Mount on Left)	MRH (Mount on Right)	\$375
	Must be selected for use with the Light touch mini Proportional Joystick.			
SCBTM	Bullet Hand Tray for Light Touch mini Proportional Joystick	MLH (Mount on Left)	MRH (Mount on Right)	\$750
	This option is only compatible with the Light touch Mini Proportional Joystick.			

69. PROPORTIONAL RIM HEAD CONTROL PACKAGE (CODE W100)

SCPHC	Proportional RIM Head Control Package			\$2,795
SCSRM	Stealth Rock-n-Lock Swingaway Mount for Mode Switch	SWL (Swings on Left)	SWR (Swings on Right)	\$510
SSES	Egg Switch for Changing Modes - Black	MLH (Mount on Left)	MRH (Mount on Right)	\$116
	Required with the Stealth Rock-n-Lock Swing Away mount.			
	The Mode Switch Type can be changed from this selection in SWITCHES & C	OPTIONS section.		
SOMAH	Multi-axis Headrest Removable Mounting Hardware			\$220
	Required with the Proportional RIM Head Control.			





CUSTOM SECTION

Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for Quote and specifications for these options.

70. O² HOLDER

SUPOXY	Custom Non-Articulating Oxygen Tank Holder	MLH (Mount on Left)	MRH (Mount on Right)	\$295
	Not available with a power recline.			
SUPOXYA	Custom Articulating Oxygen Tank Holder	MLH (Mount on Left)	MRH (Mount on Right)	\$1,195
	Required with a power recline.			
	D-Size Oxygen Tank - (* 22" Tall x 4.3" Diameter) - * The height includes the valv	e		
	E-Size Oxygen Tank – (* 31" Tall x 4.3" Diameter) – * The height includes the valve			

71. VENT TRAY (PLEASE COMPLETE IN FULL)

SOVENT	Custom Vent Tray	
	Articulating Vent Box – (Required with Power Tilt and/or Recline)	\$1,360
	Fixed Vent Box	\$400
	SPECIFY MODEL	
	Trilogy 100/200	
	LTV	
	LTV with Sprintpack	
	Other, specify:	
SOVTBE	Extended Battery Compartment	\$495
	The Vent is being powered by 1 U1 Battery and the chair by 2 Group 24 batteries	
	The Vent is being powered by 1 Group 22NF Battery and the chair Powered by 2 Group 24 batteries	

72. OTHER CUSTOM OPTIONS (REQUEST FOR QUOTE)

 Please specify de 	etails and specifications for these options.	
CUSTOM	Rear view Camera with 5" Monitor	CLIENT COST RFQ
CUSTOM	USB Charger Port	CLIENT COST RFQ
CUSTOM	Folding Backrest for Additional Storage possibilities and Travel accessibility	CLIENT COST RFQ
CUSTOM	Large Ball Handle	CLIENT COST RFQ
CUSTOM	Manual Wheel Locks	CLIENT COST RFQ
CUSTOM	Power Anterior Tilt	CLIENT COST RFQ
CUSTOM	Rearview mirror Left Side Right Side	CLIENT COST RFQ
CUSTOM	Power Flip-up Foot Platform – (Please call CSR for availability with configuration and user weight capacity)	CLIENT COST RFQ
CUSTOM	Power Vertical Lifting Foot Platform – (Please call CSR for availability with configuration and user weight capacity)	CLIENT COST RFQ
CUSTOM	Independent Depth Adjustability built into the Footrest Receiver that is attached to the Seat Pan	CLIENT COST RFQ
CUSTOM	Heavy-Duty wheelchair cover, Large	CLIENT COST RFQ
CUSTOM	Endomorphic Back Canes – (<i>Pair</i>) 1" per side towards the inside = 2" 2" per side towards the inside = 4"	CLIENT COST RFQ
CUSTOM	Transfer Handles – (Pair) Select a height range: 5" to 8" 6" to 9"	CLIENT COST RFQ
CUSTOM	Foot Box Length: Width: Please confirm with CSR on sizing possibilities	CLIENT COST RFQ
CUSTOM # 1	Other custom options. Specify in notes section below	CLIENT COST RFQ
CUSTOM # 2	Other custom options. Specify in notes section below	CLIENT COST RFQ

October 1st 2024 Alberta AADL-W973HD





73. NOTES / SPECIAL REQUESTS / CUSTOM SPECIFICATIONS