





MEDm&bility

5711- 104 St, Edmonton AB. T6H 2K1 P: 780-437-3300 • Fax: 780-430-9381

AADL Vendor: 0000612578-001

www.medmobility.ca • www.mmrehab.ca

| City: | |
|----------------------------|----------|
| Province: | |
| User Name or Number: | |
| Jser Weight: | |
| Jser Height: | |
| Seat Cushion Thickness: | |
| Knee to Heel Length: Left: | " Right: |
| | |



THE ORDER CANNOT BE PROCESSED WITHOUT THE FOLLOWING:

- A user name or number, the client's measurements and weight Amylior is not responsible for configuration or size discrepancies resulting from customer errors on the order form.
- Order confirmations will be provided by Amylior summarizing the items selected. Please review this carefully.
- Once the order is shipped, any changes are subject to the returns policy and may be prohibited.

*IN RED SHOWS THE ADDITION OF NEW OPTIONS, UPGRADES, PRICING MODIFICATIONS OR ADDED NOTES

2. STANDARD OPTIONS

Alltrack M3 Power Base, 6-wheel independent wheel suspension, an additional seat suspension system, tie-down hardware for strap systems, 8A offboard charger, 6" front casters, and standard auto style buckle seat positioning strap, 6.5mph motors, Weight Capacity = 300 lb

3. ALLTRACK M3 POWER WHEELCHAIR

ATM3 ALLTRACK M3 Power Wheelchair \$8,020

3.5 OWNER'S MANUAL

 SOOMATENG
 English / Anglais
 N/C
 SOOMATER
 Français / French
 N/C

4. USER WEIGHT PACKAGES

 WCA25
 250 lb Maximum user weight capacity
 STD

 WCA3
 300 lb Maximum user weight capacity
 STD

5. STANDARD COLORS

| SCMOBM | Onyx Black Matte | N/C | SCMCAB | Cabernet | N/C |
|--------|------------------|----------|--------|---------------------|----------|
| SCMCTB | Cobalt Blue | N/C | SCMBGM | Bubble Gum Metallic | N/C |
| SCMIOB | Indigo Blue | N/C | SCMHAB | Habanero Metallic | N/C |
| SCMCRE | Candy Red | N/C | SCMLIM | Sublime | N/C |
| | • | <u>'</u> | | | <u> </u> |

▼OPTIONAL COLORS

| FCHDD-M | Desert Digital Camo HydroGraphics - (Military Tan base) | \$ <i>7</i> 95 | FCHWL-M | Woodland Camo HydroGraphics - (Military Green base) | \$795 |
|---------|---|----------------|---------|---|-------|
| FCHCF-M | Carbon fiber HydroGraphics - (Matte black base) | \$795 | | | |

5.5 WHEEL INSERT COLORS

| SCCTB-WI | Cobalt Blue | N/C | SCHAB-WI | Habanero Metallic | N/C |
|----------|-------------|-----|----------|---------------------|-----|
| SCIOB-WI | Indigo Blue | N/C | SCLIM-WI | SubLime | N/C |
| SCCRE-WI | Candy Red | N/C | SCBGM-WI | Bubble Gum Metallic | N/C |
| SCCAB-WI | Cabernet | N/C | | | |

- ▲ Wheel insert colors are not compatible with optional Hydrographic colors (FCHDD, FCHWL and FCHCF)
- ▲ Wheel insert colors are not compatible with the optional 14" X 4" Extra Wide Cast Wheels (DW144PT and DW144PI)
- Wheel inserts are not available in Onyx Black Matte

MKT.F76 | OF | P24047 | R01







| 7. | TRANSPORT | OPTION | | |
|-----------|---------------|--|------------|---------|
| Т | TD4 | 4-Point wheelchair transport brackets | | STD |
| | | ▲ 4-Point wheelchair transport brackets have not yet received WC-19 crash-testing approval. | | |
| ٧ | WC19-ISO | WC-19 and ISO 7176-19 Occupied Transit Package ↑ To confirm if your overall wheelchair configuration is WC-19 and ISO 7176-19 compliant, please refer to this website: https://docs.google.com/spreadsheets/d/1KtcNIEA5OQJCS5z3OD1adWEIaFLN1XO3ZcTc6Dl_kaE/edit#gid=1917752765 ↑ Other restrictions may apply, please contact CSR for details. | LIENT COST | \$595 |
| | | ▲ This option is only available on new power wheelchairs as an "on-chair" option. It is not available to install on a delivered wheelchair | | |
| | | ▲ Not compatible with the narrow base configurations (FS2424B and FS2221B) | | |
| 8. | MOTOR PAC | KAGE | | |
| | MP65B | 6.5MPH 4-Pole Motor Package / with Brake Release | | STD |
| | | ▲ Not compatible with the Smart-Track Assistive Driving Package option (SMARTT) | | |
| | MP65-OPT | 6.5MPH 4-Pole Motor MP65-OPT Package / with COG Release | LIENT COST | \$395 |
| | | ▲ Not compatible with the narrow base configuration (FS2221B) | | |
| 9. | ASSISTIVE DI | RIVING PACKAGE | | |
| S | MARTT | Smart-Track Assistive Driving Package | | \$1,420 |
| | | Smart-Track technology provides increased tracking capabilities with enhanced traction and steering precision. This is ideal for those will function or switch control. | | |
| | | Requires the R-net PM 120 Amp Expandable Controller (ECR120). | | |
| | | ▲ This option requires the MP65-OPT motor package. | | |
| | | Not compatible with the narrow base configuration (FS2221B) | | |
| | | ▲ Recommended for non-proportional Drive Controls | | |
| _ | BATTERY CHA | | | |
| Е | ВСОВ | 8A Offboard Battery Charger | | N/C |
| 11. | BATTERY TRA | AY AND BASE WIDTH | | |
| F | S2221B | N2221 - Battery Tray for Group 22 Batteries with a Narrow 21" base width (Total base width = 21") | | N/C |
| | | ► NOT AVAILABLE WITH THE FOLLOWING OPTIONS: | | |
| | | ▲ WC-19 and ISO 7176-19 Occupied Transit Package (WC19-ISO) | | |
| | | ▲ 6.5MPH 4-Pole Motor Package / with COG Release option (MP65-OPT) | | |
| | | Smart-Track option (SMARTT) 8" front casters (FC8PTM and FC8PIM) | | |
| | | ▲ 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires (DW144PT and DW144PI) | | |
| | | ▲ Not compatible with 23" and 24" seat widths selections (SOWN23 and SOWN24) | | |
| F | S22B | Battery Tray for Group 22NF Batteries – (Total base width = 23 3/8") | | STD |
| F | S2424B | N2424 - Battery Tray for Group 24 Batteries with a Narrow 24" base width (Total base width = 24") | | N/C |
| | | ▲ The starting angle is reduced from 90° to 85° for some seat configurations when used with the narrow base configuration (FS2424B). | | |
| F | S24B | Battery Tray for Group 24 Batteries – (Total base width = 25 3/8") | | N/C |
| 12. | BATTERIES - I | REQUIRES A SELECTION | | |
| E | AT22NFGEL | GEL Battery - Group 22NF - 50 Amps (Each) | CONTRACT | RFQ |
| В | BAT24GEL | GEL Battery - Group 24 - 70 Amps (Each) | CONTRACT | RFQ |
| В | BATO | Omission of the batteries | | N/C |
| 14. | DRIVE WHEE | L | | |
| | OW14PT | 14" Cast Wheel Pneumatic Tires | | STD |
| | W14PI | 14" Cast Wheel Pneumatic with Foam Filled Tires | | N/C |
| | OW144PT | 14" x 4" Extra Wide Cast Wheels, Pneumatic Tires | LIENT COST | \$200 |
| C | W144PI | 14" x 4" Extra Wide Cast Wheels, Pneumatic with Foam Filled Tires | LIENT COST | \$595 |
| | | ▲ Increases the overall width of the base by 2 ¾" | | |
| | | ▲ Not compatible with the narrow base configuration (FS2221B) | | |
| | OW12PT | 12 ½" Cast Wheel Pneumatic Tires | | N/C |
| | DW12PI | 12 ½" Cast Wheel Pneumatic with Foam Filled Tires | | N/C |
| | | ▲ 12 ½" Drive wheels reduce overall seat to floor height by ¾", lowers ground clearance and speed, but increases motor torque. | | |







| FC6S | 6" Solid Casters – (Not available with the 14" x 4" Extra W | Vide Cast Wheel options DW144PT c | or DW144PI) | ST |
|--|--|---|--|---|
| FC8PTM | 8" Pneumatic Casters | | , | N/ |
| FC8PIM | 8" Pneumatic Casters with Foam Filled Tires ▲ The 8" casters are NOT compatible with the 12 ½" Dri ▲ Not compatible with the narrow base configuration (F | | nd DW12PI) | N/ |
| 6. SEAT TO FLO | OOR HEIGHT (MEASUREMENT TO THE TOP OF SEAT PA | | | |
| OPTIONS FOR A | REHAB SEAT ONLY - NO POWER SEATING | | | |
| STFH155 | 15 ½" – (Possible Seat angle of 0° only) • Requires the 12 ½" Drive wheels (DW12PT and DW12 | 2PI) | | |
| STFH1625 | 16 ¼" – (Possible Seat angle of 0° only) | STFH1925 | $19 \ \frac{1}{4}$ " – (Possible Seat angle of 0°, 3° and 6°) | |
| STFH1725 | 17 ½" – (Possible Seat angle of 0° and 3°) | STFH2025 | 20 ¼" – (Possible Seat angle of 0°, 3°, 6°, 9°) | |
| STFH1825 | 18 ¼" – (Possible Seat angle of 0° and 3°) | | | |
| | OWER TILT, POWER TILT / RECLINE OR ELEVATE ONLY MOD | DULE | | |
| STFH155 | 15 ½" – (Possible Seat angle of 0° only) ▲ Requires the 12 ½" Drive wheels (DW12PT and DW1: | 2PI) | | |
| STFH1625 | 16 ¼" – (Possible Seat angle of 0° only) | STFH1825 | 18 ¼" – (Possible Seat angle of 0° only) | |
| STFH1725 | 17 ¼" – (Possible Seat angle of 0° only) | STFH1875 | 18 ¾" – (Possible Seat angle of 0° only) | |
| STFH1775 | 17 ¾" – (Possible Seat angle of 0° only) | | | |
| | COMBO - POWER TILT OR POWER TILT / RECLINE WITH ELEV | VATE MODULE | | |
| STFH175 | 17 ½" – (Possible Seat angle of 0° only) ▲ Requires the 12 ½" Drive wheels (DW12PT and DW12 | 2PI) | | |
| STFH1825 | 18 ¼" – (Possible Seat angle of 0° only) | | | |
| 7. SEAT TO FLO | OOR HEIGHT SPECIFICATION (IF NOT STANDAR | RD) | | |
| SOMHSS | Specific seat to floor height higher than standard. It's A Required at: | s not possible to lower the seat | to floor height below minimum ranges. | RI |
| 8. PRE-SET SEA | AT FRAME ANGLE | | | |
| SFE-O | 0° Pre-set seat frame seat angle – (Must be selected w | hen using power options) | | S |
| SFE-3 | 3° Pre-set seat frame seat angle – (Only available with | a seat configuration without power of | otions) | N/ |
| SFE-6 | 6° Pre-set seat frame seat angle – (Only available with | a seat configuration without power o | ptions) | N/ |
| SFE-9 | 9° Pre-set seat frame seat angle – (Only available with | a seat configuration without power of | otions) | N/ |
| 9. LIGHTING F | ACKAGE | | | |
| EOLP | LED Light Package – (Includes front and rear lights with into A Requires the upgraded Joystick with Light Operation of | | | COST \$1,4 |
| 1. EXPANDAB | LE ELECTRONICS - PG DRIVES R-NET CONT | TROLLERS | | |
| ECEL90 | R-net EL 90 Amp Expandable Controller | | | \$1 |
| ECR120 | R-net PM 120 Amp Expandable Controller | | | \$2 |
| 2 EYDANDAR | LE ELECTRONICS - PG DRIVES R-NET JOYS | TICKS | | |
| | one joystick option below is required with the expandable | | | |
| | Omit Joystick – (For use with an Omni 2 Display) | | | N, |
| ECO | , | | | S |
| ECELJ | R-net - (LED) – Joystick | | | |
| | R-net - (LED) – Joystick This joystick is not compatible with the Memory Seat P | Program Option (SACMEMORY and | d MACMEMORY). | |
| ECELJ ECRJC | ▲ This joystick is not compatible with the Memory Seat F R-net Joystick with Color screen | Program Option (SACMEMORY and | d MACMEMORY). | \$1. |
| ECRJC JOYSTICKS WITH | ▲ This joystick is not compatible with the Memory Seat F R-net Joystick with Color screen IGHTING OPERATION | Program Option (SACMEMORY and | | |
| ECELJ ECRJC | ▲ This joystick is not compatible with the Memory Seat F R-net Joystick with Color screen | | CLIENT | |
| ECRJC JOYSTICKS WITH DECELIL ECRJCL | ▲ This joystick is not compatible with the Memory Seat F R-net Joystick with Color screen IGHTING OPERATION R-net – (LED) – Joystick with Lighting Operation This joystick is not compatible with the Memory Seat F R-net Joystick with Color screen and Lighting Operation | Program Option (SACMEMORY and | CLIENT | COST \$1 |
| ECRJC JOYSTICKS WITH ECELIL ECRJCL ADVANCED JOYS | ▲ This joystick is not compatible with the Memory Seat F R-net Joystick with Color screen IGHTING OPERATION R-net – (LED) – Joystick with Lighting Operation ▲ This joystick is not compatible with the Memory Seat F R-net Joystick with Color screen and Lighting Operat IICK | Program Option (SACMEMORY and | CLIENT | *1 \$1 |
| ECRJC JOYSTICKS WITH I ECELJL ECRJCL ADVANCED JOYS ECRJC35B | A This joystick is not compatible with the Memory Seat F R-net Joystick with Color screen LIGHTING OPERATION R-net − (LED) − Joystick with Lighting Operation A This joystick is not compatible with the Memory Seat F R-net Joystick with Color screen and Lighting Operat LICK R-net Advanced Bluetooth Joystick (3.5" Screen). Light | Program Option (SACMEMORY and | CLIENT | *1 \$1 |
| ECRJC JOYSTICKS WITH I ECELJL ECRJCL ADVANCED JOYS ECRJC35B | A This joystick is not compatible with the Memory Seat F R-net Joystick with Color screen LIGHTING OPERATION R-net − (LED) − Joystick with Lighting Operation A This joystick is not compatible with the Memory Seat F R-net Joystick with Color screen and Lighting Operat LICK R-net Advanced Bluetooth Joystick (3.5" Screen). Light | Program Option (SACMEMORY and | CLIENT | \$1: COST \$1,10 |
| ECELJ ECRJC JOYSTICKS WITH I ECELJL ECRJCL ADVANCED JOYS ECRJC35B | A This joystick is not compatible with the Memory Seat F R-net Joystick with Color screen IGHTING OPERATION R-net – (LED) – Joystick with Lighting Operation A This joystick is not compatible with the Memory Seat F R-net Joystick with Color screen and Lighting Operat IICK R-net Advanced Bluetooth Joystick (3.5" Screen). Light | Program Option (SACMEMORY and tion ting Operation, paddle switches | CLIENT | \$18 \$18 COST \$1,10 |
| ECELJ ECRJC JOYSTICKS WITH I ECELJL ECRJCL ADVANCED JOYS ECRJC35B 3. JOYSTICK A JSMF | A This joystick is not compatible with the Memory Seat F R-net Joystick with Color screen IGHTING OPERATION R-net − (LED) − Joystick with Lighting Operation A This joystick is not compatible with the Memory Seat F R-net Joystick with Color screen and Lighting Operat IICK R-net Advanced Bluetooth Joystick (3.5" Screen). Light NOUNT Fixed Joystick Mount | Program Option (SACMEMORY and tion ting Operation, paddle switches gle adjustable and Multi-Axis | CLIENT | \$18 FCOST \$12 \$18 COST \$1,10 N/ \$23 |
| ECELJ ECRJC JOYSTICKS WITH ECELJL ECRJCL ADVANCED JOYS ECRJC35B 3. JOYSTICK A | A This joystick is not compatible with the Memory Seat F R-net Joystick with Color screen LIGHTING OPERATION R-net − (LED) − Joystick with Lighting Operation A This joystick is not compatible with the Memory Seat F R-net Joystick with Color screen and Lighting Operat TICK R-net Advanced Bluetooth Joystick (3.5" Screen). Light Fixed Joystick Mount Swing Away Joystick Mount - Height adjustable, Ang | Program Option (SACMEMORY and tion ting Operation, paddle switches gle adjustable and Multi-Axis ing-away sideways Set-up | CLIENT d MACMEMORY). s, shortcut keys and stereo jacks CLIENT (| \$1: \$1: COST \$1,10 N, |







| ICAAFII | OUNT SUPPORT | | | | | CTI |
|-------------------|--|--|---------------------------|----------------------------|----------------------|-------------|
| JSMFH | Joystick mount support Bracket | | | | | ST |
| 5. JOYSTICK H | AND MOUNT | | | | | |
| HML | Install Joystick on Left hand side | | HMR | Install Joystick or | n Right hand side | |
| 5. JOYSTICK H | ANDLE | | | | | |
| JSH | Standard Joystick Gimble | STD | JBAT | Stick Handle 3" i | in Length | \$13 |
| JBH | Ball Handle | \$85 | JFBH | Foam Ball Handl | e | \$7 |
| JTH | T-Handle | \$155 | JMUSH | Bodypoint Mush | room Handle | \$21 |
| JGP | Bodypoint 4" U-shaped Handle | \$210 | | | | |
| . R-NET OMN | I 2 - ENHANCED DISPLAY & DIGI | TAL INTERFAC | EBOX (REQUIRED V | VITH SPECIALTY CONTR | OLS) | |
| EDIB | Omni 2 – (Enhanced Display & Digital Interfa | ce Box with Bluetooth a | ınd Infrared) | | | \$1,91 |
| | Allows the switch operation of alternative The Omni 2 display mount must be selected. | | | R-net fully Expandable Con | troller (ECR120) | |
| D. OMNI 2 ENI | HANCED DISPLAY MOUNT | | | | | |
| EDSAM | User Swing Away Mount | | | | CODE W1 | 100 N/0 |
| | EDML – (Install Display on LH side) | EDMR - (Ins | stall Display on RH side) | | | |
| . ENVIRONM | ENTAL CONTROL MODULE | | | | | |
| ECU | Environment control module – (Output Mo | • | 10 FCD 1001 | | CLIENT CO | ST \$99. |
| | ▲ Requires one of the fully expandable R- | | | | | |
| | EHAB SEAT / POWER SEATING S | YSTEMS AND I | MODULES | | | # 00 |
| SAABA | Amyseat Rehab Seat – (Seat Frame only) CG Power Tilt | | | | | \$88 |
| SAPTX | ▲ This option includes the Amyseat Rehab Se | at = (SAARA) | | | | \$6,19 |
| SAPRX | Power Recline with Mechanical Shear Re | | | | | \$7,84 |
| JAI KA | ▲ This option includes the Amyseat Rehab Se | | | | | Ψ7,04 |
| SAPTPRX | CG Power Tilt and Power Recline with Mo | | luction (MSR) | | | \$11,493 |
| | ▲ This option includes the Amyseat Rehab Se | | , , | | | |
| SAPESX | ALTA 11" Power Seat Elevation | | | | | \$4,49 |
| | ▲ This option includes the Amyseat Rehab Se | at – (SAABA) | | | | |
| ADDPESX | Module – Add ALTA 11" Power Seat Ele | evation to either SA | PTX, SAPRX or SAPTPR | Υ | | \$2,49 |
| ADDMR | Module – Manual Recline with Mechan | ical Shear Reduction | n – (MSR) | | | \$1,12 |
| | ▲ The maximum user weight capacity with | this option is 250 lb. | | | | |
| 4. ELECTRONIC | S - SINGLE SEAT FUNCTION CON | NTROL TYPE | | | | |
| SINGLE SEAT FUN | CTION USING AN EXTERNAL TOGGLE OR OPTI | IONAL SWITCH ONI | LY (FOR BOTH EXPAND) | ABLE AND NON-EXPAN | DABLE SYSTEMS) | |
| SOLO | Single function controller (Includes an ex | kternal toggle switch | 1) | | | STI |
| ▼ OPTIONAL SWI | | | | | | 410 |
| SWTOGGLE | Single Toggle Switch | | | | Attendant Activation | \$100 |
| SWPUSH1 | Single Push Button Switch – (Single Mode: | | | User Activation | Attendant Activation | \$90 |
| SWPUSH2 | Dual Push Button Switch — (Dual Mode: SA | | V.II. | User Activation | Attendant Activation | \$18 |
| SSBS | | Red Green | Yellow | User Activation | Attendant Activation | \$23 |
| SSES | Egg Switch-Black | | | User Activation | Attendant Activation | \$11 |
| SINGLE SEAT FLINE | Ultra Light Switch CTION THROUGH DRIVE CONTROL | | | User Activation | Attendant Activation | \$29. |
| EPSEL EPSEL | Single Function Through Drive Control w | ith P-net ON-amp co | ontroller | | | N/0 |
| LI JEL | ▲ Allows for activation of single power op | • | | | | 147 |
| | ▲ Compatible with all R-net joysticks | | , , | | | |
| | ▲ Does not allow for control of power opti | ion through drive cont | rol and separate switches | | | |
| | ▲ Can not operate more than one power of | option | | | | |
| | ▲ If selecting memory seating, choose SAG | | | | | |
| | A If I i' 100 D i i II I | oose SAC below | | | | |
| | ▲ If selecting 120-amp R-net controller, ch | | | | | |
| SAC | Single Function Through Drive Control w | ith R-net 90-amp or | | | | N/ |
| SAC | | ith R-net 90-amp or tion through R-net driv | ve controls | . , | | N/0 |



October 1st 2024 Alberta AADL-W973





| SINGLE SEAT ELINICT | ▲ Compatible with memor | y seaming | | | | | | |
|---|---|---|---|---|--|--|--|------------|
| SHAGEL SEAT FUNCTI | ION OPTIONS (OPTIONS BEL | OW ARE COMPATIB | LE ONLY WH | EN CHOOSING | SAC ABOVE) | | | |
| SACMEMORY | Memory Seat Program | | | | | | CLIENT COST | \$1,49. |
| | ▲ This option is not compa | | | | | | | |
| | CH BELOW GIVES ACCES TO P | OWER OPTIONS THI | ROUGH DRIV | E CONTROLS A | ND THROUGH EXT | | | |
| SACTOGGLE | Single Toggle Switch | | | | | Attendant Activation | | \$410 |
| SACPUSH1 | Single Push Button Switch | | | | User Activation | Attendant Activation | | \$400 |
| SACPUSH2 | Dual Push Button Switch – | | | | User Activation | Attendant Activation | | |
| SACSSBS | | Black Red | Green | Yellow | User Activation | Attendant Activation | | \$540 |
| SACSSES | Egg Switch-Black | | | | User Activation | Attendant Activation | | \$426 |
| SACSSML | Ultra Light Switch | NGTION CONT | DOL TYPI | | User Activation | Attendant Activation | CODE W100 | \$60 |
| | TIONS THROUGH R-NET | ACTION CONT | KOLITPE | 1 | | | | |
| MAC | E-BX Multiple Function thr | ough Drive Control | with Expanda | ble Electronics | - Powers iQ Act | uators | | \$2,295 |
| | Required with the combinand the narrow base combined | |)° Power Cente | er Mount Elevatin | g & Articulating Foot | Platform (ADDPF) | | |
| MAC OPTIONS | | | | | | | | |
| MACMEMORY | Memory Seat Program | | | | | | | \$ 175 |
| SELECTION OF SWITE | CH BELOW GIVES ACCES TO P | OWER OPTIONS TH | ROUGH DRIV | E CONTROLS A | ND THROUGH EXT | ERNAL SWITCH | | |
| MACKEYPAD-P | Keypad w/ 5 Push Button | Switches | | | User Activation | Attendant Activation | CODE W100 | \$445 |
| MACKEYPAD-T | Keypad w/ 5 Toggle Swit | tches | | | User Activation | Attendant Activation | CODE W100 | \$445 |
| MACMULTI | 4-Way Toggle Switch – (L | • | | | User Activation | Attendant Activation | CODE W100 | \$180 |
| | ▲ By selecting this switch, | | available throu | gh the Joystick. | | | | |
| MACMULTIT | Triple Toggle Switch – (Up * By selecting this switch, | • | available throu | gh the Joystick. | User Activation | Attendant Activation | CODE W100 | \$ 135 |
| MACPUSH4 | 4-Way Push Button Switch **By selecting this switch, | | available throu | gh the Joystick. | User Activation | Attendant Activation | CODE W100 | \$225 |
| MACPUSH5 | 5-Way Push Button Switch | | | , | User Activation | Attendant Activation | CODE W100 | \$240 |
| witch Installation: | TSML – (Install Switch on | | IR – (Install Sw | itch on RH side) | | | | N/C |
| 7. PRE-SET BACK | ANGLE (FOR NON-RECLI | NING BACKS) | | | | | | |
| SOBAA | Select one: 86° | 90° 94° | 98° 10 | 106° | 110° 114 | 1° 118° 122° | | |
| | | | م د بلد باید در دادان | | | | | |
| | ▲ Back angles of 102° or g | greater are not compa | tible with the C | MNI 2. | | | | |
| S STANDARD A | - | | | | ı | | | |
| | DJUSTABLE SEAT WIL | OTH RANGE BE | TWEEN 1 | | 1 | | | N1 // |
| SOWN15-20-19 - | DJUSTABLE SEAT WID | OTH RANGE BE | TWEEN 15 | 5" AND 20" | | | | |
| SOWN15-20-19 - SOWN15-20-22 - | DJUSTABLE SEAT WIE (Width adjustment from 15" to 20" (Width adjustment from 15" to 20" | OTH RANGE BE ' with a maximum Depth ' with a maximum Depth | TWEEN 15 of 19") of 22") — (The n | 5" AND 20" | n with this seat option i | * | 20" (SOWN20S) | • |
| SOWN15-20-19 - | DJUSTABLE SEAT WID | OTH RANGE BE | TWEEN 15 of 19") of 22") — (The n | 5" AND 20" | n with this seat option i | s 18" Deep) <mark>9" (SOWN19S)</mark> | 20" (SOWN20S) | • |
| SOWN15-20-19 - SOWN15-20-22 - 15" (SOWN15) | DJUSTABLE SEAT WIE (Width adjustment from 15" to 20" (Width adjustment from 15" to 20" | TH RANGE BE with a maximum Depth with a maximum Depth 17" (SOWN) | TWEEN 15 of 19") of 22") — (The n | 5" AND 20" ninimum seat deptl 18" (SOWN | n with this seat option i | * | 20" (SOWN20S) | |
| SOWN15-20-19 - SOWN15-20-22 - 15" (SOWN15) | DJUSTABLE SEAT WIE (Width adjustment from 15" to 20" (Width adjustment from 15" to 20" 16" (SOWN16) | TH RANGE BE with a maximum Depth with a maximum Depth 17" (SOWN) | of 19") of 22") – (The n 17) EN 19" AN | 5" AND 20" minimum seat depth 18" (SOWN | n with this seat option i | 9" (SOWN19S) | 20" (SOWN20S) | N/C N/C |
| SOWN15-20-19 - SOWN15-20-22 - 15" (SOWN15) SOWN19-24-22 - | DJUSTABLE SEAT WIE (Width adjustment from 15" to 20" (Width adjustment from 15" to 20" 16" (SOWN16) STABLE SEAT WIDTH R (Width adjustment from 19" to 24" | TH RANGE BE ' with a maximum Depth ' with a maximum Depth 17" (SOWN) RANGE BETWE | TWEEN 1.5 of 19") of 22") – (The n 17) EN 19" AN 1 to 22") – (The | 5" AND 20" minimum seat depth 18" (SOWN | n with this seat option in 18) 18 118 118 118 118 118 118 118 118 | 9" (SOWN195) is 18" Deep) | | |
| SOWN15-20-19 – SOWN15-20-22 – 15" (SOWN15) | DJUSTABLE SEAT WIE (Width adjustment from 15" to 20" (Width adjustment from 15" to 20" 16" (SOWN16) | TH RANGE BE with a maximum Depth with a maximum Depth 17" (SOWN) | TWEEN 1.5 of 19") of 22") – (The n 17) EN 19" AN 1 to 22") – (The | ninimum seat depti 18" (SOWN ND 24" minimum seat dept | n with this seat option in 18) 1 h with this seat option (22) 2 | 9" (SOWN19S) | 24" (SOWN24) | N/C |
| SOWN15-20-19 – SOWN15-20-22 – 15" (SOWN15) SOWN19-24-22 – | DJUSTABLE SEAT WIE (Width adjustment from 15" to 20" (Width adjustment from 15" to 20" 16" (SOWN16) STABLE SEAT WIDTH R (Width adjustment from 19" to 24" | TH RANGE BE ' with a maximum Depth ' with a maximum Depth 17" (SOWN) RANGE BETWE | TWEEN 1.5 of 19") of 22") – (The n 17) EN 19" AN 1 to 22") – (The | ninimum seat depti 18" (SOWN ND 24" minimum seat dept | n with this seat option in 18) 1 h with this seat option 22) 2 | 9" (SOWN195) is 18" Deep) 3" (SOWN23) | 24" (SOWN24) compatible with the N | N/C |
| SOWN15-20-19 - SOWN15-20-22 - 15" (SOWN15) SOWN19-24-22 - 19" (SOWN19L) | DJUSTABLE SEAT WIE (Width adjustment from 15" to 20" (Width adjustment from 15" to 20" 16" (SOWN16) STABLE SEAT WIDTH R (Width adjustment from 19" to 24" | TH RANGE BE with a maximum Depth 17" (SOWN) RANGE BETWE and Depth range of 18" 21" (SOWN) | TWEEN 1.5 of 19") of 22") – (The r 17) EN 19" AN to 22") – (The l | ninimum seat depti 18" (SOWN ND 24" minimum seat dept | n with this seat option in 18) 1 h with this seat option 22) 2 | 9" (SOWN19S) is 18" Deep) 3" (SOWN23) " and 24" Seat widths are not a | 24" (SOWN24) compatible with the N | N/C |
| SOWN15-20-19 - SOWN15-20-22 - 15" (SOWN15) SOWN19-24-22 - 19" (SOWN19L) | DJUSTABLE SEAT WID (Width adjustment from 15" to 20" (Width adjustment from 15" to 20" 16" (SOWN16) STABLE SEAT WIDTH R (Width adjustment from 19" to 24" 20" (SOWN20L) | TH RANGE BE with a maximum Depth 17" (SOWN) RANGE BETWE and Depth range of 18" 21" (SOWN) | TWEEN 1.5 of 19") of 22") – (The r 17) EN 19" AN 10 22") – (The r 21) | ninimum seat depti 18" (SOWN ND 24" minimum seat dept | h with this seat option in the s | 9" (SOWN19S) is 18" Deep) 3" (SOWN23) " and 24" Seat widths are not a | 24" (SOWN24) compatible with the N | N/C |
| SOWN15-20-19 - SOWN15-20-22 - 15" (SOWN15) 89. LARGE ADJUS SOWN19-24-22 - 19" (SOWN19L) | DJUSTABLE SEAT WID (Width adjustment from 15" to 20" (Width adjustment from 15" to 20" 16" (SOWN16) STABLE SEAT WIDTH R (Width adjustment from 19" to 24" 20" (SOWN20L) | TH RANGE BE 'with a maximum Depth 'with a maximum Depth 17" (SOWN) RANGE BETWE 'and Depth range of 18" 21" (SOWN) BETWEEN 15" A | TWEEN 1.5 of 19") of 22") – (The r 17) EN 19" AN 1 to 22") – (The r 21) | 5" AND 20" ninimum seat deptl 18" (SOWN ND 24" minimum seat deptl 22" (SOWN | n with this seat option in 18) 18) 1 with this seat option in 18 with this seat opti | 9" (SOWN19S) is 18" Deep) 3" (SOWN23) " and 24" Seat widths are not a | 24" (SOWN24) compatible with the N | N/0 |
| SOWN15-20-19 - SOWN15-20-22 - 15" (SOWN15) SOWN19-24-22 - 19" (SOWN19L) SOWN19-24-22 - 19" (SOWN19L) | DJUSTABLE SEAT WIE (Width adjustment from 15" to 20" (Width adjustment from 15" to 20" 16" (SOWN16) STABLE SEAT WIDTH R (Width adjustment from 19" to 24" 20" (SOWN20L) SEAT DEPTH RANGE E | TH RANGE BE ' with a maximum Depth ' with a maximum Depth 17" (SOWN) RANGE BETWE ' and Depth range of 18" 21" (SOWN) BETWEEN 15" A | TWEEN 1.5 of 19") of 22") – (The r 17) EN 19" AN 10 22") – (The r 21) | ninimum seat depti 18" (SOWN ND 24" minimum seat depti 22" (SOWN 18" (SODN) 22" (SODN) | h with this seat option in the s | 9" (SOWN19S) is 18" Deep) 3" (SOWN23) " and 24" Seat widths are not our control of the control o | 24" (SOWN24) compatible with the N | N/C |
| SOWN15-20-19 - SOWN15-20-22 - 15" (SOWN15) SOWN19-24-22 - 19" (SOWN19L) O. ADJUSTABLE S 15" (SODN15) 19" (SODN19) | DJUSTABLE SEAT WIE (Width adjustment from 15" to 20" (Width adjustment from 15" to 20" 16" (SOWN16) STABLE SEAT WIDTH R (Width adjustment from 19" to 24" 20" (SOWN20L) SEAT DEPTH RANGE E | TH RANGE BE ' with a maximum Depth ' with a maximum Depth 17" (SOWN) RANGE BETWE ' and Depth range of 18" 21" (SOWN) BETWEEN 15" A 17" (SODN) 21" (SODN) | TWEEN 1: of 19") of 22") – (The r 17) EN 19" AN 1 to 22") – (The l 21) AND 22" 7) | ninimum seat depth 18" (SOWN ND 24" minimum seat depth 22" (SOWN 18" (SODN) 22" (SODN) with a 22" lor the minimum seat depth | h with this seat option in the s | 9" (SOWN195) is 18" Deep) 3" (SOWN23) i" and 24" Seat widths are not of arrow 21" base width option (F | 24" (SOWN24) compatible with the N | N/C N/C |
| SOWN15-20-19 - SOWN15-20-22 - 15" (SOWN15) SOWN19-24-22 - 19" (SOWN19L) SOWN19-24-22 - 19" (SOWN19L) | DJUSTABLE SEAT WID (Width adjustment from 15" to 20" (Width adjustment from 15" to 20" 16" (SOWN16) STABLE SEAT WIDTH R (Width adjustment from 19" to 24" 20" (SOWN20L) SEAT DEPTH RANGE E 16" (SODN16) 20" (SODN20) | TH RANGE BE ' with a maximum Depth ' with a maximum Depth 17" (SOWN) RANGE BETWE ' and Depth range of 18" 21" (SOWN) BETWEEN 15" A 17" (SODN) 21" (SODN) | TWEEN 1: of 19") of 22") – (The r 17) EN 19" AN 1 to 22") – (The l 21) AND 22" 7) | 18" (SODN: 22" (SODN: With a 22" lor the minimum get | h with this seat option in the s | 9" (SOWN195) is 18" Deep) 3" (SOWN23) i" and 24" Seat widths are not of arrow 21" base width option (F | 24" (SOWN24) compatible with the N S2221B) | N/C N/C |







| DSTR-WWHH | Adjustable Tension Back Upholstery, WW x HH | | N/ |
|-------------|--|-------------------------|--------|
| | Only available with Dual Post armrests (SOADP) | | |
| STDSB-WWHH | Contour back support up to 21" wide, with a maximum shell height of 22". | SEATING BENEFIT | \$60 |
| | ▲ The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back | | |
| STDSB-WWHH | Contour back support up to 21" wide for non-standard sizes with shell height ≥ 23". | SEATING BENEFIT | \$75 |
| | ▲ The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back | | |
| STDSB-WWHH | Contour back support for Heavy-Duty from 22" wide and higher, with any height. | SEATING BENEFIT | \$1,0 |
| | ▲ The minimum space between the back and seat pan is 4" (± 1") with a fixed back and 6" (± 1") with a reclining back | | |
| MATRX BACKS | | | |
| E2S-WWHH | MATRX ELITE E2S BACK - (14" to 20" Wide - Back height of 6" to 20", in 2" increments) | SEATING BENEFIT | \$99 |
| | Back shell height is available in 6" to 20", in 2" increments. The minimum space between the back and seat pan is 4" (1 and 6" (± 1") with a reclining back | : 1") with a fixed back | |
| | ▲ Weight capacity up to 300 lb | | |
| E2D-WWHH | MATRX DEEP CONTOUR ELITE E2D BACK - (14" to 20" Wide - Back height of 6" to 20", in 2" increments) | SEATING BENEFIT | \$1,13 |
| | Back shell height is available in 6" to 20", in 2" increments. The minimum space between the back and seat pan is 4" (4 and 6" (± 1") with a reclining back | : 1") with a fixed back | |
| | ▲ This product is not compatible with Lateral Trunk Supports | | |
| | ▲ Weight capacity up to 300 lb | | |
| PBE-WWHH-TR | MATRX ELITE TR BACK – (15" to 20" Wide - Back height of 14", 16", 18" and 20") | SEATING BENEFIT | \$9 |
| | Back shell height is available in 14", 16" 18" or 20". The minimum space between the back and seat pan is 4" (± 1") with and 6" (± 1") with a reclining back | h a fixed back | |
| | ▲ Weight capacity up to 300 lb | | |
| PBE-WWHH-HD | MATRX HEAVY DUTY ELITE BACK - (21" to 24" Wide - Back height of 16" and 20") | SEATING BENEFIT | \$1,1 |
| | Back shell height is available in 16" or 20". The minimum space between the back and seat pan is 4" (± 1") with a fixed and 6" (± 1") with a reclining back | l back | |
| | ▲ Weight capacity up to 500 lb | | |
| EDB-WWHH-HD | MATRX ELITE DEEP HD BACK — (21" to 24" Wide - Back height of 16", 18" and 20") | SEATING BENEFIT | \$1,19 |
| | Back shell height is available in 16", 18" or 20". The minimum space between the back and seat pan is 4" (± 1") with a and 6" (± 1") with a reclining back | fixed back | |
| | ▲ This product is not compatible with Lateral Trunk Supports | | |
| | ▲ Weight capacity up to 500 lb | | |
| NXT BACKS | | | |
| NOACB-WWHH | NXT OPTIMA FH AC CONTOUR BACK – (15" to 21" Wide) | SEATING BENEFIT | \$69 |
| | ▲ Weight capacity up to 300 lb | | |
| NOACB-WWHH | NXT OPTIMA FH AC CONTOUR BACK – (22" to 28" Wide) | SEATING BENEFIT | \$72 |
| | ▲ Weight capacity up to 550 lb | | |
| | Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with and 6" (± 1") with a reclining back | h a fixed back | |
| NOPCB-WWHH | NXT OPTIMA FH PC DEEP CONTOUR BACK – (15" to 21" Wide) | SEATING BENEFIT | \$7 |
| | ▲ Weight capacity up to 300 lb | | · |
| NOPCB-WWHH | NXT OPTIMA FH PC DEEP CONTOUR BACK – (22" to 28" Wide) | SEATING BENEFIT | \$8 |
| | ▲ Weight capacity up to 550 lb | | |
| | ▲ This product is not compatible with Lateral Trunk Supports | | |
| | Back shell heights only come in 13", 16" or 19" high. The minimum space between the back and seat pan is 4" (± 1") with a reclining back | h a fixed back | |
| | | | |

43. BACK SUPPORT TOTAL HEIGHT (MEASURED FROM THE SEAT PAN TO THE TOP OF THE BACK)

| | | ▼ 22" is the minimum back height required with a power or manual recline. | | | | | | |
|------------------------|--|---|--|--------------|--------------|--------------|--|--|
| 16" (SOBH16) | 18" (SOBH18) | 20" (SOBH20) | | 22" (SOBH22) | 24" (SOBH24) | 26" (SOBH26) | | |
| 28" (SOBH28) This heig | ht is not available with the NXT Optin | na AC and PC options | | | | | | |









| | CAIR CUSHION | | | | |
|------------------------|---|----------------------------------|------------------------------|------------------------|----|
| Single Valve 15" to 20 | " Wide Note: For custom Cushions (Please use the CG Air Order Form) | | | | |
| | Cell Height: 2" | 3" | 4" | | |
| CGA1VSCwwdd-h | CG Air Single Valve – (with Standard 2-way Stretch Cover) | | | SEATING BENEFIT | \$ |
| CGA1V3Dwwdd-h | CG Air Single Valve – (with 3D Mesh Cover) | | | SEATING BENEFIT | \$ |
| CGA1VICwwdd-h | CG Air Single Valve – (with Incontinence Cover) | | | SEATING BENEFIT | \$ |
| | Cushion sizes only come in even numbers for width and depth | measurements. | | | |
| Dual Valve 15" to 20" | Wide Note: For custom Cushions (Please use the CG Air Order Form) | | | | |
| | Cell Height: 2" | 3" | 4" | | |
| CGA2VSCwwdd-h | CG Air Dual Valve – (with Standard 2-way Stretch Cover) | | | SEATING BENEFIT | \$ |
| CGA2V3Dwwdd-h | CG Air Dual Valve – (with 3D Mesh Cover) | | | SEATING BENEFIT | \$ |
| CGA2VICwwdd-h | CG Air Dual Valve – (with Incontinence Cover) | | | SEATING BENEFIT | \$ |
| | Cushion sizes only come in even numbers for width and depth | measurements. | | | |
| Single Valve 22" to 24 | Wide Note: For custom Cushions (Please use the CG Air Order Form) | | | | |
| | Cell Height: 2" | 3" | 4" | | |
| CGA1VSCwwdd-h | CG Air Single Valve – (with Standard 2-way Stretch Cover) | | | SEATING BENEFIT | , |
| CGA1V3Dwwdd-h | CG Air Single Valve – (with 3D Mesh Cover) | | | SEATING BENEFIT | |
| CGA1VICwwdd-h | CG Air Single Valve – (with Incontinence Cover) | | | SEATING BENEFIT | |
| | Cushion sizes only come in even numbers for width and depth | measurements. | | | |
| Dual Valve 22" to 24" | Wide Note: For custom Cushions (Please use the CG Air Order Form) | | | | |
| | Cell Height: 2" | 3" | 4" | | |
| CGA2VSCwwdd-h | CG Air Dual Valve – (with Standard 2-way Stretch Cover) | | | SEATING BENEFIT | |
| CGA2V3Dwwdd-h | CG Air Dual Valve – (with 3D Mesh Cover) | | | SEATING BENEFIT | |
| CGA2VICwwdd-h | CG Air Dual Valve – (with Incontinence Cover) | | | SEATING BENEFIT | |
| | ▲ Cushion sizes only come in even numbers for width and depth | measurements. | | | |
| CONTOUR SEAT CUSH | ION | | | | |
| SCPSC-wwdd | Contour Seat Cushion up to 19" Wide | | | SEATING BENEFIT | |
| SCPSC-wwdd | Contour Seat Cushion for Non-Standard Sizes of 20" to 24' | " Wide | | SEATING BENEFIT | |
| MATRX CUSHION | | | | | |
| PSP-WWDD | MATRX PSP Seat Cushion – (11" to 20" Wide) | | | SEATING BENEFIT | , |
| | ▲ The maximum user weight capacity is 300 lb | | | | |
| | Cushion sizes only come in even numbers for width and depth | measurements. | | | |
| PSP-WWDD | MATRX PSP Seat Cushion – (22" to 26" Wide) | | | SEATING BENEFIT | |
| | ▲ The maximum user weight capacity is 550 lb | | | | |
| | Cushion sizes only come in even numbers for width and depth | measurements. | | | |
| NXT BIO-FIT CUSHION | 1 | | | | |
| NXTBIOFIT -WWDD | NXT BIO FIT Cushion - (15" to 21" Wide) | | | SEATING BENEFIT | |
| | ▲ The maximum user weight capacity is 300 lb | | | | |
| NXTBIOFIT -WWDD | NXT BIO FIT Cushion – (22" to 26" Wide) | | | SEATING BENEFIT | |
| | ▲ The maximum user weight capacity is 400 lb | | | | |
| | Cushion sizes only come in even numbers for width and depth | measurements. | | | |
| | | | | | |
| CANTILEVER - | HEIGHT ADJUSTABLE ARMRESTS - OPENS \ | WITH A 5° ANGLE | (CHOOSE 2) | | _ |
| SOAFBDLH | Flip-Back Cantilever – Desk Length Left Side – (Height Adjusta | ıble from 7" to 15" with 1" inci | rements) - STD Length 12 | 2" | |
| SOAFBDRH | Flip-Back Cantilever – Desk Length Right Side – (Height Adjus | stable from 7" to 15" with 1" in | crements) - STD Length | 12" | |
| SOAFBFLH | Flip-Back Cantilever – Full Length Left Side – (Height Adjustabl | le from 7" to 15" with 1" incre | ments) - STD Length 16' | | |
| SOAFBFRH | Flip-Back Cantilever – Full Length Right Side – (Height Adjusta | able from 7" to 15" with 1" inc | rements) - STD Length 1 | <u>5"</u> | |
| CUST-112250 | Custom Armrest Length – Select Length for the Left side: | Custom Length 18" | Custom Length 20" | Custom Length 22" | |
| CUST-112250 | Custom Armrest Length – Select Length for the Right side: | Custom Length 18" | Custom Length 20" | Custom Length 22" | |
| CUST-SOAFB | Select this code when using Cantilever armrests with Reclinin | ng backs | | | |
| | ▲ The maximum user weight capacity is 300 lb | | | | |
| | | | | | |
| DUAL POST - F | IEIGHT ADJUSTABLE ARMRESTS – INCLUDES | TRANSFER GRIP | (FOR NON-RECLINING | BACKS - CHOOSE 2) | |
| SOADPDLH | Dual Post Height Adjustable – Desk Length Left Side – (Heigh | nt Adjustable from 10 ½" to 1: | 5 ¼" with ½" increments) | | |
| SOADPDRH | Dual Post Height Adjustable – Desk Length Right Side – (Hei | | | | |
| SOADPFLH | Dual Post Height Adjustable – Full Length Left Side – (Height | - | | | |
| | | · | | | |
| SOADPFRH | Dual Post Height Adjustable – Full Length Right Side – (Heigh | nt Adjustable from 10 1/4" to 1 |) '/4" with '/2" increments! | | |







| SOANIDLH | Reclining armrest – Desk Length Left Sid | e – (Height Adjustable | from 10 1/2" to 14" with 1, | / ₂ " increments) – S | TD Length 12" | N/C |
|---------------------------|---|---------------------------|-----------------------------|----------------------------------|---------------------------------|------------------------|
| SOANIDRH | Reclining armrest – Desk Length Right Si | de – (Height Adjustab | le from 10 1/2" to 14" with | 1/2" increments) – | STD Length 12" | N/ |
| SOANIFLH | Reclining armrest – Full Length Left Side | | • | | Length 16" | N/(|
| SOANIFRH | Reclining armrest – Full Length Right Sid | e – (Height Adjustable | from 10 1/2" to 14" with 1, | / ₂ " increments) – S | TD Length 16" | N/0 |
| CUST-48247 | Custom Armrest Length – Select Length | for the Left side: | Custom Length 18 | " Custom Lengt | th 20" Custom Length 22" | N/C |
| CUST-48247 | Custom Armrest Length – Select Length | or the Right side: | Custom Length 18 | " Custom Leng | th 20" Custom Length 22" | N/ |
| B. ARMREST H | EIGHT ADJUSTMENT AT FACTOR | 1 | | | | |
| | Set the Armrest Height at: | | | | | |
| | ▲ The Armrest Height is taken from the seat p | an to the top of the arm | pad. (Not required for Duc | al Post.) | | |
| 9. ARMPADS | | | | | | |
| FOAM TYPE SELEC | TION | | | | | |
| SOWAPD | Desk Length Waterfall – (8 ½" x 2 ¾") | | Select side: | Left Hand Side | Right Hand Side | ST |
| | ▲ The Waterfall armpads may interfere w | ith flipping back the a | | | | |
| SOWAPF | Full Length Waterfall – (13" x 2 ¾") | | Select side: | Left Hand Side | Right Hand Side | ST |
| | ▲ The Waterfall armpads may interfere w | ith flipping back the a | | | _ | |
| HYBRID GEL AND | FOAM TYPE SELECTION (THE GEL ALWAYS STA | YS SOFT) | | •• | | |
| SOGELD | Desk Length Hybrid Gel and Foam Flat a | rmpad – (9 ¾" x 2") | Select side: | Left Hand Side | Right Hand Side SEATING B | ENEFIT \$4 |
| SOGELF | Full Length Hybrid Gel and Foam Flat arr | · · | Select side: | Left Hand Side | Right Hand Side SEATING B | |
| SOWGELD | Desk Length Hybrid Gel & Foam Waterf | • | 2 ¾") Select side: | Left Hand Side | Right Hand Side SEATING B | |
| | ▲ The Waterfall armpads may interfere w | • | • | | | • |
| SOWGELF | Full Length Hybrid Gel and Foam Water | | | Left Hand Side | Right Hand Side SEATING B | ENEFIT \$9 |
| | ▲ The Waterfall armpads may interfere w | • | • | | | • |
| SPECIALTY TYPE S | ELECTION | | | | | |
| SOCAR | Arm Trough with Hand Support (18" x 4 ! | | Select side: | Left Hand Side | Right Hand Side | \$17 |
| | ▲ Arm Trough Armpads may interfere wit | | ick. | | | |
| | | | | | | |
| . FOOTRESTS | | | | | | |
| SOSAAF | Signature Swing-Away Footrests | Set at: | 60° | | 70° | STI |
| | Sele | ect Footrest Range: | SOFLA12 (12 3 | ½" - 17 ½") | SOFLA14 (14 ½" – 19 ½") | |
| SOAAF | Signature Heavy Duty Swing-Away Fo | ootrests Set at: | 60° | | 70° | \$ 1 <i>7</i> . |
| | | ect Footrest Range: | SOFLHD12 (12 | ? ½" – 17 ½") | SOFLHD14 (14 ½" - 19 ½") |) |
| ADDML | Signature Manual Elevating & Articulati | | • | • | | \$59. |
| | | ect Footrest Range: | SOFLME12 (12 | 2 %" - 17 %") | SOFLME14 (14 ½" – 19 ½") | • |
| | ▲ Does not include calf pads. Please selec | | | , | (1112 | ' |
| ADDPL | Signature Power Elevating & Articulating | g Legrests | | | | \$ 2,49 |
| | | Select Function: | Individual | | Combined | |
| | Sele | ect Footrest Range: | SOFLPW12 (12 | 2 ½" – 17 ½") | SOFLPW14 (14 ½" - 19 ½" | ') |
| | ▲ This option includes calf pads. Individua | l legs count as two po | wer functions. Combined | l legs count as one pow | ver function. | |
| | | | | | | |
| . FOOTPLATE | S & ACCESSORIES | | | | | |
| SOSFAF | Flip-up Footplates | | | | | ST |
| | Angle Adjustable & Flip-up Footplates - | · (Each) | | | | \$6. |
| SOAFP | Heel Loops – (Each) | | | | | \$2 |
| SOAFP SOAHL | • | Away footrests ISO | AAF) with adjustable h | nardware – (Each) | | \$18. |
| | Calf Pads for Adult Heavy-Duty Swing- | tway loolesis (50. | | | | |
| SOAHL | · · · · · · · · · · · · · · · · · · · | Select: | Left leg | Right lea | | \$45 |
| SOAHL SOACPFR | Swing-away residual limb Support | | | Right leg | | \$45 |
| SOAHL SOACPFR SOAMA | · · · · · · · · · · · · · · · · · · · | Select : | | Right leg | | \$45 |
| SOAHL SOACPFR SOAMA | Swing-away residual limb Support | Select : | | Right leg | | \$45 |







53. CENTER MOUNTS

SOAAF90 90° Fixed Center Mount Interface Bracket - (Offers Manual adjustability from 94° to 70°) 200\$ Select Foot Platform Range: SOFBA16 (16 ½" - 19 ½") SOFBA12 (12 ½" - 16 ½") ▲ When selecting SOFBA16 (16 ½" - 19 ½") range, the lowest possible seat to floor height is 18.75" ▲ Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB). ▲ With the split footplates option (SOAFPFB), this bracket offers independent height adjustability for each footplate. ADDPF 90° Power Center Mount Elevating & Articulating Foot Platform \$ 2,495 Select Foot Platform Range: SOFBPW12 (10 ½"- 16") SOFBPW16 (16"- 20") ▲ When selecting SOFBPW16 (16"- 20") range, the lowest possible seat to floor height is 18.75" ▲ This option includes calf pads. The power center mount counts as one power function. ▲ Select the one piece center mount foot platform (SOFUFP) or the split footplates (SOAFPFB). ▲ For leg lengths between 10 ½" and 12 ½", there is a partial conflict where the calf pads prevent the foot platform or foot plates from folding completely.

▲ The starting angle is reduced from 90° to 85° for some seat configurations when used with the narrow base configuration (F\$2424B)

▲ The E-BX (MAC) option is required with the combined selection of the 90° Power Center Mount Elevating & Articulating Foot Platform (ADDPF) and the narrow base configuration (FS2424B)

54. FOOT PLATFORMS & ACCESSORIES

| SOFUFP | Flip-up one piece Foot Platform | \$140 |
|---------|--|-------|
| SOAFPFB | Angle Adjustable & Flip-up Split Footplates for center mount – (Each) | \$65 |
| SOACPCM | Calf Pads for 90° Fixed Center Mount – (SOAAF90) with adjustable hardware – (Each) | \$93 |

55. FOOT PLATFORM HEIGHT ADJUSTMENT AT FACTORY

► Set the Foot Platform Height at: _____ "

▲ The Foot Platform Height is taken from the top of the seat pan to the top of the foot platform or split foot plates.

56. SEAT POSITIONING (NOT COMPATIBLE WITH THE WC19-ISO OPTION)

| SOAUTO | 55" Seat Positioning Strap | STD |
|----------|---|-------|
| SOBPHP2C | Bodypoint padded Hip Belt (Two Point – Center Pull) | \$170 |
| SOPHB | Padded Hip Belt, 2-PT Magnetic Center Pull | \$194 |
| SOBPCS | Bodypoint padded Chest Strap | \$250 |
| SOPCS | Padded Chest Strap, 2-PT Magnetic Center Pull | \$262 |

57. HEADREST

| ▼ Select one of the headrest options with the mounting hardware and specify where the headrest will be installed. | | | | |
|---|--|-------|--|--|
| SONUAHR | Using headrest mounting hardware other than SOMAH located bellow. ◀ Specify: | N/C | | |
| SOFHRS | Small Curved Headrest Pad – 4" x 9" | \$155 | | |
| SOFHRM | Medium Curved Headrest Pad – 5" x 10" | \$155 | | |
| SOFHRL | Large Curved Headrest Pad – 6" x 11" | \$155 | | |
| SOMAH | Multi-axis Removable Mounting Hardware | \$220 | | |
| SOHRBC | Bracket to Mount on the Contour Back Support (Without Recline) | N/C | | |
| SOHRPR | Bracket to Mount on the Seat Frame (For Reclining Backs) | N/C | | |

58. LATERAL TRUNK SUPPORTS

| ▼ Select one of the lateral pads and the adjustable & removable hardware. | | | | | |
|---|---|-----------------|-------|--|--|
| SOSLS3 | Adjustable Laterals with Small Curved Pads – (Each) – 3" x 5" | SEATING BENEFIT | \$100 | | |
| SOSLM4 | Adjustable Laterals with Medium Curved Pads – (Each) – 4" x 6" | SEATING BENEFIT | \$100 | | |
| SOSLL5 | Adjustable Laterals with Large Curved Pads – (Each) – 5" x 7" | SEATING BENEFIT | \$100 | | |
| SOSLHM | Adjustable Swing-Away Hardware Mounts – (Each) | SEATING BENEFIT | \$220 | | |
| | ▲ Waterfall armpads may interfere with flipping back the armrests when combined with Lateral Trunk supports | | | | |

59. HIP & THIGH SUPPORTS

| ▼ Select one of th | ▼ Select one of the hip & thigh support pads and the adjustable & removable hardware. | | | | |
|--------------------|---|-----------------------|--|--|--|
| SOHTSS10 | Adjustable Hip & Thigh Support Pads – (Each) – Small 10" x 4" | SEATING BENEFIT \$130 | | | |
| SOHTSM12 | Adjustable Hip & Thigh Support Pads – (Each) – Medium 12" x 5" | SEATING BENEFIT \$130 | | | |
| SOHTSL14 | Adjustable Hip & Thigh Support Pads – (Each) – Large 14" x 6" | SEATING BENEFIT \$130 | | | |
| SOHTSARH | Adjustable and Removable Hip & Thigh Support Hardware – (Each) | SEATING BENEFIT \$136 | | | |







60. ACCESSORIES

| SOCH | Cup Holder – (Self-Leveling) | Install on: | Left Side | Right Side | \$115 |
|-------|--|------------------------|-------------------|---|-------------|
| SOCPH | Ram Mounts X-Grip Cell Phone Holder | Install on: | Left Side | Right Side | \$190 |
| SOTHS | Ram Mounts X-Grip Small Tablet Holder | Install on: | Left Side | Right Side | \$205 |
| SOTHL | Ram Mounts X-Grip Large Tablet Holder with Swive | l Install on: | Left Side | Right Side | \$360 |
| | Standard installation is on the opposite side of joystic | ck. Installing accesso | ories on the same | side as the joystick may require a cust | om upgrade. |
| | ▲ With multiple accessories installed on the same side | a custom unarade v | vill be required | | |

61. REFLECTOR KIT

REFLECT Red & White Reflector Kit Stickers (They will not be installed — Included in a bag with the Owner's Manual)

62. BACK PACK AND ARMREST SIDE POUCHES

| SOBP | Back Pack — (Comes with durable straps that can be hooked around the back canes) | | | CLIENT COST | \$90 |
|------|---|-----------|-------------------|--------------------|------|
| SOAP | Armrest Side Pouch – (Comes with durable straps that can be hooked around the armrest tubes) Order: | Left Side | Right Side | CLIENT COST | \$53 |
| | ▲ If only choosing one (1) armrest pouch, please show what side it should be installed | | _ | | |

63. SWITCHES AND OPTIONS

| ASCPWIFI | PGDT - Wireless programmer, WIFI dongle | NOT COVERED BY AADL | \$844 |
|----------|---|---------------------|-------|
| ASCPCP | PGDT R-NET Dongle and PC programmer kit | NOT COVERED BY AADL | \$600 |
| SSBS | Buddy Button Switch | | \$230 |
| SSES | Egg Switch-Black | | \$116 |
| SSML | Ultra Light Switch | | \$295 |
| ESS-RED | Emergency STOP Switch - Red | | \$314 |



October 1st 2024 Alberta AADL-W973





SPECIALTY DRIVER CONTROL OPTIONS

▼ Specialty Drive Control options all require the Omni 2 Enhanced Display & Digital Interface Box (EDIB)

| 64. | THERAFIN | SIP-N-PUFF KIT | (CODE W100) |
|-----|----------|----------------|-------------|
|-----|----------|----------------|-------------|

| | SCSNPK | Therafin Sip-N-Puff Kit | | | \$1,9 <i>75</i> | |
|----------|---|--|----------------------|-----------------------|-----------------|--|
| | SCSNPBTK | Therafin Sip-N-Puff Breath Tube Kit | | | N/C | |
| | | ▲ Required with the Therafin Sip-N-Puff kit. | | | | |
| | SCSRMSNP | Stealth Rock-n-Lock Swingaway Arm for Sip-N-Puff | SWL (Swings on Left) | SWR (Swings on Right) | \$300 | |
| | | ▲ Required with the Therafin Sip-N-Puff kit. | | | | |
| | SCSRM | Stealth Rock-n-Lock Swingaway Mount for Mode Switch | SWL (Swings on Left) | SWR (Swings on Right) | \$510 | |
| | SSES | Egg Switch for Changing Modes – Black | MLH (Mount on Left) | MRH (Mount on Right) | \$116 | |
| | ▲ Required with the Stealth Rock-n-Lock Swing Away mount. | | | | | |
| | | ▲ The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section. | | | | |
| | ESS-RED | Emergency STOP Switch - Red | User Activation | Attendant Activation | \$314 | |
| | | ▲ Required with the Therafin Sip-N-Puff kit. | | | | |
| | SOMAH | Multi-axis Headrest Removable Mounting Hardware | | | \$220 | |
| | | ▲ Required with the Therafin Sip-N-Puff kit. | | | | |
| • | CHOOSE ONE (1) HE | ADREST PAD | | | | |
| | SOFHRS | Small Curved Headrest Pad – 4" x 9" | | | \$155 | |
| | SOFHRM | Medium Curved Headrest Pad – 5" x 10" | | | \$155 | |
| | SOFHRL | Large Curved Headrest Pad – 6" x 11" | | | \$155 | |
| | | | | | | |

65. PROXIMITY HEAD ARRAY (CODE W100)

| OOT I ROZEIIIII | THE PRICE (CODE WICE) | | | | | |
|-----------------|--|-------------------------|----------------------|-------|--|--|
| SCSIHAA | SCSIHAA Adult – Switch-It 3 Switch Proximity Head Array with 1/8" Mono Jack for mode/reverse | | | | | |
| SCSRM | Stealth Rock-n-Lock Swingaway Mount for Mode Switch | SWL (Swings on Left) SW | | \$510 | | |
| SSES | Egg Switch for Changing Modes – Black Required with the Stealth Rock-n-Lock Swing Away mount. | MLH (Mount on Left) | MRH (Mount on Right) | \$116 | | |
| | ▲ The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section. | | | | | |
| ESS-RED | Emergency STOP Switch - Red A Required with the Proximity Head Array. | User Activation | Attendant Activation | \$314 | | |
| SOMAH | Multi-axis Headrest Removable Mounting Hardware | | | \$220 | | |
| | Required with the Proximity Head Array. | | | | | |

66. LIGHT TOUCH PROPORTIONAL MINI JOYSTICK FOR CHIN / LIP CONTROL (CODE W100)

| SCSIMP | Switch-It Light touch mini Proportional Joystick | Switch-It Light touch mini Proportional Joystick | | |
|--|---|--|-----------------------|-------|
| SCSRMMP | Stealth Rock-n-Lock Swingaway Arm for Chin MP | SWL (Swings on Left) | SWR (Swings on Right) | \$870 |
| | Required with the Light touch mini Proportional Joystick. | | | |
| SCSRM | Stealth Rock-n-Lock Swingaway Mount for Mode Switch | SWL (Swings on Left) | SWR (Swings on Right) | \$510 |
| SSES | Egg Switch for Changing Modes – Black | MLH (Mount on Left) | MRH (Mount on Right) | \$116 |
| | ▲ Required with the Stealth Rock-n-Lock Swing Away mount. | | | |
| ▲ The Mode Switch Type can be changed from this selection in SWITCHES & OPTIONS section. | | | | |
| JCC | Chin Cup | | | \$55 |
| SOMAH | Multi-axis Headrest Removable Mounting Hardware | | | \$220 |
| | ▲ Required with the Light touch mini Proportional Joystick. | | | |
| ► CHOOSE O | ► CHOOSE ONE (1) HEADREST PAD | | | |
| SOFHRS | Small Curved Headrest Pad – 4" x 9" | | | \$155 |
| SOFHRM | Medium Curved Headrest Pad – 5" x 10" | | | \$155 |
| SOFHRL | Large Curved Headrest Pad – 6" x 11" | | | \$155 |



October 1st 2024 Alberta AADL-W973





SPECIALTY DRIVER CONTROL OPTIONS (CONTINUED)

▼ Specialty Drive Control options all require the Omni 2 Enhanced Display & Digital Interface Box (EDIB)

| SCPGMJS | PG Drives JC200 Proportional Compact Remote Joystick for Midline Mount | | | \$2,369 |
|---------|---|---------------------|----------------------|----------------|
| SCGMJSM | Gatlin Midline Swing-away Mount for JC200 | MLH (Mount on Left) | MRH (Mount on Right) | \$325 |
| | ▲ Must be selected for use with the PG Drives JC200 Mini Joystick. | | | |
| SCSIMP | Switch-It Light touch mini Proportional Joystick | | | \$4,495 |
| SCGMPM | Gatlin Midline Swing-away Mount for Light touch mini proportional Joystick | MLH (Mount on Left) | MRH (Mount on Right) | \$ <i>7</i> 50 |
| | ▲ Must be selected for use with the Light touch mini Proportional Joystick. | | | |
| SCBTM | Bullet Hand Tray for Light Touch mini Proportional Joystick | MLH (Mount on Left) | MRH (Mount on Right) | \$ <i>7</i> 50 |
| | ▲ This option is only compatible with the Light touch Mini Proportional Joystick. | | | |

68. PROPORTIONAL COMPACT OR MINI JOYSTICK FOR ARMREST MOUNT (CODE W100)

| SCPGMJS-M | PG Drives JC200 Proportional Compact Remote Joystick for Armrest Mount | | | \$,2369 |
|-----------|---|---------------------|----------------------|----------------|
| SCARMJSM | Swing-away and Multi-Axis armrest mount | MLH (Mount on Left) | MRH (Mount on Right) | \$325 |
| | ▲ Must be selected for use with the PG Drives JC200 Mini Joystick. | | | |
| SCSIMP | Switch-It Light touch mini Proportional Joystick | | | \$4,495 |
| SCARMPM | Swing-away and Multi-Axis armrest mount | MLH (Mount on Left) | MRH (Mount on Right) | \$375 |
| | ▲ Must be selected for use with the Light touch mini Proportional Joystick. | | | |
| SCBTM | Bullet Hand Tray for Light Touch mini Proportional Joystick | MLH (Mount on Left) | MRH (Mount on Right) | \$ <i>7</i> 50 |
| | ▲ This option is only compatible with the Light touch Mini Proportional Joystick. | | | |

69. PROPORTIONAL RIM HEAD CONTROL PACKAGE (CODE W100)

| SCPHC | Proportional RIM Head Control Package | | | \$2, <i>7</i> 95 |
|-------|---|----------------------|-----------------------|------------------|
| SCSRM | Stealth Rock-n-Lock Swingaway Mount for Mode Switch | SWL (Swings on Left) | SWR (Swings on Right) | \$510 |
| SSES | Egg Switch for Changing Modes – Black | MLH (Mount on Left) | MRH (Mount on Right) | \$116 |
| | ▲ Required with the Stealth Rock-n-Lock Swing Away mount. | | | |
| | ▲ The Mode Switch Type can be changed from this selection in SWITCHES & | OPTIONS section. | | |
| SOMAH | Multi-axis Headrest Removable Mounting Hardware | | | \$220 |
| | Required with the Proportional RIM Head Control. | | | |









CUSTOM SECTION

▶ Lead times will increase depending on the custom order pipeline at the time the purchase order is received. Please call for Quote and specifications for these options.

70. O² HOLDER

| SUPOXY | Custom Non-Articulating Oxygen Tank Holder | MLH (Mount on Left) | MRH (Mount on Right) | \$295 |
|---------|---|---------------------|----------------------|---------|
| | ▲ Not available with a power recline | | | |
| SUPOXYA | Custom Articulating Oxygen Tank Holder | MLH (Mount on Left) | MRH (Mount on Right) | \$1,195 |
| | ▲ Required with a power recline | | | |
| | D-Size Oxygen Tank – (* 22" Tall x 4.3" Diameter) – * The height includes the valve | | | |
| | E-Size Oxygen Tank – (* 31" Tall x 4.3" Diameter) – * The height includes the valve | | | |

71. VENT TRAY (PLEASE COMPLETE IN FULL)

| SOVENT | Custom Vent Tray | |
|--------|---|---------|
| | Articulating Vent Box – (Required with Power Tilt and/or Recline) | \$1,360 |
| | Fixed Vent Box | \$400 |

SPECIFY MODEL

Trilogy 100/200

LTV

LTV with Sprintpack

Other, specify: _

SOVTBE Extended Battery Compartment

\$495

▲ The Vent Tray option is not available on narrow options N2424 & N2221 (FS2424B & FS2221B)

▼ Amylior does not supply the battery, charger or the wiring for the Vent. These items are normally provided by the Vent Manufacturer.

The Vent is being powered by 1 U1 Battery and the chair by 2 Group 22NF batteries

The Vent is being powered by 1 U1 Battery and the chair by 2 Group 24 batteries

The Vent is being powered by 1 Group 22NF Battery and the chair Powered by 2 Group 22NF Batteries

The Vent is being powered by 1 Group 24 Battery and the chair Powered by 2 Group 22NF Batteries

The Vent is being powered by 1 Group 22NF Battery and the chair Powered by 2 Group 24 batteries

72. OTHER CUSTOM OPTIONS (REQUEST FOR QUOTE)

| ▼ Please specify de | tails and specifications for these options. | | |
|---------------------|---|---------------|-----|
| CUSTOM | CUSTOM Lithium ion - 54 Amps (represents one 24V Battery pack, equivalent to two Group 22 Batteries) | CLIENT COST R | RFQ |
| CUSTOM | CUSTOM Lithium ion - 78 Amps (represents one 24V Battery pack, equivalent to two Group 24 Batteries) | CLIENT COST R | RFQ |
| CUSTOM | CUSTOM 8A Offboard Battery Charger for Lithium ion batteries | CLIENT COST N | 1/C |
| | ▲ This option is required when choosing custom Lithium ion batteries | | |
| CUSTOM | CUSTOM Lithium ion Battery capacity LCD display gauge | CLIENT COST N | 1/C |
| | ▲ This option is required when choosing custom Lithium ion batteries | | |
| CUSTOM | Rear view Camera with 5" Monitor | CLIENT COST R | RFQ |
| CUSTOM | USB Charger Port ◀ Specify the location for the installation: | CLIENT COST R | RFQ |
| CUSTOM | Folding Backrest for Additional Storage possibilities and Travel accessibility | CLIENT COST R | RFQ |
| CUSTOM | Large Ball Handle | CLIENT COST R | RFQ |
| CUSTOM | Manual Wheel Locks | CLIENT COST R | RFQ |
| CUSTOM | Power Anterior Tilt | CLIENT COST R | RFQ |
| CUSTOM | Power Lateral Tilt 15° Raise the Left Side only Raise the Right Side only Raise the Left & Right Side | CLIENT COST R | RFQ |
| CUSTOM | Power Latitude System – (Features 14" of forward travel and a 5" seat to floor height from the pan to the ground) | CLIENT COST R | RFQ |
| CUSTOM | Power Elevating Stretcher – (Please call CSR for availability with configuration and user weight capacity) | CLIENT COST R | RFQ |
| CUSTOM | Rearview mirror Left Side Right Side | CLIENT COST R | RFQ |
| CUSTOM | Power Flip-up Foot Platform – (Please call CSR for availability with configuration and user weight capacity) | CLIENT COST R | RFQ |
| CUSTOM | Power Vertical Lifting Foot Platform – (Please call CSR for availability with configuration and user weight capacity) | CLIENT COST R | RFQ |
| CUSTOM | Independent Depth Adjustability built into the Footrest Receiver that is attached to the Seat Pan | CLIENT COST R | RFQ |
| CUSTOM | Heavy-Duty wheelchair cover, Large | CLIENT COST R | RFQ |
| CUSTOM | Endomorphic Back Canes – (Pair) 1" per side towards the inside = 2" 2" per side towards the inside = 4" | CLIENT COST R | RFQ |
| CUSTOM | Transfer Handles – (Pair) Select a height range: 5" to 8" 6" to 9" | CLIENT COST R | RFQ |
| CUSTOM | Foot Box Length: Width: Please confirm with CSR on sizing possibilities | CLIENT COST R | RFQ |
| CUSTOM # 1 | Other custom options. Specify in notes section below | CLIENT COST R | RFQ |
| CUSTOM # 2 | Other custom options. Specify in notes section below | CLIENT COST R | RFQ |







| 73. NOTES / SPECIAL REQUESTS | / CUSTOM SPECIFICATIO | ONS . | |
|------------------------------|-----------------------|-------|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

MKT.F76 | OF | P24047 | R01