This form must be opened in Adobe Acrobat. The Submit Form button will not work from most browser windows.



Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com





| <b>MEDm</b> sbility   |  |  |  |  |  |  |  |  |
|---|--|--|--|--|--|--|--|--|
| 5711- 104 St, Edmonton AB. T6H 2K1<br>P: 780-437-3300 • Fax: 780-430-9381 |  |  |  |  |  |  |  |  |
| AADL Vendor: 0000612578-001<br>www.medmobility.ca • www.mmrehab.ca        |  |  |  |  |  |  |  |  |

| Ship To:     |           |                      |
|--------------|-----------|----------------------|
| Address:     |           |                      |
| City:        | Province: |                      |
| Postal Code: | Phone:    |                      |
| Email/Fax:   |           |                      |
|              |           | Effective: 10/1/2024 |

#### Catalyst 4E

\_\_\_\_\_\$1425

300 lb weight capacity

## Frame

| 14"                              | N/   |
|----------------------------------|------|
|                                  |      |
| 15"                              | N/   |
| 16"                              | N/   |
| 17''                             | N/   |
| 18"                              | N/   |
| 19" (W111)                       | \$18 |
| 20" (W111)                       | \$39 |
| No charge with Heavy Duty Option |      |
| 21"                              | N/   |
| Heavy Duty Option required       |      |
| 22"                              | N/   |

## Seat Depth

**Discount is 8%** 

| 4.5.1                            | N1/C         |
|----------------------------------|--------------|
| 15"                              | N/C          |
| 16"                              | N/C          |
| 17"                              | N/C          |
| 18"                              | N/C          |
| 19"                              | N/C<br>\$395 |
| 20" (W111)                       | \$395        |
| No charge with Heavy Duty Option |              |

## **Heavy Duty Option**

| 350 lbs (W101)  | \$925 |
|---|-------|
| Requires minimum 6" caster height. Includes Folding Handle Rigidizer Bar. |       |

### **Transit Option**

Transit System (Weight Limit 300lbs) (WC-19 Occupied) (A1)\_\_\_\_\_N/C Not available with Heavy Duty Option

## Backrest

| Back Post / Height Range / Back Height |       |        |       |                |                |       |  |  |  |  |
|--|-------|--------|-------|----------------|----------------|-------|--|--|--|--|
| Back Post                              | Price |        |       | Back Height    |                |       |  |  |  |  |
| 8 Degree Bend<br>with Push             | N/C   | 16"    | 17"   | 18"            | 19"            | 20"   |  |  |  |  |
| Straight                               | N/C   | Short  | 8.5"  | 9.5"           | 10.5"          | 11.5" |  |  |  |  |
| without Push                           |       | Medium | 12.5" | 13.5"          | 14.5"          | 15.5" |  |  |  |  |
| Handle                                 |       | Tall   | 16.5" | 17.5"          | 18.5"          | 19.5" |  |  |  |  |
|  |       |        |       | Back Height    |                |       |  |  |  |  |
| Angle                                  | \$231 | Short  | 16"   | 17"            |                |       |  |  |  |  |
| Adjustable w/<br>Push Handle.          |       | Tall   | 20"   | 21"            |                |       |  |  |  |  |
| Fixed Height                           |       |        | E     | Back Cane Angl | e <sup>1</sup> |       |  |  |  |  |
|  |       | 90°    | 95°   | 100°           | 105°           | 110°  |  |  |  |  |

1 If no Back Cane Angle is selected, 95° will be used

## Back Upholstery

| If selecting both upholstery and Axiom Back, the upholstery will be installed                              |                                |
|--|--------------------------------|
| Standard<br>Tension Adjustable Standard Cover<br>Tension Adjustable with Air Mesh Breathable Cover<br>Omit | N/C<br>\$120<br>\$250<br>-\$10 |
| Stroller Handle  |                                |
| Caregiver Adjustable Height (A1)<br>Available only with Straight without Push Handle backrest              | \$215                          |
| Rigidizer Bar  |                                |
| Folding Handle Rigidizer Bar (A1)  | \$263                          |

Canada

AADL



Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com



## Footrest

| Hanger / Front Frame Bend            |       | Footplates  |       |  |  |  |  |
|--------------------------------------|-------|---|-------|--|--|--|--|
| 60° Extension Tube Mount             | \$225 | Composite   | N/C   |  |  |  |  |
| 70° Extension Tube Mount             | \$225 | Not available with Front Mount Hanger                   |       |  |  |  |  |
| 90° Front Mount                      | \$225 | Composite Angle Adjustable (A2) (W107)                  | \$240 |  |  |  |  |
| Not available with 7" or 8" Casters. |       | Not available with Front Mount Hanger or 14" Seat Width |       |  |  |  |  |
| Elevating Leg Rests (A2) (W106)      | \$457 | Aluminum Angle Adjustable (A2) (W107)                   | \$240 |  |  |  |  |

#### Footrest / Extension / Seat to Footrest Length

Extension Tube Hangers and Fixed Front Frame measurements are based on 70° Hanger / Front Frame Bend. Footrest Length of at least 2.5" shorter than Front Seat Height recommended. Comes with 4-Way-Out Hanger Release. Classing Hanger Release is used with Elevating Leg Rests (ELR).

 Footrest
 Footrest
 Seat to Footrest Length

| Footrest                     | Extension  | Seat to Fo | it to Footrest Length                |      |      |       |      |       |      |       |  |     |             |
|------------------------------|--|------------|--------------------------------------|------|------|-------|------|-------|------|-------|--|-----|-------------|
| Extension Tube               | Short (10.5" - 16.5")                              |            |                                      |      |      |       |      |       |      |       |  |     |             |
| Hangers<br>(60°,70°)         | Long (14" - 20")                                   |            |                                      |      |      |       |      |       |      |       |  |     |             |
|                              |  |            | Standard Selections Requires 3" Exte |      |      |       |      |       |      |       |  |     | " Extension |
|                              | Chart Frank Marriet Hannes                         | 4"         | 4.5"                                 | 5"   | 5.5" | 6"    | 6.5" | 7"    |      |       |  | 11" | 11.5"       |
| Front Mount<br>Hangers (90°) | Short Front Mount Hanger                           | 7.5"       | 8"                                   | 8.5" | 9"   | 9.5"  | 10"  | 10.5" |      |       |  | 12" | 12.5"       |
|                              | Medium Front Mount Hanger                          | 4"         | 4.5"                                 | 5"   | 5.5" | 6"    | 6.5" | 7"    | 7.5" | 8"    |  | 13" | 13.5"       |
|                              |  | 8.5"       | 9"                                   | 9.5" | 10"  | 10.5" | 11"  | 11.5" | 12"  | 12.5" |  | 14" | 14.5"       |
|                              | Standard ELR Extension Tube Short<br>(12" - 17")   | t<br>12" · | 12" - 17"<br>14" - 19"               |      |      |       |      |       |      |       |  |     |             |
| ELR                          | Standard ELR Extension Tube<br>Medium (14" -19")   | 14" -      |                                      |      |      |       |      |       |      |       |  |     |             |
|                              | Standard ELR Extension Tube Long<br>(16.5" -21.5") | 16.5" -    | 16.5" - 21.5"                        |      |      |       |      |       |      |       |  |     |             |

#### **3" Extension**

3" Extension

## **Calf Straps**

| Velcro Adjustable (A1)        | \$44 |
|-------------------------------|------|
| Padded Velcro Adjustable (A1) | \$85 |

#### **Heel Loops**

Heel Loops

#### \$30

\$69

## Residual Limb Support

|       | Limb Support (A2)                       | Price | Omit                 | Pad Size              |                        |                        |                        |                         |                         |  |  |  |
|-------|---|-------|----------------------|-----------------------|------------------------|------------------------|------------------------|-------------------------|-------------------------|--|--|--|
| Left  | Left Limb Support with<br>Smooth Cover  | \$450 | Omit Left Hanger     | 5X8 Pad Left Side     | 7X10 Pad Left<br>Side  | 9x10 Pad Left<br>Side  | 9x14 Pad Left<br>Side  | 11x10 Pad Left<br>Side  | 11x14 Pad Left<br>Side  |  |  |  |
| Right | Right Limb Support with<br>Smooth Cover | \$450 | Omit Right<br>Hanger | 5X8 Pad Right<br>Side | 7X10 Pad Right<br>Side | 9x10 Pad Right<br>Side | 9x14 Pad Right<br>Side | 11x10 Pad Right<br>Side | 11x14 Pad Right<br>Side |  |  |  |

Canada

AADL



Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com



## **Front Seat Height and Casters**

| Caste  | Caster Size / Front Frame Type / Front Seat Height |                   |       |     |       |     |       |     |       |     |       |     |       |     |
|--------|--|-------------------|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|-------|-----|
| Caster |  | Front Seat Height |       |     |       |     |       |     |       |     |       |     |       |     |
| Size   | Uses Super Low Caster<br>Housing                   |                   |       |     |       |     |       |     |       |     |       |     |       |     |
| 4"     | 12.5"  | 13"               | 13.5" | 14" | 14.5" | 15" | 15.5" | 16" | 16.5" | 17" | 17.5" | 18" | 18.5" | 19" |
| 5"     | 13.5"  | 14"               | 14.5" | 15" | 15.5" | 16" | 16.5" | 17" | 17.5" | 18" | 18.5" | 19" | 19.5" |     |
| 6"     | 14.5"  | 15"               | 15.5" | 16" | 16.5" | 17" | 17.5" | 18" | 18.5" | 19" | 19.5" | 20" |       |     |
| 7"     | 15.5"  | 16"               | 16.5" | 17" | 17.5" | 18" | 18.5" | 19" | 19.5" | 20" | 20.5" |     |       |     |
| 8"     | 16.5"  | 17"               | 17.5" | 18" | 18.5" | 19" | 19.5" | 20" | 20.5" | 21" |       |     |       |     |

### **Caster Type**

|        |                              |       |    | Caste | r Size |    |    |
|--------|------------------------------|-------|----|-------|--------|----|----|
|        |                              | Price | 4" | 5"    | 6"     | 7" | 8" |
| e      | 1" Poly                      | N/C   |    |       |        |    |    |
| . Type | 1" Pneumatic                 | \$100 |    |       |        |    |    |
| Caster | 1.5" Poly                    | \$63  |    |       |        |    |    |
| ů      | 1.5" Soft Roll Aluminum (A1) | \$150 |    |       |        |    |    |

## Fork Stems

| Max Adjustability  | N/C  |
|--|------|
| Defaults to fork and stem combination that maximizes adjustment of Front |      |
| Seat Height based on caster size selection                               |      |
| Standard Fork Stem   | N/C  |
| 3/4" Longer Fork Stem  | \$44 |
| 1 1/2" Longer Fork Stem  | \$44 |

#### **Caster Housing**

| Super Low Caster Housing                  | \$100 |
|---|-------|
| Not available with 350 lb Weight Capacity |       |
| Standard Housing                          | N/C   |

## Wheel Locks and Options

| Wheel Lock   |       |
|--|-------|
| Push to Lock   | N/C   |
| Push to Lock Flush Mount                                       | N/C   |
| Pull to Lock   | N/C   |
| Attendant Lock (A1)<br>Wheel lock mounted to the rear of chair | \$230 |

| Wheel Lock Options  |       |
|---|-------|
| Extension Handles<br>Available only with Push to Lock or Pull to Lock Wheel Locks                 | \$84  |
| Grade Aids (A2)   | \$187 |
| Available only with Push to Lock Wheel Locks and Pneumatic or Pneumatic with Airless Insert tires |       |

## Rear Seat Height and Wheels

#### Wheel Size / Tire Profile / Rear Seat Height

Select Rear Seat Height in row corresponding to desired Wheel Size and Tire Profile. 14" Seat Depth not available with 24", 25" or 26" wheel sizes.

| Wheel | Tire | Rear Seat Height |       |       |       |       |       |
|-------|------|------------------|-------|-------|-------|-------|-------|
| 20"   | Low  | 11.5"            | 12.5" | 13.5" | 14.5" | 15.5" | 16.5" |
| 20    | Full | 12"              | 13"   | 14"   | 15"   | 16"   | 17"   |
| 22"   | Low  | 12.5"            | 13.5" | 14.5" | 15.5" | 16.5" | 17.5" |
| 22    | Full | 13"              | 14"   | 15"   | 16"   | 17"   | 18"   |
| 24"   | Low  | 13.5"            | 14.5" | 15.5" | 16.5" | 17.5" | 18.5" |
| 24    | Full | 14"              | 15"   | 16"   | 17"   | 18"   | 19"   |
| 25"   | Low  | 14"              | 15"   | 16"   | 17"   | 18"   | 19"   |
| 26"   | Low  | 14.5"            | 15.5" | 16.5" | 17.5" | 18.5" | 19.5" |
| 20    | Full | 15"              | 16"   | 17"   | 18"   | 19"   | 20"   |

This form must be opened in Adobe Acrobat. The Submit Form button will not work from most browser windows.



Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com



# **CATALYST** $\mathcal{A}^{E}$


| W  | heels |
|----|-------|
| VV | neers |

| Rear Wheel Size |                 |       |     |     |     |     |     |
|-----------------|-----------------|-------|-----|-----|-----|-----|-----|
|                 |                 | Price | 20" | 22" | 24" | 25" | 26" |
| Wheel           | Spoke           | N/C   |     |     |     |     |     |
|                 | Mag             | N/C   |     |     |     |     |     |
| Rear<br>Type    | MAXX Spoke (A1) | \$200 |     |     |     |     |     |

### **Axle Plates**

Adjustable Axle Plate

Provides 2" of Center of Gravity adjustability. Chair comes with Center of Gravity set at position 3, see image below.



## Handrims

| Standard Handrims  |       |
|--|-------|
| Aluminum Anodized  | N/C   |
| Superlight Aluminum Anodized   | \$50  |
| Available only on 24" and 25" MAXX Spoke   |       |
| Plastic Coated   | \$119 |
| Projection (8 Vertical Projections) (A2)   | \$299 |
| Available only with full profile tires in combination with 22", 24", and 26"<br>MAXX Spoke wheels, or 22" and 24" Mag wheels |       |
| Omit Handrim   | N/C   |

### **Rear Tire Type**

#### **Full Profile**

| Street Pneumatic 1 3/8"                   | N/C   |
|---|-------|
| Not available on 25" wheel size           |       |
| Full Poly 1 3/8"                          | N/C   |
| Not available on 25" or 26" wheel sizes   |       |
| Pneumatic with Airless Insert 1 3/8" (A1) | \$200 |
| Not available on 25" wheel size           |       |
|   |       |
|   |       |

## Low Profile

N/C

| Low Poly 1"  | N/C   |
|--|-------|
| Not available on 25" or 26" wheel sizes or Heavy Duty Option |       |
| 1" Solid   | N/C   |
| Not available on 20" and 22" Mag wheels                      |       |
| High Pressure 1" (A1)  | \$119 |
| Not available on Mag wheel                                   |       |
| Schwalbe Marathon Plus Evolution 1" (A1)                     | \$145 |
| Not available on Mag wheel, 20" or 22" wheel sizes           |       |
|  |       |

## Ergonomic Handrims

| or available of 20,25 of 20 wheels |       |
|------------------------------------|-------|
| Ergo Lite Regular Grip (A1)        | \$445 |
| Ergo Standard Regular Grip (A1)    | \$445 |
| Ergo Lite Extra Grip (A1)          | \$495 |
| Ergo Standard Extra Grip (A1)      | \$495 |
| Ergo Lite Omit Grip (A1)           | \$345 |
| Ergo Standard Omit Grip (A1)       | \$345 |
|                                    |       |

ole

## Axles

| Axles   |       |
|---|-------|
| Quick Release   | N/C   |
| Quick Release<br>Fixed<br>Quad Quick Release (A2)<br>Not available with Mag wheel | N/C   |
| Quad Quick Release (A2)   | \$219 |
| Not available with Mag wheel  |       |

## Armrests

| Armrests  |       |
|---|-------|
| Height Adjustable T-Arm Desk (8.5" - 13.5")           | \$325 |
| Height Adjustable T-Arm Full (8.5" - 13.5")           | \$325 |
| Height Adjustable Flip Back T-Arm Desk (9.5" - 13.5") | \$325 |
| Height Adjustable Flip Back T-Arm Full (9.5" - 13.5") | \$325 |
| Omit  | N/C   |

Canada

AADL



Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com

# 

## Accessories

| Pelvic Positioning Belt  |   |
|--|---|
| 1 1/2" Auto Buckle Pelvic Positioning Belt<br>1 1/2" Padded Auto Buckle Pelvic Positioning Belt (A1)<br>2" Airline Buckle Pelvic Positioning Belt (A1)<br>Small Bodypoint Evoflex (16-24") (A1)<br>Medium Bodypoint Evoflex (19-29") (A1)<br>Large Bodypoint Evoflex (25-37") (A1)<br>Belt Mounting Hardware | \$22<br>\$170<br>\$150<br>\$219<br>\$219<br>\$219<br>\$219<br>N/C |
| O2 Holder  |   |
| O2 Holder - Left Side (W110)<br>O2 Holder - Right Side (W110)  | \$110<br>\$110  |
| Anti-Tip   |   |

| Rear Anti-Tips | s\$1 | L10 |
|----------------|------|-----|

## Frame Color

| Black |  |
|-------|--|
| Blue  |  |

| Other Accessories   |       |
|---|-------|
| Tool Kit (A1)   | \$60  |
| Removable Underseat Pouch (A1)  | \$75  |
| Ki Mobility Backpack (A1)   | \$90  |
| Black Neoprene Impact Guards  | \$95  |
| Velcro Closing Strap  | \$25  |
| Clear Spoke Guards (A1)<br>Not available with Mag wheel                               | \$144 |
| Cane and Crutch Holder (A1)   | \$110 |
| Step Tube - Left Side (A1)<br>Not available with Transit Wheels or Heavy Duty Option  | \$60  |
| Step Tube - Right Side (A1)<br>Not available with Transit Wheels or Heavy Duty Option | \$60  |
| Step Tube - Pair (A1)<br>Not available with Transit Wheels or Heavy Duty Option       | \$120 |
| ELR Foam Knee Pad (Pair) (A1)   | \$462 |

N/C N/C



Phone (800) 981-1540 | Fax (715) 254-0996 sales@kimobility.com | www.kimobility.com



## **CATALYST** $\mathcal{A}^{\scriptscriptstyle E}$

|                 |              |       |      |              |              |       | Cataly | yst E F    | Front S      | Seat H | eight     | Matrix | c            |                    |           |      |              |       |      |
|-----------------|--------------|-------|------|--------------|--------------|-------|--------|------------|--------------|--------|-----------|--------|--------------|--------------------|-----------|------|--------------|-------|------|
| 4" Caster       |              |       |      | 5" Caster    |              |       |        | 6" Caster  |              |        | 7" Caster |        |              |                    | 8" Caster |      |              |       |      |
| FSH             | Super<br>Low | Stem  | Fork | FSH          | Super<br>Low | Stem  | Fork   | FSH        | Super<br>Low | Stem   | Fork      | FSH    | Super<br>Low | Stem               | Fork      | FSH  | Super<br>Low | Stem  | Fork |
| 13.5            | 12.5         | Std   |      | 14.50        | 13.50        | Std   |        | 15.5       | 14.5         | Std    |           | n/a    | 15.5         | Std                | 5"        | 17.5 | 17           | Std   |      |
| 14              | 13           | 310   |      | 15.50        | n/a 3/4      | 4"    | 16     | n/a        | 3/4          | 5"     | 16.5      | 15.5   | Std          |                    | 18.5      | n/a  | 3/4          | 6"    |      |
| 14 <sup>1</sup> | n/a          | 3/4   | 4"   | 16           | n/a          | 1 1/2 |        | 17         | n/a          | 1 1/2  |           | 17     | 16           | 310                | 6"        | 19   | n/a          | 1 1/2 |      |
| 14.5            | n/a          |       |      | 14.5         | 13.5         | Std   | 5"     | 15.5       | 14.5         |        |           | 17     | n/a          | 3/4<br>11/2<br>Std |           | 17.5 | 16.5         | Std   |      |
| 15              | n/a          | 1 1/2 |      | 15           | 14           |       |        | 16         | 15           | Std    |           | 17.5   | n/a          |                    |           | 18   | 17           |       |      |
| 15.5            | n/a          |       |      | 15.5         | n/a          | 3/4   |        | 16.5       | 15.5         |        |           | 18     | n/a          |                    |           | 18.5 | 17.5         |       |      |
| 14              | 13           | Std   |      | 16           | n/a          |       |        | 16.5       | n/a          |        |           | 18.5   | n/a          |                    |           | 19   | 18           |       |      |
| 14.5            | 13.5         |       |      | 16           | n/a          | 1 1/2 |        | 17         | n/a          | 3/4    | 6"        | 17     | 16           |                    |           | 18.5 | n/a          | 3/4   |      |
| 15              | n/a          | 3/4   | 5"   | 16.5         | n/a          | ,.2   |        | 17.5       | n/a          |        |           | 17.5   | 16.5         |                    |           | 19   | n/a          |       | 7"   |
| 15.5            | n/a          |       |      | 15           | 14           |       |        | 17         | n/a          |        |           | 18     | 17           |                    |           | 20   | n/a          |       |      |
| 15.5            | n/a          | 1 1/2 |      | 15.5         | 14.5         | Std   |        | 17.5       | n/a          | 1 1/2  |           | 18.5   | 17.5         |                    |           | n/a  | n/a          |       |      |
| 16              | n/a          |       |      | 16           | 15           |       |        | 18         | n/a          |        |           | 17.5   | n/a          |                    |           | 19   | n/a          |       |      |
| 15              | 14           | Std   |      | 16           | n/a          | 4     |        | 16.5       | 15.5         |        |           | 18     | n/a          |                    |           | 19.5 | n/a          |       |      |
| 15.5            | 14.5         |       |      | 16.5 n/a 3/4 | 3/4          | 6"    | 17     | 16         | Std          |        | 18.5      | n/a    |              | 7"                 | 20        | n/a  | 1 1/2        |       |      |
| 16              | n/a          | 3/4   | 6"   | 17           | n/a          | 1 1/2 |        | 17.5       | 16.5         |        |           | 19     | n/a          | 1 1/2              | 1/2       | 20.5 | n/a          |       |      |
| 16.5            | n/a          | 1 1/2 |      | 16.5         | n/a          |       |        | 18         | 17           |        |           | 18.5   | n/a          |                    |           | 21   | n/a          |       |      |
| 16.5            | n/a          |       |      | 17           | n/a          |       |        | 17         | n/a          |        |           | 19     | n/a          |                    |           |      |              |       |      |
| 17.0            | n/a          |       |      | 17.5         | n/a          |       |        | 17.5       | n/a          | 3/4    |           | 19.5   | n/a          |                    |           |      |              |       |      |
| 16.5            | 15.5         | Std   |      | 16.5 15.5    |              |       |        | 18         | n/a          |        | 7"        | 20     | n/a          |                    |           |      |              |       |      |
| 17              | 16           |       |      | 17           | 16           | Std   |        | 18.5       | n/a          |        |           | 20.5   | n/a          |                    |           |      |              |       |      |
| 17              | n/a          | 3/4   | 7"   | 17.5         | 16.5         |       |        | 18<br>18.5 | n/a          |        |           |        |              |                    |           |      |              |       |      |
| 17.5            | n/a<br>n/a   | 1 1/2 |      | 17           | n/a<br>n/a   | 3/4   | 7"     | 18.5       | n/a<br>n/a   | 1 1/2  |           |        |              |                    |           |      |              |       |      |
| 18.5            | n/a          |       | 1/2  | 17.5         | n/a          | 3/4   |        | 19.5       | n/a          | 11/2   |           |        |              |                    |           |      |              |       |      |
| 19              | n/a          |       |      | 18           | n/a          |       |        | 20         | n/a          |        |           |        |              |                    |           |      |              |       |      |
|                 |              |       |      | 18.5         | n/a          |       |        |            |              |        |           |        |              |                    |           |      |              |       |      |
|                 |              |       |      | 19           | n/a          | 1 1/2 |        |            |              |        |           |        |              |                    |           |      |              |       |      |
|                 |              |       |      | 19.5         | n/a          |       |        |            |              |        |           |        |              |                    |           |      |              |       |      |
|                 |              |       |      |              |              |       |        |            |              |        |           |        |              |                    |           |      |              |       |      |

<sup>1</sup> Not available with 4 x 1.5" Soft Roll Aluminum

Seat heights with "FSH" heading available with Standard Caster Housing. Seat heights with "Super Low" heading available with Super Low Caster Housing. Actual seat height may vary depending upon configuration.