



Phone (800) 981-1540 | Fax (715) 254-0996  
 sales@kimobility.com | www.kimobility.com



Discount is 8%

# FOCUS CR

W343 & W343P

Company:

Account Number:

Date:

Quote: PO Number:

Clinician / Sales Rep:

Marked For:

Associated Quote/Order#:

MEDmobility

5711- 104 St, Edmonton AB. T6H 2K1  
 P: 780-437-3300 • Fax: 780-430-9381  
 AADL Vendor: 0000612578-001  
 www.medmobility.ca • www.mmrehab.ca

Effective: 10/1/2024

Focus CR \_\_\_\_\_ \$4375  
 300 lb weight capacity Includes one time free growth kit Tilt range: -5° anterior to 50°

## Frame

### Frame Width

Select Frame Width within desired Frame Width Range

Frame Width Range	Frame Width				
Small (14" - 18")	14" N/C	15" N/C	16" N/C	17" N/C	18" N/C
Medium (16" - 20")	16" N/C	17" N/C	18" N/C	19" N/C	20" N/C
Large (18" - 22")	18" N/C	19" N/C	20" N/C	21" N/C	22" N/C
X-Large (20" - 24") <sup>1</sup>	20" N/C	21" N/C	22" N/C	23" \$910	24" \$910

<sup>1</sup> 400 lb Weight Capacity is required

### Seating Setup

Make one selection from either Option 1 at right or Option 2 below based on desired seating setup

Setup By Ki Mobility (Option 1) \_\_\_\_\_ N/C

Select Seat Depth corresponding to desired Frame Depth Range row and Backrest Offset column. Note: All Seat Depths in a column and within the same frame depth range are achievable with future adjustment.

Setup by Frame Depth (Option 2) \_\_\_\_\_ N/C

Select Frame Depth within desired Frame Depth Range

### Option 2: Setup By Frame Depth


Frame Depth	Frame Width				
Short	14" N/C	15" N/C	16" N/C	17" N/C	18" N/C
Medium	16" N/C	17" N/C	18" N/C	19" N/C	20" N/C
Long	18" N/C	19" N/C	20" N/C	21" N/C	22" N/C

### Seat Options

Growing Adjustable Aluminum Seat Pan \_\_\_\_\_ \$154  
 Omit Seat Pan \_\_\_\_\_ N/C

### Option 1: Setup By Ki Mobility

Frame Depth Range	Backrest Offset A						
	-2"	-1"	Flush	+1"	+2"	+3"	+4"
Short	Seat Depth						
	16"	15"	14"				
	17"	16"	15"	14"			
	18"	17"	16"	15"	14"		
	19"	18"	17"	16"	15"	14"	
Medium	20"	19"	18"	17"	16"	15"	14"
	21"	20"	19"	18"	17"	16"	15"
	22"	21"	20"	19"	18"	17"	16"
	23"	22"	21"	20"	19"	18"	17"
	24"	23"	22"	21"	20"	19"	18"
Long	25"	24"	23"	22"	21"	20"	19"
	26"	25"	24"	23"	22"	21"	20"
	27"	26"	25"	24"	23"	22"	21"
	28"	27"	26"	25"	24"	23"	22"



A1 = Client's Responsibility  
 A2 = Clinical Justification



Phone (800) 981-1540 | Fax (715) 254-0996  
 sales@kimobility.com | www.kimobility.com



## Frame Options

Weight Capacity	Offset Option
400 lb Weight Capacity (W102) \$975 <i>Available only with Long Frame Depth Range and 8" x 2" or 6" x 2" Casters</i>	Offset Hanger with Tilt Stops N/C <i>Tilt Stop included. No anterior tilt.</i>
Transit	Vent and Battery Tray
Transit Option (WC-19 Occupied) N/C Omit Transit N/C	<i>Requires minimum 16" Seat Height. Not available on 14" or 15" Frame Widths, Attendant Foot Lock, 12" wheels, One Arm Drive, 5" casters</i>
	Vent Tray (W112) \$320 <i>Not available with Self Propel Axle Plate or Foot Tilt. Requires Anti-Tip.</i>
	Battery Box Holder (W112) \$320 <i>Available only with Dual Hand Tilt</i>
	Vent Tray and Battery Box Holder (W112) \$640 <i>Requires Anti-Tip. Available only with Dual Hand Tilt. Not available with Self Propel Axle Plate.</i>

## Tilt Mechanism

Hand Tilt - Right	N/C
Hand Tilt - Left	N/C
Hand Tilt - Dual	N/C
Foot Tilt - Right	N/C
Foot Tilt - Left	N/C

## Backrest

Backrest	Stroller Handle Back Post Option
Stroller Handle Back Post (Short 20") (Folding) N/C	<i>Available only with Stroller Handle Back Post</i>
Stroller Handle Back Post (Tall 24") (Folding) N/C	Removable Stroller Handle Extension \$173
Fixed Height Back with Adjustable Handle (Short 22") (Folding) N/C <i>Not available with Dynamic Back</i>	<b>Other Backrest Options</b>
Fixed Height Back with Adjustable Handle (Tall 26") (Folding) N/C <i>Not available with Dynamic Back</i>	Non Folding Back N/C <i>Standard with Reclining Back and Dynamic Back</i>
Adjustable Height Back with Adjustable Handle (Short 18" - 25") (Folding) N/C <i>Not available with O2 Holder or Dynamic Back</i>	Dynamic Back (A1) \$1995 <i>Available only with Non Folding Back. Not available with Angle Adjustable Locking Extendable Flip Up Armrest or 400 lb Weight Capacity.</i>
Adjustable Height Back with Adjustable Handle (Tall 20" - 27") (Folding) N/C <i>20"-22" Heights not available with Dynamic Back</i>	Adjustable Height Rigidizer Bar \$75
Reclining Back with Adjustable Handle (Short 22") (Non-Folding) \$1232 <i>Not available with O2 Holder or Dynamic Back. If no Recline Angle and Gas Spring selections are made, 0° - 65° and Standard Spring will be used.</i>	<b>Reclining Back Options</b>
Reclining Back with Adjustable Handle (Tall 26") (Non-Folding) \$1232 <i>Not available with O2 Holder or Dynamic Back. If no Recline Angle and Gas Spring selections are made, 0° - 65° and Standard Spring will be used.</i>	<i>Required when Reclining Back is selected</i>
<b>Backrest Height</b>	<b>Recline Angle</b>
<i>Required when Adjustable Height Back with Adjustable Handle Back Post is selected</i>	0-65° Recline Angle N/C
18" <sup>1</sup> 19" <sup>1</sup> 20" 21" 22" 23" 24" 25" 26" <sup>2</sup>	10-75° Recline Angle N/C
27" <sup>2</sup> N/C	20-85° Recline Angle N/C
<i>1 Available only with Short</i>	<b>Gas Spring</b>
<i>2 Available only with Tall</i>	Standard Spring N/C
	Heavy Duty Spring N/C

A1 = Client's Responsibility  
 A2 = Clinical Justification

## Footrest

Hanger / Front Frame Bend						
Hanger	60°	70°	80°	90°		Retail
Extension Tube Mount			1			N/C
Front Mount			1	2		N/C
Elevating Leg Rests (W106) <sup>4</sup>						\$457
Contracture Footrest Bilateral Mount (A2) <sup>3</sup>						\$495
Contracture Footrest Center Mount (A2) <sup>3</sup>						\$495
Omit Hangers						-\$28

- 1 7" and 8" Casters may interfere with less than 5° tilt
- 2 Not available with 7" or 8" Casters
- 3 Aluminum Angle Adjustable footplates included. See image to right.
- 4 Available only with classic hanger release

### ELR Cover


Available only on Pro ELR

ELR Foam Knee Pad (Pair) (A1) \_\_\_\_\_ \$462

### 3" Extension

Available only with Front Mount Hangers.

3" Extension (Provided as Parts) \_\_\_\_\_ \$44



## Footrest / Extension / Seat to Footrest Length

Select Extension and Seat to Footrest Length in row corresponding to desired Footrest. Footrest Length of at least 2.5" shorter than Front Seat Height recommended. Extension Tube Hanger measurements based on 70° Hanger Bend.

Footrest	Extension	Seat to Footrest Length											
		10"	10.5"	11"	11.5"	12"	12.5"	13"	13.5"	14"	14.5"		
Extension Tube Hangers (60°,70°,80°)	Short (10" - 13.5")	10"	10.5"	11"	11.5"	12"	12.5"	13"	13.5"	14"	14.5"		
	Medium (11.5" - 15.5")	11.5"	12"	12.5"	13"	13.5"	14"	14.5"	15"	15.5"			
	Long (14" - 18")	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"	18"			
Front Mount Hangers <sup>1</sup>	Short Front Mount Hanger (70°,80°,90°)	Standard Selections									Requires 3" Extension		
		4" <sup>2</sup>	4.5" <sup>2</sup>	5"	5.5"	6"					8.5"	9"	9.5"
	Medium Front Mount Hanger (70°,80°,90°)	6.5"	7"	7.5"	8"						10"	10.5"	11"
		4" <sup>2</sup>	4.5" <sup>2</sup>	5"	5.5"	6"	6.5"	7"			10.5"	11"	11.5"
	Long Front Mount Hanger (70°,80°)	7.5"	8"	8.5"	9"	9.5"	10"				12"	12.5"	13"
		5"	5.5"	6"	6.5"	7"	7.5"	8"	8.5"		12.5"	13"	13.5"
		9"	9.5"	10"	10.5"	11"	11.5"	12"		14"	14.5"	15"	
Contracture Footrest	Short (10" - 13.5")	10.5"	11"	11.5"	12"	12.5"	13"	13.5"	14"	14.5"			
	Medium (11.5" - 15.5")	13.5"	14"	14.5"	15"	15.5"	16"	16.5"	17"	17.5"			
	Long (14" - 18")	16.5"	17"	17.5"	18"	18.5"	19"	19.5"	20"	20.5"			
ELR	ELR Extension Tube Short	10.5" - 15.5"											
	ELR Extension Tube Medium	12.5" - 17.5"											
	ELR Extension Tube Long	15" - 20"											

- 1 See Minimum Front Seat Height chart below
- 2 Available with 90° only

Minimum Front Seat Height with Front Mount Hangers						
Hanger Length	Short		Medium		Long	
	70°	80/90°	70°	80/90°	70°	80°
Minimum Front Seat Height with Standard Selection	13"	13"	13"	13.5"	14.5"	15.5"
Minimum Front Seat Height with 3" Extension	13.5"	14"	15.5"	16"	17"	18"

A1 = Client's Responsibility  
A2 = Clinical Justification



Phone (800) 981-1540 | Fax (715) 254-0996  
 sales@kimobility.com | www.kimobility.com



### Footplates

*No selection needed with Contracture Footrest*

Composite _____	N/C
<i>Not available with Front Mount Hanger</i>	
Composite Angle Adjustable (W107) _____	\$240
<i>Not available with Front Mount Hanger or 14" Seat Width without Offset Hanger</i>	
Aluminum Angle Adjustable (W107) _____	\$240
Aluminum Locking Multi-Angle Adjustable (A1) (W107) _____	\$408
<i>Available only with Front Mount Hanger</i>	
One Piece Flip Up Angle Adjustable (A1) (W107) _____	\$238
<i>Not available with Front Mount Hanger or PRO ELR</i>	

### Hanger Release

*No selection needed with Contracture Footrest. If no selection is made 4-Way - In-Line Hanger Release will be used.*

Classic _____	N/C
4-Way - In-Line _____	N/C
<i>Not available with Pro ELR</i>	
4-Way - Out _____	N/C
<i>Not available with Pro ELR</i>	

### Heel Loops

*Not available with One Piece Flip Up Angle Adjustable Footplate*

Heel Loops _____	N/C
Adjustable Heel Loops _____	\$45
Omit Heel Loops _____	N/C

### Residual Limb Support

*Not available with Offset Hanger*

	Limb Support	Price	Omit	Cover		Pad Size					
				Smooth Cover Left	Air Mesh Cover Left	5X8 Pad Left Side	7X10 Pad Left Side	9x10 Pad Left Side	9x14 Pad Left Side	11x10 Pad Left Side	11x14 Pad Left Side
Left	Left Limb Support	\$450	Omit Left Hanger	Smooth Cover Left	Air Mesh Cover Left	5X8 Pad Left Side	7X10 Pad Left Side	9x10 Pad Left Side	9x14 Pad Left Side	11x10 Pad Left Side	11x14 Pad Left Side
Right	Right Limb Support	\$450	Omit Right Hanger	Smooth Cover Right	Air Mesh Cover Right	5X8 Pad Right Side	7X10 Pad Right Side	9x10 Pad Right Side	9x14 Pad Right Side	11x10 Pad Right Side	11x14 Pad Right Side

A1 = Client's Responsibility  
 A2 = Clinical Justification

## Seat Height, Casters and Rear Wheels

Select Seat Height corresponding to desired Rear Wheel and Caster Size

Rear Wheel Size	Caster Size					
	5"	6"	6" x 2"	7"	8"	8" x 2"
	Seat Height					
12" with Pneumatic or Pneumatic with Airless Insert Tire <sup>3</sup>	13.5"					
	14"					
	14.5"	14.5"	14.5"		17"	
	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"	18"
	18.5"	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
12" with Full Poly Tire <sup>3</sup>	16.5"	16.5"	16.5"			
	17"	17"	17"	17"	17"	17"
	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"	18"
	18.5"	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"		
12" with Drum Brake <sup>3</sup>	13"					
	13.5"					
	14"	14"	14"			
	14.5"	14.5"	14.5"			
	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"	18"
	18.5"	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"	19.5"
	20" <sup>2</sup>		20" <sup>2</sup>	20" <sup>2</sup>	20" <sup>2</sup>	20" <sup>2</sup>
16" with Pneumatic, Pneumatic with Airless Insert or Full Poly Tire <sup>4</sup>	13"					
	13.5"					
	14"	14"	14"			
	14.5"	14.5"	14.5"			
	15"	15"	15"	15"		
	15.5"	15.5"	15.5"	15.5"		
	16"	16"	16"	16"	16"	16"
	16.5" <sup>1</sup>	16.5" <sup>1</sup>	16.5" <sup>1</sup>	16.5" <sup>1</sup>		16.5" <sup>1</sup>
	19"	19"	19"	19" <sup>2</sup>	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"	19.5"
	20"	20"	20"	20"	20"	20"
16" with Low Poly Tire <sup>4</sup>	13"					
	13.5"					
	14"	14"	14"			
	14.5"	14.5"	14.5"			
	15"	15"	15"	15"		
	18"	18"	18"	18"	18"	18"
	18.5"	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"	19.5"
	20"	20"	20"	20"	20"	20"
			20.5"	20.5"	20.5"	

Rear Wheel Size	Caster Size					
	5"	6"	6" x 2"	7"	8"	8" x 2"
	Seat Height					
16" with Drum Brake <sup>4</sup>	13.5"					
	14"	14"	14"			
	14.5"	14.5"	14.5"			
	15"	15"	15"	15"		
	15.5"	15.5"	15.5"	15.5"		
	16"	16"	16"			16"
		18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"	19.5"
	20"	20"	20"	20"	20"	20"
	20.5"	20.5"	20.5"	20.5"	20.5"	20.5"
20"	15"	15"	15"	15"		
	15.5"	15.5"	15.5"	15.5"		
	16"	16"	16"	16"	16"	16"
	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"
	17"	17"	17"	17"	17"	17"
	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"	18"
	18.5" <sup>2</sup>	18.5" <sup>2</sup>	18.5" <sup>2</sup>	18.5" <sup>2</sup>		
22"	16"	16"	16"	16"	16"	
	16.5"	16.5"	16.5"	16.5"	16.5"	16.5"
	17"	17"	17"	17"	17"	17"
	17.5"	17.5"	17.5"	17.5"	17.5"	17.5"
	18"	18"	18"	18"	18"	18"
	18.5"	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
24"	16.5" <sup>5</sup>	16.5" <sup>1.5</sup>	16.5" <sup>1.5</sup>			
	17" <sup>5</sup>	17" <sup>5</sup>	17" <sup>5</sup>	17" <sup>5</sup>	17" <sup>5</sup>	17" <sup>5</sup>
	17.5" <sup>6</sup>	17.5" <sup>6</sup>	17.5" <sup>6</sup>	17.5"	17.5"	17.5" <sup>6</sup>
	18"	18"	18"	18"	18"	18"
	18.5"	18.5"	18.5"	18.5"	18.5"	18.5"
	19"	19"	19"	19"	19"	19"
	19.5"	19.5"	19.5"	19.5"	19.5"	19.5"
20"	20"	20"	20"	20"	20" <sup>2</sup>	

- <sup>1</sup> Available only with Full Poly tire
- <sup>2</sup> Not available with Full Poly tire
- <sup>3</sup> Not available with Vent and Battery Tray combination
- <sup>4</sup> Seat heights higher than 16.5" with 16" wheel size not available with Vent and Battery Tray combination
- <sup>5</sup> Not available with Drum Brake
- <sup>6</sup> Not available with Drum Brake in combination with Pneumatic tires

A1 = Client's Responsibility  
 A2 = Clinical Justification



Phone (800) 981-1540 | Fax (715) 254-0996  
 sales@kimobility.com | www.kimobility.com



## Casters and Rear Wheels

### One Arm Drive

One Arm Drive - Quick Release (W105) \$1495  
*Available only with 24" Spoke wheels. Spoke wheel style is exclusive to OAD.  
 Not available with Vent Tray, Battery Box Holder, Self Propel Axle Plate or  
 Angle Adjustable Locking Extendable Flip Up. Standard Handrim will be  
 Aluminum Anodized. Axle is Quick Release.*

Left Side Drive N/C  
 Right Side Drive N/C  
 Aluminum Drive Handrim N/C  
 Poly Coated Drive Handrim \$200

### Casters

		Caster Size				
		Price	5"	6"	7"	8"
Caster Type	1" Poly	N/C				
	1" Poly Aluminum (A1)	\$138				
	1" Pneumatic	\$200				
	1.5" Poly	\$90				
	1.5" Soft Roll Aluminum (A1)	\$153				
	2" Poly	\$109				
	2" Pneumatic w/Foam Insert (A1)	\$315				

### Axle

*No selection needed with One Arm Drive or Drum Brake*

Fixed N/C  
 Quick Release N/C

### Self Propel Axle Plate

Self Propel Axle Plate (A1) \$165  
*Not available with Vent Tray or 12" or 16" wheel sizes*

## Wheel Locks

### Wheel locks

Push to Lock N/C  
 Pull to Lock N/C  
*Not available with 12" or 16" Full Poly tires*  
 Attendant Foot Lock \$95  
 Combination Attendant Foot Lock \$190  
*Available only with 12" or 16" wheel sizes. Includes Extension Handles. Push  
 to Lock only.*  
 Drum Brake (A1) \$800  
*Available only with 12" Mag, 16" Mag, or Spoke wheels. Not available with  
 16" Low Poly tire, Reclining Backrest, One Arm Drive or Self Propel Axle Plate.  
 Axle is Quick Release.*  
 Dual - Drum Brake with Push to Lock (A1) \$945  
*Available only with 12" Mag, 16" Mag, or Spoke wheels. Not available with  
 16" Low Poly tire, Reclining Backrest, One Arm Drive or Self Propel Axle Plate.  
 Axle is Quick Release.*  
 Dual - Drum Brake with Pull to Lock (A1) \$945  
*Available only with 12" Mag, 16" Mag, or Spoke wheels. Not available with  
 16" Low Poly tire, Reclining Backrest, One Arm Drive or Self Propel Axle Plate.  
 Axle is Quick Release.*  
 Omit Wheel Locks N/C

### Rear Wheel

*No selection needed with One Arm Drive*

		Rear Wheel Size				
		Price	12"	16"	20"	22"
Rear Wheel Type	Mag	N/C				
	Spoke	N/C				

### Rear Tire Type

Full Poly N/C  
 Pneumatic N/C  
 Pneumatic with Airless Insert 1 3/8" (A1) \$200  
 Low Poly N/C  
*Available only with 16" wheel size*

### Handrims

*Handrims not available on 12" or 16" wheel sizes*

#### Standard Handrims

Aluminum Anodized N/C  
 Plastic Coated \$151  
 Projection (8 Vertical Projections) (A2) \$325  
*Available only with full profile tires in combination with 24" Spoke wheels, or  
 22" and 24" Mag wheels. Not available with One Arm Drive.*  
 Omit Handrim N/C

### Handrim Options

*Not available on Plastic Coated or Projection Handrims*

3M Micro Grip \$81

A1 = Client's Responsibility  
 A2 = Clinical Justification



Phone (800) 981-1540 | Fax (715) 254-0996  
sales@kimobility.com | www.kimobility.com



## Armrests

Armrest Type	Length	Price
Height Adjustable T-Arm Tall (11.5"-15")	Desk	\$400
	Full	
Height Adjustable T-Arm (8.5"-13.5")	Desk	\$400
	Full	
Height Adjustable T-Arm Low (6.5"-10.5") <sup>1</sup>	Desk	\$400
	Full	

<sup>1</sup> If requested configuration is unavailable, Standard Height T-Arm will be used. Not available with 14" seat depth and Offset Hangers"

<sup>2</sup> Not available with IV Pole

<sup>3</sup> Not available with Dynamic Back

<sup>4</sup> Minimum armrest height with Reclining Backrest is 12"

Armrest Type	Length	Price
Height Adj. Dual Post Flip Back (9.5"-14.5") <sup>2</sup>	Desk	\$354
	Full	
Angle Adjustable Locking Extendable Flip Up <sup>3,4</sup>	Desk	\$333
	Full	
Omit Armrests		N/C

## Arm Pads

Standard Arm Pad	N/C
Waterfall Arm Pad (A1)	\$35
<i>Not available with Angle Adjustable Locking Extendable Flip Up Armrests</i>	
Foam Grip	N/C
<i>Available only with Angle Adjustable Locking Extendable Flip Up Armrest</i>	

## Accessories

### Removable Side Guard

Composite Side Guards	\$175
<i>Not available with T-Arm or Dual Post Flip Back Armrests</i>	

### Anti-Tip

Rear Anti-Tips	\$138
<i>Required with Reclining Backrest or Vent Tray</i>	
Omit	N/C

### Pelvic Positioning Belt

1 1/2" Auto Buckle	\$22
1 1/2" Padded Auto Buckle	\$185
2" Airline Buckle	\$150
Small Flex-Mount Positioning Belt (16-24")	\$219
Medium Flex-Mount Positioning Belt (19-29")	\$219
Large Flex-Mount Positioning Belt (25-37")	\$219

### Belt Mounting Kit

Ki Mobility Belt Mounting Brackets	\$63
Belt Mounting Band Clamp	\$25

### O2 Holder

O2 Holder (W110)	\$365
<i>Not available with Reclining Backrest or Dynamic Back</i>	

### Other Accessories

Tool Kit (A1)	\$60
Removable Underseat Pouch (A1)	\$75
Ki Mobility Backpack (A1)	\$90
Black Neoprene Impact Guards (A1)	\$102
Tilt Stop (Pair) (A1)	\$40
<i>Included with Offset Hanger</i>	
IV Pole (A1)	\$188
Canopy with Hardware (A1)	\$335
<i>Not available on frame widths greater than 18"</i>	

## Frame Color

Black	N/C
Iridescent Navy	N/C
Blue Steel	N/C

A1 = Client's Responsibility

A2 = Clinical Justification



Phone (800) 981-1540 | Fax (715) 254-0996  
 sales@kimobility.com | www.kimobility.com



## Axiom SP Visco - Skin Protection & Positioning Cushion

Weight capacity: 350 lbs

		Width								
		14"	15"	16"	17"	18"	19"	20"	21"	22"
	Retail	\$625	\$625	\$625	\$625	\$625	\$625	\$625	\$780	\$780
Depth	14"	XSP1414V	XSP1514V	XSP1614V						
	15"	XSP1415V	XSP1515V	XSP1615V	XSP1715V	XSP1815V				
	16"	XSP1416V	XSP1516V	XSP1616V	XSP1716V	XSP1816V	XSP1916V	XSP2016V		XSP2216V
	17"	XSP1417V	XSP1517V	XSP1617V	XSP1717V	XSP1817V	XSP1917V	XSP2017V		XSP2217V
	18"	XSP1418V	XSP1518V	XSP1618V	XSP1718V	XSP1818V	XSP1918V	XSP2018V	XSP2118V	XSP2218V
	19"	XSP1419V	XSP1519V	XSP1619V	XSP1719V	XSP1819V	XSP1919V	XSP2019V	XSP2119V	XSP2219V
	20"	XSP1420V	XSP1520V	XSP1620V	XSP1720V	XSP1820V	XSP1920V	XSP2020V	XSP2120V	XSP2220V
	21"		XSP1521V	XSP1621V	XSP1721V	XSP1821V	XSP1921V	XSP2021V	XSP2121V	XSP2221V
	22"		XSP1522V	XSP1622V	XSP1722V	XSP1822V	XSP1922V	XSP2022V	XSP2122V	XSP2222V

## Axiom SP Visco Extra Covers

Extra Outer Cover \_\_\_\_\_ \$150

Extra Inner Cover \_\_\_\_\_ \$150

## Star Standard Air Cushions

### Star Standard Air Cushion (4" Tall Cells)

		Width									
		13.5"		15.5"		17.25"		19.25"		21"	
		Cushion w/ Std	Extra Incontinent Cover	Cushion w/ Std	Extra Incontinent Cover	Cushion w/ Std	Extra Incontinent Cover	Cushion w/ Std	Extra Incontinent Cover	Cushion w/ Std	Extra Incontinent Cover
	Retail	\$780	\$135	\$780	\$135	\$780	\$135	\$780	\$135	\$780	\$135
Depth	13.5"										
	15.5"										
	17.25"										
	19.25"										
	21"										

## Star Stabil-Air Cushions

### Star Stabil-Air Cushion (4" Tall Cells)

		Width									
		13.5"		15.5"		17.25"		19.25"		21"	
		Cushion w/ Covers	Extra Incontinent Cover	Cushion w/ Covers	Extra Incontinent Cover	Cushion w/ Covers	Extra Incontinent Cover	Cushion w/ Covers	Extra Incontinent Cover	Cushion w/ Covers	Extra Incontinent Cover
	Retail	\$825	\$135	\$825	\$135	\$825	\$135	\$825	\$135	\$825	\$135
Depth	13.5"										
	15.5"										
	17.25"										
	19.25"										
	21"										

### Stabil-Air Extra Standard Covers

4 Inch Extra Standard Cover \_\_\_\_\_ \$120





Phone (800) 981-1540 | Fax (715) 254-0996  
 sales@kimobility.com | www.kimobility.com

# AADL

## Axiom Backs

### Axiom Posterior Lateral Back (PL)

		Retail	Width		
			16"	18"	20"
Height	Mid	14"	AXPL1614	AXPL1814	AXPL2014
		16"	AXPL1616	AXPL1816	AXPL2016
		18"	AXPL1618	AXPL1818	AXPL2018
	Tall	20"	AXPL1620	AXPL1820	AXPL2020
		22"	AXPL1622	AXPL1822	AXPL2022

### Back Hardware

*FXT Hardware is not available with Lateral Support Options*

DEX Hardware    BTX Hardware    FXT Hardware \_\_\_\_\_ N/C

### Axiom Deep Lateral Back (DL)

*Does not include Lumbar Pad*

		Retail	Width		
			16"	18"	20"
Height	Mid	14"	AXDL1614	AXDL1814	AXDL2014
		16"	AXDL1616	AXDL1816	AXDL2016
		18"	AXDL1618	AXDL1818	AXDL2018
	Tall	20"	AXDL1620	AXDL1820	AXDL2020
		22"	AXDL1622	AXDL1822	AXDL2022

### Back Hardware

DEX Hardware    BTX Hardware    FXT Hardware \_\_\_\_\_ N/C

### Headrest

		Hardware		
		Multi Axis Removable Hardware with Horizontal Bar		
		HEDHDW201 / HEDHDW217		
Headrest Pad	Description	Item Code	Kio Code	Retail
	Comfort Plus Headrest 8"	CS08MA	CS08MA	\$514.29
	Comfort Plus Headrest 10"	CS10MA	CS10MA	\$514.29
	Comfort Plus Headrest 14"	CS14MA	CS14MA	\$514.29

*Not required for Axiom Headrests*



Phone (800) 981-1540 | Fax (715) 254-0996  
sales@kimobility.com | www.kimobility.com

# AADL

## Axiom Back Modifications

*Extended lead times will apply for all modifications. Makes back non-refundable.*

### Gloss Finish

*If no selection is made, standard Shadow Black will be used with no additional lead time*

Opalescent Violet	N/C
Radiant Orange	N/C
Electric Green	N/C
Glacier Blue	N/C
Dark Pink	N/C
Light Pink	N/C
Rich Teal	N/C
Purple Plum	N/C
Black	N/C
Candy Blue	N/C
Candy Purple	N/C
Candy Red	N/C
Granny Smith	N/C
Metallic Orange	N/C
Yellow	N/C

### Matte Finish

*If no selection is made, standard Shadow Black will be used with no additional lead time*

Bright Red	N/C
White	N/C
Dry Earth Tan	N/C
Tactical Green	N/C
Charcoal Gray	N/C
Iridescent Burgundy	N/C
Iridescent Navy	N/C
Royal Blue	N/C

### Metallic Finish

*If no selection is made, standard Shadow Black will be used with no additional lead time*

Blue Steel	N/C
------------	-----