Saint-Roch-de-l'Achigan, QC, Canada JOK 3H0 T.+1-866-650-6555 F. +1-888-966-6555 guotes@motioncomposites.com

ηστιση

orders@motioncomposites.com www.motioncomposites.com



\$95

ORDER FORM - AADL #W114, W114HD, W114P

1- Purchasing information							
P.O. number:*		Date:					
Company Name: *							
Purchasing contact:*							
Phone:*							
Email:*							
Contact preference:*	Phone	Email					
Marked for:							
	2- Dealer/Representative information						
Dealer/Representative:*							
Phone:*							
Email.*							

5711- 104 St, Edmonton AB. T6H 2K1 P: 780-437-3300 • Fax: 780-430-9381 AADL Vendor: 0000612578-001 www.medmobility.ca • www.mmrehab.ca

Discount is 7%

Contact preference			
* Required	MA080 English Manual (STD)	MA081 Manuel Français	Taxes not included
MODEL			
WC01	Ultralight MOVE wheelchair aluminum. (265 lb weight capacity)		\$1,425
WC09	Heavy duty kit (350 lb weight capacity) 5		\$825
	Frame		
SEAT WIDTH 3,5			
sw	14" 15" 16" 17" 18		NC
300	19" ¹ 20" ¹ 21" ² 22" ²		\$315
SEAT DEPTH ⁶			
SD	16" 17" 18"		NC
	20"		\$235
TRANSIT TIE DOV	/N		
AC04	Transit Tie Down (Unoccupied)		NC
AC05-S	WC-19 Transit Tie Down w/Q'straint belt ⁴ Short belt 20"-41"	Client cost	\$365
AC05-L	WC-19 Transit Tie Down w/Q'straint belt ⁴ Long belt 20"-46"	Client cost	\$365
AC35	WC-19 Transit Tie Down without belt ⁴	Client cost	\$345
1- Available with HD o	pption; 2- Only available with HD option <u>3. Width calculator</u> 4- May interfere with swing away armrest and Clamp on height adjustable	push handle; Not available with HD opti	on

5 - Seat width of 20" to 22" are no charge with HD option; 6 -Seat depth of 20" is no charge with HD option

PACKAGES

Vision Package Kit: Orange accent added to point of contact accessories including: footrest latches, "T" and "U" armrest button cap, 6" Push to lock extension and rubber inserts on Newton composite angle adjustable footplates ¹

1- Please select footplates, footrest, armrest, push to lock wheel lock and the extensions in the appropriate sections; Recommended with black chair; See picture of the product on page 5.

Move FRONT Seat-to-floor Height - Please select your choice

			4" caster			5" caster			6" caster			7" caster			8" caster	
		Ste	em bolt ler	igth	Ste	m bolt len	ngth	Ste	m bolt len	gth	Ste	m bolt len	gth	Ste	m bolt len	gth
Fork/Pos	ition	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"	STD	+1"	+2"
4"	P1	12 1/2"	13 1/2"	14 1/2"												
-	P2	13"	14"	15"	13 1/2"	14 1/2"	15 1/2"									
	P1															
5"	P2	13"	14"	15"	13 1/2"	14 1/2"	15 1/2"									
э	Р3	13 1/2"	14 1/2"	15_1/2"	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"						
	P4	14"	15"	16"	14 1/2"	15 1/2"	16 1/2"	15"	16"	17"	15 1/2"	16 1/2"	17 1/2"			
	P1							15 1/2"	16 1/2"	17 1/2"	16"	17"	18"			
	P2				15 1/2"	16 1/2"	17 1/2"	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"			
7"	Р3				16"	17"	18"	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"
_	P4	16"	17"	18"	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"
	P5	16 1/2"	17 1/2"	18 1/2"	17"	18"	19"	17 1/2"	18 1/2"	19 1/2"	18"	19"	20"	18 1/2"	19 1/2"	20 1/2"

Height available +- 1/4" (see stem bolt and fork combination at the end of the order form)

CASTERS									Available			
CA01-04 to		Composite wheel w/ PU tire (1")							4", 5", 6", 7", 8"			NC
CA01-08		composite wheel w/ 10 the (1)							.,,,,,,,,,,,,			
CA10 to		Pneumatic casters (1 ¼")							6", 8"			\$170
CA11		Pheumatic casters (1 1/4)							0,8			Ş170
CA14 to		Newton UltraCaster Composite (1 ½	")						4", 5", 6"			\$105
CA16		Newton onracaster composite (1 2)						4,5,0			\$105
CA17 to		Newton UltraCaster Aluminum (1 ½	n,						4", 5", 6"	A1	*	\$198
CA19		Newton Oltracaster Aluminum (1 2)						4,5,0	AI		\$158
							*	A1 is clie	ents' responsibility for	r costs/A2 re	equires cli	nical justification
	Move REAR Seat-to-floor Height - Please circle your choice											
		20" (451)	22" (501)		24" (540)		25" (559)		26" (590)			
		12"	13"		14"		14 1/2"		15"			

=== (-15=)	== (501)	= (310)	20 (000)	20 (000)					
12"	13"	14"	14 1/2"	15"					
13"	14"	15"	15 1/2"	16"					
14"	15"	16"	16 1/2"	17"					
15"	16"	17"	17 1/2"	18"					
16"	17"	18"	18 1/2"	19"					
17"	18"	19"	19 1/2"	20"					
Note: Tire size, center of gravity setting and seat slope may result in a variation of +/- %" of selected seat to floor height"									

		Footrest		
SWING-AWA	Y FOO1	REST		
FR01-01		60° swing away footrest 13.5 - 17.5"	Set at:*	\$270
FR01-02		60° swing away footrest 15.5 - 19.5"	Set at:*	\$270
FR01-03		60° swing away footrest 17 - 21"	Set at:*	\$270
FR02-01		70° swing away footrest 13.5 - 17.5"	Set at:*	\$270
FR02-02		70° swing away footrest 15.5 - 19.5"	Set at:*	\$270
FR02-03	П	70° swing away footrest 17 - 21"	Set at:*	\$270
FOOTREST O	PTIONS		Set at.	
FR09		High mount (footplate attached to the hanger with clamps) 5" - 13.5"	Set at:*	\$105
FR10		Elevating legrest with calf pad, Length adjustable ¹ Left Right 14" - 22"	Set at:	\$395
FR99	П	Omit Footrest		NC
		replace the footrest side selected; Not available with high mount	* +/- 1/2"	
FOOTPLATES				
FP01		Standard - Composite		STD
FP02	Ц	Newton adjustable angle - Composite		V107 \$155
FP03		Newton adjustable angle - Aluminum		N107 \$175
FOOTPLATE A	ACCESS			626
FP08	<u> </u>	Length adjustable heel loop		\$26
FP09	\mathbf{H}	Calf strap		
FP30		Bodypoint Aeromesh Padded calf strap	basic seating benefit	\$140
	Y RESID	UAL LIMB SUPPORT		
FR27	Ц	Residual limb support - flat 6"x8"		\$505
FR28	Ц	Residual limb support - flat 8"x10"		\$505
FR29	Ц.	Residual limb support - flat 10"x10"		\$505
FR30		Residual limb support - flat 10"x14"		\$505
FR32		Residual limb support - contour 6"x8"		\$505
FR33		Residual limb support - contour 8"x10"		\$505
	DACK	Backrest		
BC01-16	BACK	ANES WITH INTEGRATED PUSH HANDLE 8° bend aluminum back cane 16"		NC
BC01-10 BC01-18	H	8° bend aluminum back cane 18"		NC
BC01-18 BC01-20	H	8° bend aluminum back cane 20"		NC
BC01-20 BC59	H	8' bend aluminum back cane 20' 8' bend aluminum back cane 21" - 24" increment of 1"	Set at ² :	\$100
		BACK WITH INTEGRATED PUSH HANDLE	Set at .	\$100
BC02-16		8° bend aluminum back cane 16"		\$209
BC02-18	Ħ	8° bend aluminum back cane 18"		\$209
BC02-20	F	8° bend aluminum back cane 20"		\$209
	Select b	ack cane angle: 90° 95° STD 100° 105°	110°	
PH04	Π	Stroller handle (not available with the HD option)		A1* \$220
PH03	П	Newton folding stabilizer bar (not available with stroller handle)		\$275
		tabilizer bar can't be combined 2- If not indicated, will be at the lowest position		
BACK UPHOL	STERY			
BH05	Ц	Slip-on Nylon back upholstery		NC
BH06	H	Adjustable tension Nylon back upholstery	Basic seating benefit	\$260
BH99		Omit back upholstery		STD
SEAT CUSHIC	ONS			4.00
0.00	1 1	2" Cushion	Basic seating benefit	\$185
SC01	⊢⊢			6305
SC01 SC02 SC99		3" Cushion Omit seat cushion	Basic seating benefit	\$205 NC

	Rear wheels			
ONE ARM DRIV	IC ¹ Only available with Newton One rear wheels, permanent axles, 0° camber			
HR22	One arm drive - aluminum inner handrim ² 24" Left Right		W104	\$1,480
HR60	One arm drive - plastic coated inner handrim ² 24" Left Right		W104	\$1,595
HR98	Omit handrim on opposite side of the One Arm Drive (OAD)			NC
EAR WHEELS		Available		
RW01	Mag ³	20", 22" 24"		NC
RW02	Newton One - spoke wheel ⁴	20", 22" 24"		NC
RW03	Newton Gravity - ultralight wheel	20", 22", 24", 25", 26"	A1*	\$390
IRES		Available		
	AIRLESS			
TI01	Soft Urethane 1 3/8" - Low Tread, black	20", 22" 24"		STD
TI02	Soft Urethane 1 3/8 " - Medium Tread, black ⁵	22", 24", 25", 26"	A1*	\$140
ті04	Soft Urethane 1" - No tread, black - Shox	22", 24", 25", 26"	A1*	\$165
TI08	Pneumatic Airless insert 1 3/8" - Medium Tread	22", 24", 26"	A1*	\$225
	PNEUMATIC			
ті05	Pneumatic 1 3/8" - Medium Tread	20", 22", 24", 25", 26"		\$140
ті06	Pneumatic HP 1" - Low Tread, Puncture resistant, black - SpeedLite	20", 22", 24", 25", 26"		\$160
	Theunation I - Low fread, functore resistant, black - Speedine			

3- Not compatible with HP tires; Only available with aluminum or plastic coated handrim in standard position; 4- Not compatible with Shox tires; 5 - The 22" is only available with Mags and Newton One rear wheels

	Handrims									
HANDRIM			Available							
HR01		Aluminum anodized	20", 22", 24", 25", 26"		STD					
HR61		Aluminum black hard anodized ²	20", 22", 24", 25"		\$85					
HR02		Plastic coated ¹	20", 22", 24", 25", 26"		\$170					
HR03		High friction coated ^{1,2,3}	22", 24", 25", 26"	A1*	\$460					
HR07-HR18 and HR65-HR71		Newton Air Grip ² See page 5 for the color selection and price	20", 22", 24", 25", 26"							
HR28		Surge ^{1,2,3} (1 1/2" Oval handrim w/ Gripton high friction strip)	22", 24", 25", 26"	A1*	\$485					
HR05		Surge LT ^{1,2,3} (1 1/8" Oval handrim w/ Gripton high friction strip)	22", 24", 25", 26"	A1*	\$515					
HR04		Natural Fit ^{1,2,3}	22", 24", 25", 26"	A1*	\$320					
HR62		Simi H ^{1,2,3} (1 3/8" Oval handrim with high friction strip)	22", 24", 25", 26"	A1*	\$485					
HR63		Nova H ^{1,2,3} (1 1/4" Oval handrim with high friction strip)	22", 24", 25", 26"	A1*	\$515					
HR64		Optimum H ^{1,2,3} (1 1/8" heart-shaped handrim)	22", 24", 25", 26"	A1*	\$320					
HR99		Omit handrim			NC					

1- Only standard and narrow handrim position. By default, the tab won't be cut with the narrow position; 2- Not available with Mag wheels; 3 - Not available with one arm drive;

	Handrims option								
ASSEMBLY	POSITIO	N							
HR29		Standard Handrim position	Full tab			STD			
HR030		Narrow Handrim position no cut	Full tab			NC			
HR30		Narrow Handrim position with cut ³	Short tab 2 positions			\$29			
HR31		Super Narrow Handrim ³	Short tab 2 positions STD Short tab 1 position			\$29			
THUMB PIE	ECE SELE	CTION FOR NATURAL FIT, SURGE, SURGE L	T HANDRIMS						
HR23		Standard grip			A1*	\$200			
HR27		Super grip			A1*	\$230			
HR099		Omit thumb piece				NC			
3- Only ava	ilable with	Aluminum and Air Grip handrims;							
AXLES (0° c	camber) ¹								
AX01		Quick release axle				STD			
AX02		Permanent axle				NC			
AX03		Quad release axle			A2*	\$180			
AXLE PLAT	E								
AX04		Amputee adjustable axle plate ²			A2*	\$275			

1- Not required with one arm drive; 2 - May interfere with swing away armrest and limit seat to floor height; Not available with WC-19 transit tie down

*A1 is clients' responsibility for costs/A2 requires clinical justification CENTER OF GRAVITY 0 Choose position of rear wheel axle plate: Measure distance from front of back post to center of axle receiver. 00 0 0]@ Default setting is at 3/4" 0 Most stable Most res AMPUTEE 1 3/4" 1- Only available with amputee axle plate С С 00000

WHEEL LOCKS					
WL08	Newton Wheel lock - push to lock				STD
WL16	Aluminum push to lock with extensions				\$73
WL02	Pull to lock				NC
WL04	Newton grade aid push to lock (works best with pneumatic	c or high pressure tire)		A2*	\$185
WL13 WL14	6" removable extension handle 1				\$73
WL06	Attendant Lock (additional set of wheel lock mounted to the	back)		A1*	\$240
WL15	Unilateral wheel lock - pull to lock ² Left	Right		A1*	\$335
WL99	Omit wheel locks				NC
2- For more infor	with Newton push to lock (WL08), pull to lock (WL02) and Newton Gra mation about incompatibilties and restriction, refer to the table at pag tioncomposites.com/en_ca/support-and-education/how-to-documen	e 7 and the "How-to d			
		Arm	rests		
HEIGHT ADJUS	TABLE FLIP BACK ARMREST (Convertible to "T" armrest)				1
AR01-812	10" Desk length armpad 8" - 12"	Locked	Unlocked STD		\$395
AR01-1014	10" Desk length armpad 10" - 14"	Locked	Unlocked STD		\$395
AR02-812	14" Full length armpad 8" - 12"	Locked	Unlocked STD		\$395
AR02-1014	14" Full length armpad 10" - 14"	Locked	Unlocked STD		\$395
HEIGHT ADJUS	TABLE "T" ARMREST ¹				
AR13-610	10" Desk length armpad ⁴ 6" - 10"				\$380
AR03-812	10" Desk length armpad 8" - 12"				\$380
AR03-1014	10" Desk length armpad 10" - 14"				\$380
AR14-610	14" Full length armpad ⁴ 6" - 10"				\$380
AR04-812	14" Full length armpad 8" - 12"				\$380
AR04-1014	14" Full length armpad 10" - 14"				\$380


AR04-812		14" Full length armpad 8" - 12"			\$380			
R04-1014		14" Full length armpad 10" - 14"			\$380			
ARMREST C	RMREST OPTIONS							
AR12		14" Full Length armpad - Gel Ovation (pair) ³			\$160			
AR99		Omit armrest			NC			

1- May have 1/2" adjust. restriction on both limits of the range; 2- Not available with attendant lock; 3- Only available with full length armrest; Not available with swing away and desk lenght armrests 4- May have restriction with seat-to-floor height and rear wheel


POSITIONING BELTS SB01-S Velcro adjustable - Small 35" 1 asic seatina benefit \$50 SB01-L \$50 Velcro adjustable - Long 60" Basic seating benefit SB02-S \$60 Auto buckle - Small 35" 1 Basic seating benefit SB02-L \$60 Auto buckle - Long 60" Basic seating benefit \$95 SB04-M BodyPoint Hip Belt - 2 point not padded - Medium 56" Basic seating benefit \$95 SB04-L BodyPoint Hip Belt - 2 point not padded - Long 61" Basic seating benefit \$185 SB05-S BodyPoint Hip Belt - 2 point padded - Small 51" Basic seating benefit \$185 SB05-M BodyPoint Hip Belt - 2 point padded - Medium 56" Basic seating benefit \$185 SB05-L BodyPoint Hip Belt - 2 point padded - Long 61" Basic seating benefit \$210 SB06-S BodyPoint Hip Belt - 4 point padded - Small 51" Basic seating benefit \$210 SB06-M BodyPoint Hip Belt - 4 point padded - Medium 56" Basic seating benefit \$210 SB06-L BodyPoint Hip Belt - 4 point padded - Long 61" Basic seating benefit SB03 Hardware attachment for 2 extra points (1 pair) Basic seating benefit \$15 SB08-M BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Medium 18" Basic seating benefit \$355 SB08-L BodyPoint EVOFLEX® Positioning Belt Rehab latch and Band Clamps - Long 24" Basic seating benefit \$355 SB99 Omit positioning belt STD 1- Not recommended for seat width of 18" and more HEADREST AC01-S П Profiled Headrest - Small (3.5"X6") basic seating benefit \$215 \$215 AC01-M Profiled Headrest - Medium (4.5"X7") Basic seating benefit \$215 Profiled Headrest - Large (5.5"X8") AC01-L Basic seating benefit П Headrest mounting hardware with removable non folding stabilizer bar ¹ \$360 AC28 Basic seatina benefit 1- Not available with a stroller handle or a folding stabilizer bar ACCESSORIES

AC03		Anti-tippers	\$120				
AC29		Swing-away anti-tipper ¹ Left Right	\$185				
AC27		Tip assist ²	\$65				
AC06		Cane and crutch holder Left Right	\$115				
AC07		Oxygen tank holder ⁴ - D and E Type - Installed to the left	\$398				
AC08		Spoke guards ³ Available: 20", 22", 24", 26"	\$155				
AC09		Footrest neoprene impact guard (poir) - Black	\$85				
AC10		Seat pouch Seat Pouch	\$100				
AC30		Newton multi-purpose pouch	\$75				
AC26		BodyPoint Mobility Bag	\$145				
AC23		Newton Backpack	\$130				
AC12		Velcro Closing Strap	\$55				
AC13		Tool kit	\$55				
AC16		Motion Composites Polo Shirt W/S W/M W/L	\$36				
ACIU			530				
1- Must select the pair (left and right) with HD option; Only available with rear seat to floor height between 13 1/2" and 19 3/4" 2- Cannot be combined with Anti Tippers							

3- Not available with Mag wheels and Spinergy; 4- Not compatible with swing away armrest, amputee axle plate and WC-19 transit tie-down



2- with black crossbrace;



Unilateral wheel lock restrictions

Seat depth: shall be 16 in and greater		
Rear wheel: shall be 24 in and less		
"T" or flip-back armrest only compatible with 0° Camber		
One arm drive: Not compatible with "T" or flip-back armrest		
"T" or flip-back armrest may require to move the rear wheels outwards		
Not compatible with wheel lock lever extension		
Rear wheel diameter	Seat depth (in)	COG Compatibility
		Range (in)
20 in	16+	2
22 in	16	0.75 to 2
	17+	0.75 to 2
24 in	16	0.75
	17	0.75 to 2
	18+	0.75 to 2

Notes :

