

Zippie Zone - AADL W118

<u> </u>	C Discount is 10%	0	EIR	Z1			
Date:				sı	JBMITTING FOR:	□ Quote □	Order
5711- 104 !	Dn&bility St, Edmonton AB. T6H 2K1 -3300 • Fax: 780-430-9381			POi Ship To Attention Address	o: n: s:		
AADL Vend	dor: 0000612578-001 nobility.ca • www.mmrehab.ca			Ship To Cit Ship To Phone	·	Prov: Fax: ()	PC:
Option #	Definition	Price	~	Option #		Definition	Price
		1. FRAME	STYLE				
	Frame w/ coating				Ename ····	o coating	
190FS38	Frame w/ seating Zippie Zone w/ seating	\$4,136		190FS40	Zippie Zone w/o		\$3,70
190FS39	Zippie Zone, Flared w/ seating (Increase of total frame length appx. 2" - 1" per side flare.)	\$4,136		190FS41	Zippie Zone, Fla	ared w/o seating frame length appx. 2" - 1" per	\$3,70
	seat ht. below 15" w/ inset frame)						
		3. FRAME	SEATUP				
	Frame Angle		L_			Side (Footrest)	
190FA8	80° Frame Angle	NC NC	 	190FF1 190FF2	0" 1" (N/A 8"-9" frame	width or with flared frame)	NC NC
		4. FRAME	WIDTH				
10014105	0.000		_	100)1//	400		NG
190W35 190W36	8" (N/A w/ 17"-18" depth) 9" (N/A w/ 17"-18" depth)	NC NC		190W4 190W5	13"		NC NC
1304430	10" (N/A w/ 17"-18" depth)	NC NC		190W6	15"		INC
190W1					16"		NC
190W1 190W2	11" (N/A w/ 17"-18" depth)	NC		190W7	10		
		NC NC	<u> </u>	190W7	10		
190W2	11" (N/A w/ 17"-18" depth) 12"		_	'	10		
190W2 190W3	11" (N/A w/ 17"-18" depth) 12" 5. additional caster/wheel clearance you can choose a different	NC SEAT DEPTH (I	FRAME D	EPTH) (i.e. shorter sling v	s longer frame to allow mo		NC
190W2 190W3 For a	11" (N/A w/ 17"-18" depth) 12" 5. dditional caster/wheel clearance you can choose a different 9" (Frame grows 10" - 12")	NC SEAT DEPTH (If frame length and s	FRAME D	EPTH) (i.e. shorter sling v: 190SD7	s longer frame to allow mo	rs 15" - 17")	NC
190W2 190W3 For a 190SD2 190SD3	11" (N/A w/ 17"-18" depth) 12" 5. additional caster/wheel clearance you can choose a different 9" (Frame grows 10" - 12") 10" (Frame grows 11" - 13")	NC SEAT DEPTH (I frame length and s NC NC	FRAME D	EPTH) (i.e. shorter sling v: 190SD7 190SD8	s longer frame to allow m 14" (Frame grow 15" (Frame grow	rs 15" - 17") rs 16" - 18")	NC NC
190W2 190W3 For a 190SD2 190SD3 190SD4	11" (N/A w/ 17"-18" depth) 12" 5. additional caster/wheel clearance you can choose a different 9" (Frame grows 10" - 12") 10" (Frame grows 11" - 13") 11" (Frame grows 12" - 14")	NC SEAT DEPTH (I frame length and s NC NC NC	FRAME D	(i.e. shorter sling v. 190SD7 190SD8 190SD9	s longer frame to allow me 14" (Frame grow 15" (Frame grow 16" (Frame grow	rs 15" - 17") rs 16" - 18") rs 17" - 18")	NC NC
190W2 190W3 For a 190SD2 190SD3	11" (N/A w/ 17"-18" depth) 12" 5. additional caster/wheel clearance you can choose a different 9" (Frame grows 10" - 12") 10" (Frame grows 11" - 13")	NC SEAT DEPTH (I frame length and s NC NC	FRAME D	EPTH) (i.e. shorter sling v: 190SD7 190SD8	s longer frame to allow m 14" (Frame grow 15" (Frame grow	rs 15" - 17") rs 16" - 18") rs 17" - 18") rs 18")	NC NC

	6. SLING DEPTH								
For additional caster/wheel clearance you can choose a different frame length and sling depth (i.e. shorter sling vs longer frame to allow more wheel/caster combos.)									
□ ¯	190GJ1	8" (Sling Grows 9"-10")	NC		190GJ6	13" (Sling Grows 14"-15")	NC		
o -	190GJ2	9" (Sling Grows 10"-11")	NC		190GJ7	14" (Sling Grows 15"-16")	NC		
o	190GJ3	10" (Sling Grows 11"-12")	NC		190GJ8	15" (Sling Grows 16"-17")	NC		
J _	190GJ4	11" (Sling Grows 12"-13")	NC		190GJ9	16" (Sling Grows 17"-18")	NC		
J _	190GJ5	12" (Sling Grows 13"-14")	NC		190GJ10	17" (Sling Grows 18")	NC		
		<u> </u>			190GJ11	18" (No Growth)	NC		

7. SEATING

Seating Systems						
190OP05	Ultra Seat Sling (Tension Adjustable)	NC				
1900P04	Omit Seat Sling	NC				

JAY Cushions (Optional)					
To ord	To order any JAY cushions on-chair, please see the JAY price list.				
Cushi	Cushion name or part number must be filled out with desired width and depth				
		JAY Bundled Cu	shion		
	190JC20	Cushion Name of	or Part #	Price List	
		Width (in.)	Depth (in.):		

8. BACKREST

	Backrest Type						
	190BT96	NC					
_	Backrest Upholstery						
Must	complete Section	<u> </u>					
	190BU1	Standard Upholstery (N/A with Fold Down Push Handles)	NC				
	190BU72	Omit Std. Upholstery (N/A with Fold Down Push Handles) (Default when choose w/o seating)	NC				
Must	Must complete Section B on next page						
	190BU70	Tension Adj. Ballistic Nylon 186BU70 (N/A with 8"-9" widths)	\$187				
	190BU73	Omit Tens. Adj. Ballistic Nylon	NC				

		JA	Y Backs (Optional)		
To order any JAY backs on-chair, please see the JAY Price Lst. Requires Part #					
		JAY Bundled Bad	krest		
	190JB02	Backrest Name o	r Part#	Price List	
		Width (in.)	Height (in.):		

	Backrest Handle Option (Stroller Handle)						
	8"-10" widths have a single stroller handle; omit push handle recommended. Receiver places						
hand	le outside std. 2"	extension and inside 4" ext. Double "D" tubing to eliminate rot	ation.				
	190A192	Telescoping Push Handles (19" from Seat)	\$298				
	190A195	Telescoping Push Handles - Tall (25" from seat to push handle)	\$298				

		(25 Irom seat to push handle)					
	Backrest Extension						
Stan	Standard Extension 2"						
	190OD20	Rear Backrest Extension Brackets (4" overall)	\$155				

	190PH2		1A: OMIT PUSH HANDLE OPTIONS	W/ STANDARD NC) UPI	HOLSTERY OR WI	IEN OM	TTING UHOLSTERY	
	1907112		Omit Push Handles Cho		set a	nd Back Height			
								140	440
	190OD7		0 inset (straight back tubes) 6"- 8" Back Height	NC NC	4	□ <u>190OD5</u>		1" inset (N/A 8"-9" widths) 11"- 13" Back Height	\$108 NC
		Setting	□ 6" □ 7" □ 8"	110			Setting	□ 11" □ 12" □ 13"	, inc
	п	Setting	9" - 13" Back Height	NC	R		Setting	14" - 16" Back Height	NC
	_	Octung	□ 9" □ 10" □ 11" □ 12"	□ 13"	l°	_	Octarig	□ 14" □ 15" □ 16"	
		Setting	13" - 17" Back Height	NC □ 17"			Setting	16" - 18" Back Height ☐ 16" ☐ 17" ☐ 18"	NC
		Setting	15" - 18" Back Height	NC NC	1				
	Ц	Selling	□ 15" □ 16" □ 17" □ 18"						
			2A: INTEGRAL	PUSH HANDLE	OP1	TIONS W/ STANDA	RD UPH	•	
	190PH6		Integral Push Handles	NC					
			Cho	oose 0 or 1" Ins	set a	nd Back Height			
	190OD7		0 inset (straight back tubes)	NC	1	□ 190OD5		1" inset (N/A 8"-9" widths)	\$108
' -			9"-10" Back Height	NC	1			12"- 14" Back Height	NC NC
	Ц	Setting	□ 9" □ 10" □		1	l	Setting	☐ 12" ☐ 13" ☐ 14"	
		Setting	11" - 15" Back Height	NC	OR	_	Setting	14" - 16" Back Height	NC
			□ 11" □ 12" □ 13" □ 14" □ 13" □ 14"	□ 15" NC	-			□ 14" □ 15" □ 16"	NC
		Setting		16"			Setting	□ 16" □ 17" □ 18"	INO
		Setting	15" - 18" Back Height	NC					
			SECTION B - 1					lon	
	190PH2		Omit Push Handles	NC	OPTI	IONS W/ TENSION	ADJ.		
					set a	nd Back Height			
		_							
	190OD7		0 inset (straight back tubes) 11"- 14" Back Height	NC NC	4	□ <u>190OD5</u>		1" inset (N/A 8"-11" widths) 11 "- 13" Back Height	\$108 NC
		Setting	□ 11" □ 12" □ 13" □ 14"		OR		Setting	□ 11" □ 12" □ 13"	,
		Setting	13" - 15" Back Height	NC	0		Setting	14" - 16" Back Height	NC
	_		□ 13" □ 14" □ 15" □ 15" □ 15" □	NC		_		□ 14" □ 15" □ 16"	NC
	П	Setting	☐ 15" ☐ 16" ☐ 17" ☐ 18"				Setting	□ 16" □ 17" □ 18"	·
			2B: INTEGRAI	_ PUSH HANDL	E OF	PTIONS W/ TENSIO	N ADJ.		
			Integral Push Handles	NC	-				
			Cho	oose 0 or 1" Ins	set aı	nd Back Height			
								Lan.	4400
	190OD7		9"-10" Back Height	NC NC	4	□ <u>190OD5</u>		1" inset (N/A 8"-11" widths) 12"- 14" Back Height	\$108 NC
		Setting	□ 9" □ 10"	NO			Setting	□ 12" □ 13" □ 14"	INC
		Setting	11" - 14" Back Height	NC	OR		Setting	14" - 16" Back Height	NC
			□ 11" □ 12" □ 13" □ 14" □ 13" □ 14"	NC	ľ			□ 14" □ 15" □ 16"	NC
		Setting	□ 13" □ 14" □ 15" □ 16"	NO	1		Setting	□ 16" □ 17" □ 18"	INC.
		Setting	15" - 18" Back Height ☐ 15" ☐ 16" ☐ 17" ☐ 18"	NC	1				
	190PH5		3B: FOLD DOW Fold Down Push Handles	N PUSH HAND \$102	LE O	OPTIONS W/ TENSI	ON ADJ		
	1001 110	1			_				
		,			set ar	nd Back Height		Line	
	190OD7		0 inset (straight back tubes) 11"-12" Back Height	NC NC	-	□ <u>190OD5</u>		1" inset (N/A 8"-11" widths) 15"- 17" Back Height	\$108 NC
		Setting	□ 11" □ 12"	110	~		Setting	□ 15" □ 16" □ 17"	110
		Setting	13" - 16" Back Height	NC	S R		Setting	17" - 18" Back Height	NC
			□ 13" □ 14" □ 15" □ 16" □ 15" - 18" Back Height	NC	1			□ 17" □ 18"	
		Settina			1				

SECTION A - Standard Upholstery

□ 6" □ 7"

□ 10" □ 11"

Padded Swing Away+3" - Std.

□ 9"

□ 13"

□ 12"

\$274

□ Setting

□ Setting

190AA128

□ 5"

□ 9"

□ 14"


Armrest - T-Post Foam (see armrest matrix below)						
190AA129	T-Post Foam xtra tall	\$274				
190AA130	T-Post Foam 2x tall	\$274				

	Arn	nrest - Height Adjustable (see armrest matrix belo	ow)				
	Comes with std. armrest receiver only - N/A with 8"-9" depths						
	190AA11	Single-Post Height Adj. Std. (N/A with 8"-11" depths)	\$334				
	190AM23	Desk Classic	NC				
	190AM21	Desk Contour	NC				
	190AM24	Full Classic	NC				
	190AM22	Full Contour	NC				
_	190AA29	Single-Post Height Adj. Low. (N/A with 8"-9" depths)	\$334				
	190AM23	Desk Classic	NC				
	190AM21	Desk Contour	NC				
	190AM24	Full Classic	NC				
	190AM22	Full Contour	NC				

Armrest Matrix for Single Post and T								
A 4	Town of an Table	CLASSIC F	CLASSIC PAD					
Armrest Size	Transfer Tube Length (D)	Height Bangs (H)	Pad Ler					
OIZC	Longin (D)	Height Range (H)	Desk	Full				
STD	8"	8" to 13"	10-1/4"	14"				
LOW	5-1/4"	5-1/4" 6-1/2" to 10-1/2"		17				
			•	•				

Armrest	Transfer Tube Length (D)	CONTOUR PAD		
Size		Height Range (H)	Pad Length (L)	
SIZE		neight Range (n)	Desk	Full

STD	8"	7-1/2" to 12-1/2"	10-1/2"	14-1/4"	
LOW	5-1/4"	6" to 10"	10-1/2	14-1/4	
	Armrest - T-Post Foam				
Arm	rest Size	Height Range (H)	Pad Ler	ngth (L)	
Xtra Tall		6" to 7"	7-1/2"		
2X Tall		7" to 8"	7-1	/2"	



Single Post

10. FOOTRESTS

Footrest					
190F228	Aluminum Tubular	NC			
190F273	Aluminum Tubular w/ Snap-On Cover	\$42			
190F50	Aluminum Platform (8" width is only available with high mount option)	\$150			
190F276	Angle Adj. Flip Back (N/A with 6" caster with an 8" width)	\$243			

Adaptive Platform Spacers						
N/A	with Aluminun	n Tubular. Now available with Angle Adj. Flip Back.				
190AD1		Adaptive Platform 2" Spacer	\$179			
190AD2		Adaptive Platform 4" Spacer	\$179			
190AD3		Adaptive Platform 6" Spacer	\$179			

Footrest Options (see matrix below)					
190DI08	High Mount Ext Tubes (N/A w/ tubular footrest; N/A w/ 16" wide flared frame) **	\$88			
190DI03	Leg Strap	\$60			
190DI04	Extra Leg Strap	\$82			
190DI05	Gel Hanger Cover	\$122			
190DI07	Neoprene Impact Guards	\$60			
190DI02	Wear Pads	\$47			

SEAT SLING TO FOOTREST DISTANCE (based on 1" Seat Angle)

*Seat to Footrest distances may be +/- 1" from data shown dep. on frame type.

** High mount can adj. full range to seat sling

Note: Flip back may interfere with sling at highest settings.

14.5" 3" 10.4" 11.4" 14.5" 4" 9.4" 10.9" 15.0" 3" 11.4" 12.4" 15.0" 4" 10.4" 11.9" 15.0" 5" 9.4" 11.4" 15.5" 3" 11.4" 12.4" 15.5" 4" 10.4" 11.9" 15.5" 5" 10.4" 12.4" 15.5" 6" 9.4" 11.9" 16.0" 3" 12.4" 13.4" 16.0" 4" 12.4" 13.4" 16.0" 5" 10.4" 12.4" 16.5" 3" 12.4" 13.4" 16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.9"	FSH Caster *Minimum *Maximum				
14.5" 4" 9.4" 10.9" 15.0" 3" 11.4" 12.4" 15.0" 4" 10.4" 11.9" 15.0" 5" 9.4" 11.4" 15.5" 3" 11.4" 12.4" 15.5" 4" 10.4" 11.9" 15.5" 5" 10.4" 12.4" 15.5" 6" 9.4" 11.9" 16.0" 3" 12.4" 13.4" 16.0" 4" 12.4" 13.9" 16.0" 5" 10.4" 12.9" 16.5" 3" 12.4" 13.4" 16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.9"	-				
15.0" 3" 11.4" 12.4" 15.0" 4" 10.4" 11.9" 15.0" 5" 9.4" 11.4" 15.5" 3" 11.4" 12.4" 15.5" 4" 10.4" 11.9" 15.5" 5" 10.4" 12.4" 15.5" 6" 9.4" 11.9" 16.0" 3" 12.4" 13.4" 16.0" 4" 12.4" 13.4" 16.0" 5" 10.4" 12.9" 16.5" 3" 12.4" 13.4" 16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.4"	-				
15.0" 4" 10.4" 11.9" 15.0" 5" 9.4" 11.4" 15.5" 3" 11.4" 12.4" 15.5" 4" 10.4" 11.9" 15.5" 5" 10.4" 12.4" 15.5" 6" 9.4" 11.9" 16.0" 3" 12.4" 13.4" 16.0" 4" 12.4" 13.9" 16.0" 5" 10.4" 12.4" 16.5" 3" 12.4" 13.4" 16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.4"	-				
15.0" 5" 9.4" 11.4" 15.5" 3" 11.4" 12.4" 15.5" 4" 10.4" 11.9" 15.5" 5" 10.4" 12.4" 15.5" 6" 9.4" 11.9" 16.0" 3" 12.4" 13.4" 16.0" 4" 12.4" 13.9" 16.0" 5" 10.4" 12.4" 16.5" 3" 12.4" 13.4" 16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.4"	-				
15.5" 3" 11.4" 12.4" 15.5" 4" 10.4" 11.9" 15.5" 5" 10.4" 12.4" 15.5" 6" 9.4" 11.9" 16.0" 3" 12.4" 13.4" 16.0" 4" 12.4" 13.9" 16.0" 5" 10.4" 12.4" 16.0" 6" 10.4" 12.9" 16.5" 3" 12.4" 13.4" 16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.4"	_				
15.5" 4" 10.4" 11.9" 15.5" 5" 10.4" 12.4" 15.5" 6" 9.4" 11.9" 16.0" 3" 12.4" 13.4" 16.0" 4" 12.4" 13.9" 16.0" 5" 10.4" 12.4" 16.0" 6" 10.4" 12.9" 16.5" 3" 12.4" 13.4" 16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.4"	_				
15.5" 5" 10.4" 12.4" 15.5" 6" 9.4" 11.9" 16.0" 3" 12.4" 13.4" 16.0" 4" 12.4" 13.9" 16.0" 5" 10.4" 12.4" 16.0" 6" 10.4" 12.9" 16.5" 3" 12.4" 13.4" 16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.4"	_				
15.5" 6" 9.4" 11.9" 16.0" 3" 12.4" 13.4" 16.0" 4" 12.4" 13.9" 16.0" 5" 10.4" 12.4" 16.0" 6" 10.4" 12.9" 16.5" 3" 12.4" 13.4" 16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.4"	_				
16.0" 3" 12.4" 13.4" 16.0" 4" 12.4" 13.9" 16.0" 5" 10.4" 12.4" 16.0" 6" 10.4" 12.9" 16.5" 3" 12.4" 13.4" 16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.4"					
16.0" 4" 12.4" 13.9" 16.0" 5" 10.4" 12.4" 16.0" 6" 10.4" 12.9" 16.5" 3" 12.4" 13.4" 16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.4"					
16.0" 5" 10.4" 12.4" 16.0" 6" 10.4" 12.9" 16.5" 3" 12.4" 13.4" 16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.4"		16.0"			
16.0" 6" 10.4" 12.9" 16.5" 3" 12.4" 13.4" 16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.4"		16.0"			
16.5" 3" 12.4" 13.4" 16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.4"		16.0"			
16.5" 4" 11.4" 12.9" 16.5" 5" 10.4" 12.4"		16.0"			
16.5" 5" 10.4" 12.4"		16.5"			
		16.5"			
		16.5"			
16.5" 6" 10.4" 12.9"		16.5"			
17.0° 3° 13.4° 14.4°		17.0"			
17.0° 4° 12.4° 13.9°					
17.0° 5° 11.4° 13.4°					
17.0° 6° 11.4° 13.9°		17.0"			
17.5° 3° 13.4° 14.4°		17.5"			
17.5° 4° 12.4° 13.9°		17.5"			
17.5° 5° 11.4° 13.4°		17.5"			
17.5° 6° 11.4° 13.9°					
18.0" 3" 14.4" 15.4"		18.0"			
18.0" 4" 13.4" 14.9"		18.0"			
18.0" 5" 12.4" 14.4"		18.0"			
18.0° 6° 11.4° 13.9°					
18.5" 3" 14.4" 15.4"					
18.5" 4" 14.4" 15.9"					
18.5" 5" 12.4" 14.4"					
18.5" 6" 12.4" 14.9"					
19.0" 3" 14.4" 15.4"					
19.0" 4" 14.4" 15.9"					
19.0" 5" 12.4" 14.4"					
19.0" 6" 12.4" 14.9"	+				

Not Available with 1" Inset

Rear Wheel Size	□ 3"	□ 4"	□ 5"	□ 6"
	□ 14.0"	□ 14.0"	N/A	
	□ 14.5"	□ 14.5"	N/A	N/A
	□ 15.0"	□ 15.0"	□ 15.0"	
	□ 15.5"	□ 15.5"	□ 15.5"	☐ 15.5"
	☐ 16.0"	□ 16.0"	□ 16.0"	□ 16.0"
20"	□ 16.5"	□ 16.5"	□ 16.5"	□ 16.5"
	□ 17.0"	□ 17.0"	□ 17.0"	□ 17.0"
	□ 17.5"	□ 17.5"	□ 17.5"	□ 17.5"
	□ 18.0"	□ 18.0"	□ 18.0"	□ 18.0"
	□ 18.5"	□ 18.5"	□ 18.5"	□ 18.5"
	□ 19.0"	□ 19.0"	□ 19.0"	□ 19.0"
	□ 15.5"	□ 15.5"	□ 15.5"	☐ 15.5"

□ 16.0"

□ 16.5"

□ 17.0"

□ 17.5"

□ 18.0"

□ 18.5"

□ 19.0"

□ 16.0"

□ 16.5"

□ 17.0"

□ 17.5"

□ 18.0"

□ 16.0"

□ 16.5"

□ 17.0"

□ 17.5"

□ 18.0"

□ 18.5"

□ 19.0"

□ 16.0"

□ 16.5"

□ 17.0"

□ 17.5"

□ 18.0"

□ 16.0"

□ 16.5"

□ 17.0"

□ 17.5"

□ 18.0"

□ 18.5"

□ 19.0"

□ 16.0"

□ 16.5"

□ 17.0"

□ 17.5"

□ 18.0"

□ 16.0"

□ 16.5"

□ 17.0"

□ 17.5"

□ 18.0"

□ 18.5"

□ 19.0"

□ 16.0"

□ 16.5"

□ 17.0"

□ 17.5"

□ 18.0"

22"

24"

Front Seat Height Matrix
Front Caster

FRONT SEAT HEIGHTS ARE SHOWN IN THE BOXES ABOVE.

DEPENDING ON CG SETTING, SEAT DEPTH, AND FRAME SIZE SOME
OF THE ABOVE SIZES MAY NOT BE AVAILABLE

11. CASTERS

Caster Wheel					
	190CW1	3" Micro	NC		
	190CW3	4" Low-Profile Polyurethane	NC		
	190CW31	4" Micro Light Up	\$108		
	190CW64	4" x 1.5" Aluminum Soft Roll	\$108		
	190CW5	5" Low-Profile Polyurethane	NC		
	190CW51	5" Micro Light Up	\$108		
_	190CW6	5" Soft Roll (Grey) (N/A with Frog Legs)	\$124		

190CW7	5"x1.5" Semi-Pneumatic	\$108
190CW66	5"x1.5" Aluminum Soft Roll	\$108
190CW34	6" Poly	NC
190CW35	6"x1.5" Semi-Pneumatic	\$108

Caster Forks and Suspension					
190CF65	Multiple Position	NC			
190CF69	Multi Position Single Sided	\$173			
190CF53	Frog Legs 0 - 100 lbs.	\$566			
190CF70	Frog Legs 101 - 165 lbs.	\$566			

12. AXLES AND WHEELS

Axle Plate				
190AL61	Adjustable (COG Adjustable -0.25" through 2.25" in 0.25" increments)	NC		

Center of Gravity Preset						
Dependent on wheels, casters & depth						
190CC21	-0.25"	NC				
190CC26	0.00" (Flush w/ backrest)	NC				
190CC22	0.25"	NC				
190CC16	0.50"	NC				
190CC23	0.75"	NC				
190CC20	1.00"	NC				
190CC24	1.25"	NC				
190CC15	1.50"	NC				
190CC25	1.75"	NC				
190CC17	2.00"	NC				
190CC27	2.25"	NC				

Camber							
190CI1	0°	NC					
190CI2	3°	NC					
190CI4	6° (N/A with Std Mag, 5 spk MAG Wheels and Hub locks or Side guard Hub locks)	NC					

Rear Seat Height							
Can not exceed 2.5" drop							
190RH13		14"	NC				
190RH14		14.5"	NC				
190RH15		15"	NC				
190RH16		15.5"	NC				
190RH17		16"	NC				
190RH18		16.5"	NC				
190RH19		17"	NC				
190RH26		17.5"	NC				
190RH20		18"	NC				
190RH27		18.5"	NC				
190RH21		19"	NC				

	Rear Seat Height Minimum										
Rear Wheel	14.0"	14.5"	15.0"	15.5"	16.0"	16.5"	17.0"	17.5"	18.0"	18.5"	19.0"
20"											
22"											
24"											

* With 22" & 24" rear wheels and KIK or HP Clinchers, you may get an additional 1/2" lower seat height in some scenarios.

	Rear Wheels	
190RW3	20" Mag	NC
190RW8	22" Mag	NC
190RW1	24" Mag	NC
190RW103	20" Mag Wheel 5 Spoke	NC
190RW104	22" Mag Wheel 5 Spoke	NC
190RW102	24" Mag Wheel 5 Spoke	NC
190RW74	20" Lite Spoke Wheel	NC
190RW75	22" Lite Spoke Wheel	NC
190RW76	24" Lite Spoke Wheel	NC
190RW06	22" Ultra lightweight Spoke Wheel 2.0	\$352
190RW10	24" Ultra Lightweight Spoke Wheel 2.0	\$352
190RW28	22" Spinergy SPOX Black Spokes	\$851
190RW95	24" Spinergy SPOX Black Spokes	\$851
190RW32	22" Spinergy LX Black Spokes	\$1,095
190RW98	24" Spinergy LX Black Spokes	\$1,095

	Rear Wheel Tire	
190RT3	Full Poly Tire	NC
190RT6	High Pressure Clincher	\$103
190RT38	SHOX Performance Poly	\$144
190RT27	Knobby V-TRAK by Kenda	\$119
190RT1	Pneumatic	NC
190RT2	Pneumatic Airless Insert	\$243
190RT21	Schwalbe Marathon Plus Evolution	\$155
190RT28	Schwalbe Speed	\$160
190RT4	Low Poly	NC

Wheel Tire	5 Spoke Mag	Mag	Lite Spoke	Ultra Light- w eight	Spinergy
Full Poly Tire	20",22",24"	20",22",24"	20",22"	N/A	N/A
High Pressure Clincher	N/A	N/A	22",24"	24"	22",24"
SHOX Performance Poly	20",22",24"	24"	24"		24"
Knobby V-TRAK	N/A	N/A	24"	N/A	24"
Pneumatic	20",22",24"	20",22",24"	20",22",24"	IN/A	22",24"
Pneumatic Airless Insert	20",22",24"	20",22",24"	20",22",24"		22",24"
Schwalbe Marathon Plus	N/A	N/A	24"	22",24"	22",24"
Schw albe Speed Run	N/A	N/A	24"	24"	22",24"
Low Poly	24"	20",22",24"	20",22",24"	N/A	N/A

12. AXLES AND WHEELS (Cont.)

22" Rear Wheels w/ 5" Casters & 3° or 6° of Camber 0" Frame Inset

Not available in 12" or less seat depths

- 13" Seat Depth
 Must have front seat to floor height at least 17" in the front and 15-1/2" in the rear.
 - You can increase STFs but must keep 1-1/2" dump.
 - If you change camber to 0° you can get away with 1" dump
 - You must choose COG setting of -1/4".

14" Seat Depth

- Able to get away with 1" seat dump with a minimum of 15-1/2" in the Rear and 16-1/2" in Front.
- Can have COG set as far forward as +1/4".

15" Seat Depth

- Able to get away with 1" seat dump with min of 15" Rear STF and 16" Front STF
- COG can be adjusted as far forward as 1".

22" Rear Wheels w/ 4" Casters, 3° or 6° of Camber, and 0" Frame Inset

Not available in 8" or 9" seat depths.

- 10" Seat Depth
- Must have at least a 15" Rear STF and 16" Front STF.
- COG setting must be -1/4".
- If you increase Rear STF to 15-1/2" and 16-1/2" Front STF you can move COG to 0".
- If you increase the dump to 1 ½" (15 R-STF and 16 1/2" F-STF) or change Camber to 0 degress you can increase COG to 1/4".
- 11" Seat Depth
- Same as 10" Seat Depth, just allows you to have COG setting a 1/4"
- 12" Seat Depth
- Must have at least 15" Rear STF and 15-1/2" Front STF.
- COG setting can be as far forward at 1/2".
- If you increase the dump to 1" instead of 1/2" you can increase COG as far forward as 1".

24" Rear Wheels w/ 4" Casters, 3° or 6° Camber, and 0" Frame Inset

Not available in 10" seat depths or less.

- 11" Seat Depth
- Must have at least a 16" Rear STF and 17" Front STF.
- COG setting can be 0" or -1/4".
- 12" Seat Depth
- Must have at least 16" Rear STF and 17" Front STF.
- COG setting can be as far forward as 1". (Camber must be 3 degrees)
- If camber is 6° than COG can only be as far forward as 3/4"

Handrim

190HR1	Aluminum Anodized	NC
190HR4	Plastic Coated (N/A on Ultra)	\$144
190HR22	Natural Fit -Standard Grip (N/A on Ultra Lite, 20" Lite Spoke or 20" and 22" 5 spk MAG)	\$368
190HR23	Natural Fit - Super Grip (N/A on Ultra Lite, 20" Lite Spoke or 20" and 22" 5 spk MAG)	\$428
190HR30	Natural Fit LT - Standard Grip (N/A on Ultra Lite, 20" Lite Spoke or 20" and 22" 5 spk MAG)	\$513
190HR31	Natural Fit LT - Super Grip (N/A on Ultra Lite, 20" Lite Spoke or 20" and 22" 5 spk MAG)	\$583
190HR24	Spinergy Flex Rim (Only on 24" Spinergy LX)	\$691
190HR7	Omit Handrim (Only on Mag, 24 Spinergy)	NC
	Axle	
190AX1	Quick Release Steel	NC

	Hub Lock	
•	Only available with Lite Spokes; N/A with 6° camber	•
190LK03	Seat Frame Mount	\$155
	(Side Guard - See Below)	

Side Guard (N/A with Ht. Adj. Armrest or T-Post)						
	190SG33	Plastic Standard (N/A 8"-9" depth; N/A w/ low padded swing aways.)	\$185			
	190SG29	Plastic Low (N/A 8"-9" depth; N/A w/ Padded Swing Aways low setting 5&6)	\$185			
	190SG7	Aluminum Folding	\$422			

Aluminum Side Guard Color Option						
Only available with Aluminum Side Guard						
	190GE01		Black	NC		
	190GE02		Matching Frame - Std. Colors	NC		
	190GE03		Matching Frame - Personalized Color	\$72		

	Anti-Tip	
190AT1	Rear Anti-Tips (N/A w/ Dynamic Center Rear Caster)	\$119

Dynamic Center Rear Caster						
	1908A20		Dynamic Center Rear Caster (N/A w/ Rear Anti-Tips)	\$343		

Wheel Lock				
190WL1	High Mount Push	NC		
190WL2	High Mount Pull	NC		
190WL30	Compact	\$160		
190WL10	Omit Wheel Lock	NC		

Extension Handle			
	190EH1	6" Pair	\$72

13. ACCESSORIES

Back Pack (Kids Backpack included)				
	190A1	Utility Backpack - Black	\$110	
	190A2	Additional Kids Black Backpack	\$103	
	190A8	Black Seat Pouch	\$82	

Miscellaneous				
190A203	Crutch Holder	\$113		
190A83	Tool Kit	\$42		

Positioning Belt (w/ clamps)				
190A112	1" Dual Pull Side Squeeze Padded	\$130		
190A117	Belt 2" Aircraft Buckle	\$137		
190A118	Belt 2" Aircraft Buckle Padded	\$201		
190A141	Belt 1.5" Auto Buckle w/ clamps	\$96		
190A814	1" Comfort Fit APB5116	\$144		
190A120	Positioning Belt Side Clamp	\$60		

	Spoke Guard				
Not	Not available with 5 spoke MAG wheels				
	190A23	Black	\$155		
	190A303	Spoke Guards Clear Zippie (N/A with Spinergy)	\$155		

Upper Extremity Support Tray			
190A29	X-Sm (Suggested 10"-12" Width)	\$375	
190A30	Sm (Suggested 13"-14" Width)	\$375	
190A31	Med (Suggested 15"-17" Width)	\$375	
190A32	Lrg (Suggested 18"-20" Width)	\$375	

Сапору				
1908A06	Canopy (Sunshade) 10" - 17"	\$275		
1908A07	Canopy (Sunshade) 18" - 20"	\$275		

14. FRAME COLOR

Standard Colors			
190C140	Aztec Gold	NC	
190C118	Bead Blast	NC	
190C2	Black (N/A as base w/ Zebra)	NC	
190C141	Black Cherry	NC	
190C10	Black Opal	NC	
190C38	Blue Opal	NC	
190C36	Candy Blue	NC	
190C14	Candy Purple	NC	
190C35	Candy Red	NC	
190C142	Electric Blue	NC	
190C143	Evergreen	NC	
190C126	Glow	NC	
190C144	Green Apple	NC	
190C147	Hot Sparkle Pink	NC	
190C148	Mauve Pink	NC	
190C103	Rootbeer	NC	
190C114	Sparkle Silver	NC	
190C145	Sunrise Orange	NC	
190C113	Titanium Color Paint	NC	
190C8	Yellow	NC	

Standard Matte Colors				
190C116	Matte Black	NC		
190C151	Matte Black Cherry	NC		
190C152	Matte Purple	NC		
190C150	Matte Electric Blue	NC		
190C149	Matte Evergreen	NC		

Personalized Colors				
	190C43	Mossy Oak Camouflage	\$363	
	190C42	Stars and Stripes	\$363	
	190C108	Zebra (Choose base color above: White Std. N/A black)	\$363	

Anodized Color Package				
	Forks, Backrest Bracket, Rear Axle Sleeve; If Frog Legs are chosen, forks will be black			
	190EB07	Black	NC	
	190EB08	Blue	\$209	
	190EB13	Gold	\$209	
	190EB09	Green	\$209	
	190EB11	Red	\$209	
	190EB12	Ti Grey	\$209	

Additional Options Through Built-4-Me

To inquire about any unique personalization for Quickie products, contact: Phone: (800) 263-3390, email cscanada@sunmed.com

Commonly Requested Options Include:

- ✓ Aluminum Seat Pan
- √ Swing Away Knee Aductor
- √ Height Adjustable Stroller Handle
- ✓ Removable Stroller Handle
- ✓ Personalized Paint and Anodizing





1000 Creditstone Road, Unit 2 Concord, ON., Canada, L4K 4P8