



# Quickie GP/GPV - AADL W133P (Pediatric A Manual Wheelchair)

October 2024 EIGP70

Discount is 8%

Mark For: \_\_\_\_\_

Submitting for:  Quote  Order

PO#: \_\_\_\_\_



**5711- 104 St, Edmonton AB. T6H 2K1**  
**P: 780-437-3300 • Fax: 780-430-9381**  
**AADL Vendor: 0000612578-001**  
**www.medmobility.ca • www.mmrehab.ca**

### ADDITIONAL SHIPPING INFORMATION

Ship To: \_\_\_\_\_  
 Attention: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 Ship To City: \_\_\_\_\_ Prov. \_\_\_\_\_ PC: \_\_\_\_\_  
 Ship To Phone: ( ) \_\_\_\_\_ Fax: ( ) \_\_\_\_\_

| ✓ | Option # | Definition | Price | ✓ | Option # | Definition | Price |
|---|----------|------------|-------|---|----------|------------|-------|
|---|----------|------------|-------|---|----------|------------|-------|

### 1. FRAME

#### Base Model

|                          |         |                              |            |
|--------------------------|---------|------------------------------|------------|
| <input type="checkbox"/> | 024WM23 | Quickie GP-70°               | \$2,786.00 |
| <input type="checkbox"/> | 024WM23 | Quickie GPV-70° (NA 12"-13") | \$2,786.00 |

#### Frame Angle

|                          |        |                                      |    |
|--------------------------|--------|--------------------------------------|----|
| <input type="checkbox"/> | 024FA6 | 60° (N/A 18 ¼ and 19 ¼ frame length) | NC |
| <input type="checkbox"/> | 024FA7 | 70°                                  | NC |
| <input type="checkbox"/> | 024FA1 | 75° (N/A with rigid footrest)        | NC |
| <input type="checkbox"/> | 024FA8 | 80° (N/A with rigid footrest)        | NC |

### 2. SIZE / SEATING

#### Seat Width

Seat Width 1/2" Narrower

|                          |        |     |          |
|--------------------------|--------|-----|----------|
| <input type="checkbox"/> | 024W3  | 12" | NC       |
| <input type="checkbox"/> | 024W4  | 13" | NC       |
| <input type="checkbox"/> | 024W5  | 14" | NC       |
| <input type="checkbox"/> | 024W6  | 15" | NC       |
| <input type="checkbox"/> | 024W7  | 16" | NC       |
| <input type="checkbox"/> | 024W8  | 17" | NC       |
| <input type="checkbox"/> | 024W9  | 18" | NC       |
| <input type="checkbox"/> | 024W41 | 19" | \$303.00 |
| <input type="checkbox"/> | 024W11 | 20" | \$303.00 |
| <input type="checkbox"/> | 024W12 | 21" | \$303.00 |
| <input type="checkbox"/> | 024W13 | 22" | \$303.00 |

#### Frame Length

|                          |         |   |    |
|--------------------------|---------|---|----|
| <input type="checkbox"/> | 024FL30 | 18-1/4" (Avail. on 12" Sling Depth)         | NC |
| <input type="checkbox"/> | 024FL31 | 19-1/4" (Avail. on 13" Sling Depth)         | NC |
| <input type="checkbox"/> | 024FL32 | 20-1/4" (Avail. on 14",15" Sling Depth)     | NC |
| <input type="checkbox"/> | 024FL33 | 21-1/4" (Avail. on 14",15",16" Sling Depth) | NC |
| <input type="checkbox"/> | 024FL34 | 22-1/4" (Avail. on 16",17" Sling Depth)     | NC |
| <input type="checkbox"/> | 024FL35 | 23-1/4" (Avail. on 17",18" Sling Depth)     | NC |
| <input type="checkbox"/> | 024FL36 | 24-1/4" (Avail. on 18" Sling Depth)         | NC |
| <input type="checkbox"/> | 024FL37 | 25-1/4" (Avail. on 19" Sling Depth)         | NC |
| <input type="checkbox"/> | 024FL38 | 26-1/4" (Avail. on 20" Sling Depth)         | NC |
| <input type="checkbox"/> | 024FL39 | 27-1/4" (Avail. on 21" Sling Depth)         | NC |
| <input type="checkbox"/> | 024FL40 | 28-1/4" (Avail. on 22" Sling Depth)         | NC |

#### Seat Depth

21 & 22" seat depths only available with 16" or wider chairs

|                          |         |     |          |
|--------------------------|---------|-----|----------|
| <input type="checkbox"/> | 024SD5  | 12" | NC       |
| <input type="checkbox"/> | 024SD6  | 13" | NC       |
| <input type="checkbox"/> | 024SD7  | 14" | NC       |
| <input type="checkbox"/> | 024SD8  | 15" | NC       |
| <input type="checkbox"/> | 024SD9  | 16" | NC       |
| <input type="checkbox"/> | 024SD10 | 17" | NC       |
| <input type="checkbox"/> | 024SD11 | 18" | NC       |
| <input type="checkbox"/> | 024SD72 | 19" | \$303.00 |
| <input type="checkbox"/> | 024SD13 | 20" | \$303.00 |
| <input type="checkbox"/> | 024SD14 | 21" | \$303.00 |
| <input type="checkbox"/> | 024SD33 | 22" | \$303.00 |

#### Frame Height

See Appendix 11 for height chart. Short frame N/A w/Xtender

|                          |        |   |          |
|--------------------------|--------|---|----------|
| <input type="checkbox"/> | 024FH2 | Short (front 9.25"-rear 8.25")<br>N/A with Xtender Power Assist | \$227.00 |
| <input type="checkbox"/> | 024FH5 | Standard (front 10" - rear 9")                                  | NC       |
| <input type="checkbox"/> | 024FH7 | Tall (front 11" - rear 10")                                     | \$227.00 |

#### Cushion

|                          |        |                             |         |
|--------------------------|--------|-----------------------------|---------|
| <input type="checkbox"/> | 024CU9 | Reinforced Seat Sling       | \$52.00 |
| <input type="checkbox"/> | 024CU2 | Omit Cushion                | NC      |
| <input type="checkbox"/> | 024CU4 | Omit Cushion and Seat Sling | NC      |

#### JAY Bundled Cushions - Optional

To order any JAY cushions on-chair, please see JAY Price List. Cushion name or part number must be filled out with desired width & depth.

|                          |         |   |            |
|--------------------------|---------|---|------------|
| <input type="checkbox"/> | 024JC20 | JAY Bundled Cushion<br>Cushion Name or Part #: _____<br>Width: _____ Depth: _____ | Price List |
|--------------------------|---------|---|------------|

| ✓ | Option # | Definition | Price | ✓ | Option # | Definition | Price |
|---|----------|------------|-------|---|----------|------------|-------|
|---|----------|------------|-------|---|----------|------------|-------|

### 3. CASTERS

| Caster Wheels            |         |  |          |
|--------------------------|---------|--|----------|
| <input type="checkbox"/> | 024CW1  | 3" Micro   | NC       |
| <input type="checkbox"/> | 024CW3  | 4" Low Profile Polyurethane  | NC       |
| <input type="checkbox"/> | 024CW31 | 4" Micro Lighted   | \$108.00 |
| <input type="checkbox"/> | 024CW6  | 5" Soft Roll Semi-Pneumatic  | \$124.00 |
| <input type="checkbox"/> | 024CW5  | 5" Low Profile Polyurethane  | NC       |
| <input type="checkbox"/> | 024CW7  | 5" x 1.5" Semi-Pneumatic <i>only avail. For use in bottom fork holes</i> | \$108.00 |
| <input type="checkbox"/> | 024CW33 | 6" Pneumatic   | \$108.00 |
| <input type="checkbox"/> | 024CW34 | 6" Polyurethane  | NC       |
| <input type="checkbox"/> | 024CW35 | 6" x 1.5" Semi-Pneumatic <i>only avail. For use in bottom fork holes</i> | \$108.00 |
| <input type="checkbox"/> | 024CW21 | 8" Pneumatic<br><i>Only available on 60° frame option</i>                | \$144.00 |

| Caster Wheels - Continued |         |   |          |
|---------------------------|---------|---|----------|
| <input type="checkbox"/>  | 024CW32 | 8" Polyurethane<br><i>Only available on 60° frame option</i>                    | NC       |
| <input type="checkbox"/>  | 024CW36 | 8" x 2" Pneumatic<br><i>Only available on 60° frame option</i>                  | \$243.00 |
| <input type="checkbox"/>  | 024CW37 | 8" x 2" Pneumatic w/Airless Insert<br><i>Only available on 60° frame option</i> | \$387.00 |

| Caster Fork              |        |                              |          |
|--------------------------|--------|------------------------------|----------|
| <input type="checkbox"/> | 024CS5 | 3/4" Longer Fork Stem Bolt   | NC       |
| <input type="checkbox"/> | 024CS9 | 1-1/2" Longer Fork Stem Bolt | NC       |
| <input type="checkbox"/> | 024CS3 | Caster Pin Locks             | \$150.00 |

### 4. REAR WHEELS

| Xtender Power Assist   |        |  |             |
|--|--------|--|-------------|
| <i>RSH 15"-19" with 22" wheels, RSH 16"-20" with 24" wheels. Spare batteries must match set up. Anti-Tips included. Dual Drive mode available w/B4ME</i> |        |  |             |
| <input type="checkbox"/>   | 024XT6 | 22" Xtender Power Assist JWX-2<br><b>NICKEL</b>  | \$9,848.00  |
| <input type="checkbox"/>   | 024XT7 | 22" Xtender Power Assist JWX-2<br><b>LITHIUM</b> | \$11,433.00 |
| <input type="checkbox"/>   | 024XT4 | 24" Xtender Power Assist JWX-2<br><b>NICKEL</b>  | \$9,848.00  |
| <input type="checkbox"/>   | 024XT5 | 24" Xtender Power Assist JWX-2<br><b>LITHIUM</b> | \$11,433.00 |
| <i>Please select one of the following handrim options</i>  |        |  |             |
| <input type="checkbox"/>   | 024XH5 | Plastic Coated                                   | NC          |
| <input type="checkbox"/>   | 024XH6 | Stainless Steel                                  | NC          |

| Rear Wheel Tire          |        |  |          |
|--------------------------|--------|--|----------|
| <input type="checkbox"/> | 024RT1 | Pneumatic  | NC       |
| <input type="checkbox"/> | 024RT2 | Pneumatic Airless Insert<br><i>N/A with 26" wheels &amp; Xtender</i> | \$243.00 |
| <input type="checkbox"/> | 024RT3 | Full Poly<br><i>N/A with 26" wheels</i>                              | NC       |
| <input type="checkbox"/> | 024RT6 | High-Pressure Clincher   | \$103.00 |

| Hand Rim                 |        |   |          |
|--------------------------|--------|---|----------|
| <input type="checkbox"/> | 024HR1 | Aluminum Anodized                       | NC       |
| <input type="checkbox"/> | 024HR4 | Plastic Coated - <i>N/A on all rims</i> | \$144.00 |
| <input type="checkbox"/> | 024HR7 | Omit Hand Rim                           | NC       |

| Xtender - Other Options  |         |                                   |            |
|--------------------------|---------|-----------------------------------|------------|
| <input type="checkbox"/> | 024XA10 | Spare NiMH Power Pack - NICKEL    | \$1,897.00 |
| <input type="checkbox"/> | 024XA11 | Spare Li-ion Power Pack - LITHIUM | \$2,442.00 |

| Projection Hand Rim  |        |                     |          |
|--|--------|---------------------|----------|
| <i>Projections N/A w/ plastic coated handrims. N/A w/ Spoke guards</i> |        |                     |          |
| <input type="checkbox"/>   | 024HR8 | 8 Oblique (24"/26") | \$144.00 |

| Rear Wheel Size   |         |  |          |
|---|---------|--|----------|
| <i>Spinergy N/A w/ Xtender, spoke guards. Contact Built 4 Me for Spinergy Color Options</i> |         |  |          |
| <input type="checkbox"/>  | 024RW8  | 22" Mag  | NC       |
| <input type="checkbox"/>  | 024RW9  | 22" Spoke  | \$315.00 |
| <input type="checkbox"/>  | 024RW1  | 24" Mag  | NC       |
| <input type="checkbox"/>  | 024RW2  | 24" Spoke  | NC       |
| <input type="checkbox"/>  | 024RW11 | 26" Spoke ( <i>N/A with Xtender Power Assist</i> )     | \$88.00  |
| <input type="checkbox"/>  | 024RW42 | 24" Spinergy (540) SPOX Black                          | \$851.00 |
| <input type="checkbox"/>  | 024RR25 | Omit Rear Wheel and Axle<br>Intended Size for Set Up : | NC       |

| Axle                     |         |                     |          |
|--------------------------|---------|---------------------|----------|
| <input type="checkbox"/> | 024AX1  | Quick Release Steel | NC       |
| <input type="checkbox"/> | 024AX11 | Quad Quick Release  | \$179.00 |

| Axle Plate               |         |   |          |
|--------------------------|---------|---|----------|
| <input type="checkbox"/> | 024AL2  | Standard Adjustable   | NC       |
| <input type="checkbox"/> | 024AL13 | Double Slotted Adjustable   | NC       |
| <input type="checkbox"/> | 024AL6  | Amputee Adjustable <i>N/A with padded swing-away armrests or stroller handles</i> | \$144.00 |

### 5. WHEEL LOCKS

| Wheel Lock               |         |   |    |
|--------------------------|---------|---|----|
| <input type="checkbox"/> | 024WL1  | High Mount Push   | NC |
| <input type="checkbox"/> | 024WL2  | High Mount Pull   | NC |
| <input type="checkbox"/> | 024WL5  | High Mount Scissor <i>N/A w/ extension handles, grade aides</i> | NC |
| <input type="checkbox"/> | 024WL12 | Do Not Mount Wheel Locks  | NC |
| <input type="checkbox"/> | 024WL10 | Omit  | NC |

| Extension Handle         |        |         |         |
|--------------------------|--------|---------|---------|
| <input type="checkbox"/> | 024EH1 | 6" Pair | \$72.00 |

| Grade Aid                |        |  |          |
|--------------------------|--------|--|----------|
| <input type="checkbox"/> | 024GA1 | Grade Aid <i>N/A w/ poly, high-pressure clincher tires, or Xtender</i> | \$155.00 |

**6. FOOTREST**

| Footplates  |        |   |          |
|---|--------|---|----------|
| <i>Heel loop or leg strap not included, See Footplate Options Section</i> |        |   |          |
| 1. GP FOOTREST OPTIONS  |        |   |          |
| <input type="checkbox"/>  | 024F56 | Rigid <i>N/A w/ Ext. Tubes; N/A with 75° or 80° frame angle</i> | NC       |
| <input type="checkbox"/>  | 024F50 | Platform <i>N/A w/ Ext. Tubes</i>                               | \$150.00 |
| <input type="checkbox"/>  | 024F1  | Composite Footplate   | NC       |
| <input type="checkbox"/>  | 024F3  | Adult Angle Adj.  | \$173.00 |
| <input type="checkbox"/>  | 024F48 | Platform Flip Up  | \$227.00 |
| 2. GPV FOOTREST OPTIONS   |        |   |          |
| <input type="checkbox"/>  | 024F56 | Rigid <i>N/A w/ Ext. Tubes; N/A with 75° or 80° frame angle</i> | NC       |
| <input type="checkbox"/>  | 024F50 | Platform <i>N/A w/ Ext. Tubes</i>                               | \$150.00 |
| <input type="checkbox"/>  | 024F48 | Platform Flip Up  | \$227.00 |

| Footrest Extension Tubes |        |  |         |
|--------------------------|--------|--|---------|
| <input type="checkbox"/> | 024E1  | Short (14" to 16-1/2")   | NC      |
| <input type="checkbox"/> | 024E2  | Medium (16-1/2" to 19")  | NC      |
| <input type="checkbox"/> | 024E5  | Long (19" to 21-1/2")  | NC      |
| <input type="checkbox"/> | 024E16 | High Mount <i>Only avail. with adult angle adjustable footplates</i> | \$96.00 |

| Footplate Options (Ext Tube & Direct Mount) |        |                           |         |
|---|--------|---------------------------|---------|
| <input type="checkbox"/>                    | 024HL1 | Heel Loop                 | NC      |
| <input type="checkbox"/>                    | 024HL5 | Leg Strap                 | NC      |
| <input type="checkbox"/>                    | 024HL4 | Omit Heel Loop            | NC      |
| <input type="checkbox"/>                    | 024HL6 | Omit Leg Strap            | NC      |
| <input type="checkbox"/>                    | 024F7  | Omit Footplate & Ext Tube | NC      |
| <input type="checkbox"/>                    | 024IG2 | Impact Guard Neoprene     | \$60.00 |

**7. BACKREST**

| Back Type                |        |  |          |
|--------------------------|--------|--|----------|
| <input type="checkbox"/> | 024BT3 | <b>Non-Folding Backrest (Fixed)</b><br><i>N/A with push handles or adj. upholstery</i> |          |
| <input type="checkbox"/> | 024BB1 | 8" Back Height   | NC       |
| <input type="checkbox"/> | 024BB2 | 9" Back Height   | NC       |
| <input type="checkbox"/> | 024BB3 | 10" Back Height  | NC       |
| <input type="checkbox"/> | 024BB4 | 11" Back Height  | NC       |
| <input type="checkbox"/> | 024BB5 | 12" Back Height  | NC       |
| <input type="checkbox"/> | 024BB6 | 13" Back Height  | NC       |
| <input type="checkbox"/> | 024BB7 | 14" Back Height  | NC       |
| <input type="checkbox"/> | 024BB8 | 15" Back Height  | NC       |
| <input type="checkbox"/> | 024BB9 | 16" Back Height  | NC       |
| <input type="checkbox"/> | 024BT1 | <b>Folding Backrest (Adjustable)</b>   |          |
| <input type="checkbox"/> | 024BA1 | 11" - 14" Back Height  | \$119.00 |
| <input type="checkbox"/> | 024BA2 | 12" - 16" Back Height  | \$119.00 |
| <input type="checkbox"/> | 024BA3 | 14" - 18" Back Height  | \$119.00 |
| <input type="checkbox"/> | 024BA4 | 16" - 20" Back Height  | \$119.00 |

| Back Upholstery          |         |  |          |
|--------------------------|---------|--|----------|
| <input type="checkbox"/> | 024BU1  | Standard                                   | NC       |
| <input type="checkbox"/> | 024BU8  | Adjustable                                 | \$201.00 |
| <input type="checkbox"/> | 024BU16 | Reinforced <i>(N/A w/ adj. upholstery)</i> | \$52.00  |
| <input type="checkbox"/> | 024BU14 | Omit Back Upholstery                       | NC       |

| Backrest Options         |         |   |          |
|--------------------------|---------|---|----------|
| <input type="checkbox"/> | 024BT33 | Folding w/ Integral Push Handles                              | NC       |
| <input type="checkbox"/> | 024A85  | Bolt-On Push Handle (Folding only)                            | \$137.00 |
| <input type="checkbox"/> | 024SR2  | Regular Stroller Handle<br><i>N/A with amputee axle plate</i> | \$190.00 |
| <input type="checkbox"/> | 024SR3  | Tall Stroller Handle<br><i>N/A with amputee axle plate</i>    | \$190.00 |

| JAY Back (Optional)      |         |                                    |            |
|--------------------------|---------|------------------------------------|------------|
| <input type="checkbox"/> | 024JB01 | J3 Back <i>(See J3 Order Form)</i> | Price List |

**8. ARMREST / SIDEGUARDS**

| Single Post              |        |  |          |
|--------------------------|--------|--|----------|
| <input type="checkbox"/> | 024AA9 | <b>Single Post Ht. Adjust. Low</b><br><i>Must be removed to fold back down</i> | \$334.00 |
| <input type="checkbox"/> | 024AM1 | Desk Length - Classic (10")  | NC       |
| <input type="checkbox"/> | 024AM2 | Full Length - Classic (14")  | NC       |
| <input type="checkbox"/> | 024AA8 | <b>Single Post Ht. Adjust. Std</b><br><i>Must be removed to fold back down</i> | \$334.00 |
| <input type="checkbox"/> | 024AM1 | Desk Length - Classic (10")  | NC       |
| <input type="checkbox"/> | 024AM2 | Full Length - Classic (14")  | NC       |

| Padded Swing Away Armrest  |         |                   |          |
|--|---------|-------------------|----------|
| <i>All Padded Swing-Away N/A with amputee axle plate or Xtender Power Assist</i> |         |                   |          |
| <input type="checkbox"/>   | 024AA19 | Padded S-A Medium | \$309.00 |
| <input type="checkbox"/>   | 024AA16 | Padded S-A Adult  | \$309.00 |

| Side Guard               |        |                 |          |
|--------------------------|--------|-----------------|----------|
| <input type="checkbox"/> | 024SG3 | Plastic Regular | \$185.00 |
| <input type="checkbox"/> | 024SG4 | Plastic Kids    | \$185.00 |

**9. KEY OPTIONS AND ACCESSORIES**

| Rear Anti-Tip            |        |               |          |
|--------------------------|--------|---------------|----------|
| <input type="checkbox"/> | 024AT1 | Rear Anti-Tip | \$119.00 |

| Backpack                 |       |                             |          |
|--------------------------|-------|-----------------------------|----------|
| <input type="checkbox"/> | 024A1 | Quickie Backpack Black      | \$110.00 |
| <input type="checkbox"/> | 024A2 | Quickie Kids Backpack Black | \$103.00 |

| Seat Pouch               |       |                          |         |
|--------------------------|-------|--------------------------|---------|
| <input type="checkbox"/> | 024A8 | Quickie Seat Pouch Black | \$82.00 |

| Positioning Belts        |         |                                     |          |
|--------------------------|---------|-------------------------------------|----------|
| <input type="checkbox"/> | 024A142 | Belt 1.5" Auto Buckle w/Clamps      | \$96.00  |
| <input type="checkbox"/> | 024A12  | Belt 2" Aircraft Buckle w/Clamps    | \$137.00 |
| <input type="checkbox"/> | 024A13  | Belt 2" Aircraft Buckle Pad w/Clamp | \$201.00 |

| Spoke Guards   |        |                    |          |
|--|--------|--------------------|----------|
| <i>N/A w/ Xtender Power Assist; Only available w/ Mag and Spoke wheels</i> |        |                    |          |
| <input type="checkbox"/>   | 024A23 | Black Spoke Guards | \$155.00 |
| <input type="checkbox"/>   | 024A24 | Clear Spoke Guards | \$155.00 |

| Crutch Holder            |        |            |          |
|--------------------------|--------|------------|----------|
| <input type="checkbox"/> | 024A53 | Left Side  | \$113.00 |
| <input type="checkbox"/> | 024A52 | Right Side | \$113.00 |

| Extra Leg Strap          |        |                       |         |
|--------------------------|--------|-----------------------|---------|
| <input type="checkbox"/> | 024A55 | Extra Leg Strap Black | \$60.00 |

| Miscellaneous            |         |                               |         |
|--------------------------|---------|-------------------------------|---------|
| <input type="checkbox"/> | 024A83  | Tool Kit                      | \$42.00 |
| <input type="checkbox"/> | 024A999 | Quickie Water Bottle & Holder | \$80.00 |

| Tray Table               |        |            |          |
|--------------------------|--------|------------|----------|
| <input type="checkbox"/> | 024A31 | Tray Table | \$375.00 |

**10. COLOR**

| Standard Frame Colors    |         |                                   |    |
|--------------------------|---------|-----------------------------------|----|
| <input type="checkbox"/> | 024C140 | Aztec Gold                        | NC |
| <input type="checkbox"/> | 024C2   | Black (Not avail as base w/Zebra) | NC |
| <input type="checkbox"/> | 024C141 | Black Cherry                      | NC |
| <input type="checkbox"/> | 024C10  | Black Opal                        | NC |
| <input type="checkbox"/> | 024C38  | Blue Opal                         | NC |
| <input type="checkbox"/> | 024C36  | Candy Blue                        | NC |
| <input type="checkbox"/> | 024C14  | Candy Purple                      | NC |
| <input type="checkbox"/> | 024C35  | Candy Red                         | NC |
| <input type="checkbox"/> | 024C142 | Electric Blue                     | NC |
| <input type="checkbox"/> | 024C143 | Evergreen                         | NC |
| <input type="checkbox"/> | 024C126 | Glow                              | NC |
| <input type="checkbox"/> | 024C144 | Green Apple                       | NC |
| <input type="checkbox"/> | 024C147 | Hot Sparkle Pink                  | NC |
| <input type="checkbox"/> | 024C148 | Mauve Pink                        | NC |
| <input type="checkbox"/> | 024C103 | Rootbeer                          | NC |
| <input type="checkbox"/> | 024C114 | Sparkle Silver                    | NC |
| <input type="checkbox"/> | 024C145 | Sunrise Orange                    | NC |
| <input type="checkbox"/> | 024C113 | Titanium Color Paint              | NC |
| <input type="checkbox"/> | 024C8   | Yellow                            | NC |

| Matte Frame Colors       |         |                     |    |
|--------------------------|---------|---------------------|----|
| <input type="checkbox"/> | 024C116 | Matte Black         | NC |
| <input type="checkbox"/> | 024C151 | Matte Black Cherry  | NC |
| <input type="checkbox"/> | 024C150 | Matte Electric Blue | NC |
| <input type="checkbox"/> | 024C149 | Matte Evergreen     | NC |
| <input type="checkbox"/> | 024C152 | Matte Purple        | NC |

| Personalized Frame Color |         |   |          |
|--------------------------|---------|---|----------|
| <input type="checkbox"/> | 024C112 | Desert Camouflage   | \$363.00 |
| <input type="checkbox"/> | 024C43  | Mossy Oak Camouflage  | \$363.00 |
| <input type="checkbox"/> | 024C42  | Stars & Stripes   | \$363.00 |
| <input type="checkbox"/> | 024C108 | Zebra (Choose above base color) Std with White unless above base paint is chosen N/A w/ Black, Matte Black, Black Opal or Titanium. | \$363.00 |

**11. APPENDIX**

**GP Series Rear STF Chart**

\*All measurements given are an estimate and have been rounded to the nearest .5"

| SHORT Frame (9 1/4" Front / 8 1/4" Rear) |                         |                | Rear Axle Plate Hole Position |        |        |          |        |        |
|--|-------------------------|----------------|-------------------------------|--------|--------|----------|--------|--------|
| Wheel                                    | Rim                     | Tire           | Standard                      |        |        | Inverted |        |        |
|  |                         |                | Top                           | Middle | Bottom | Top      | Middle | Bottom |
| 22"                                      | Mag / Spoke             | Full Poly      | 14.5                          | 15     | 15.5   | 16       | 16.5   | 17     |
| 22"                                      | Mag / Spoke             | Pneum / Insert | 14.5                          | 15     | 16     | 16       | 17     | 17.5   |
| 24"                                      | Mag / Spoke             | Full Poly      | 15                            | 15.5   | 16.5   | 16.5     | 17     | 17.5   |
| 24"                                      | Spoke / Spinerger       | Clincher       | 15                            | 16     | 16.5   | 16.5     | 17     | 18     |
| 24"                                      | Mag / Spoke / Spinerger | Pneum / Insert | 15.5                          | 16     | 17     | 17       | 17.5   | 18     |
| 26"                                      | Spoke / Spinerger       | Clincher       | 16                            | 17     | 17.5   | 17.5     | 18     | 19     |
| 26"                                      | Spoke / Spinerger       | Pneumatic      | 16.5                          | 17     | 17.5   | 18       | 18.5   | 19     |

| TALL Frame (11" Front / 10" Rear) |                         |                | Rear Axle Plate Hole Position |        |        |          |        |        |
|-----------------------------------|-------------------------|----------------|-------------------------------|--------|--------|----------|--------|--------|
| Wheel                             | Rim                     | Tire           | Standard                      |        |        | Inverted |        |        |
|                                   |                         |                | Top                           | Middle | Bottom | Top      | Middle | Bottom |
| 22"                               | Mag / Spoke             | Full Poly      | 16                            | 16.5   | 17.5   | 17.5     | 18     | 19     |
| 22"                               | Mag / Spoke             | Pneum / Insert | 16.5                          | 17     | 17.5   | 18       | 18.5   | 19     |
| 24"                               | Mag / Spoke             | Full Poly      | 17                            | 17.5   | 18     | 18.5     | 18.5   | 19.5   |
| 24"                               | Spoke / Spinerger       | Clincher       | 17                            | 17.5   | 18     | 18.5     | 19     | 19.5   |
| 24"                               | Mag / Spoke / Spinerger | Pneum / Insert | 17                            | 17.5   | 18.5   | 19       | 19     | 20     |
| 26"                               | Spoke                   | Clincher       | 18                            | 18.5   | 19     | 19.5     | 20     | 20.5   |
| 26"                               | Spoke                   | Pneumatic      | 18                            | 19     | 19.5   | 19.5     | 20     | 21     |


| STANDARD Frame (10" Front / 9" Rear) |                         |                | Rear Axle Plate Hole Position |        |        |          |        |        |
|--------------------------------------|-------------------------|----------------|-------------------------------|--------|--------|----------|--------|--------|
| Wheel                                | Rim                     | Tire           | Standard                      |        |        | Inverted |        |        |
|                                      |                         |                | Top                           | Middle | Bottom | Top      | Middle | Bottom |
| 22"                                  | Mag / Spoke             | Full Poly      | 15                            | 15.5   | 16.5   | 16.5     | 17.5   | 18     |
| 22"                                  | Mag / Spoke             | Pneum / Insert | 15.5                          | 16     | 17     | 17       | 17.5   | 18     |
| 24"                                  | Mag / Spoke             | Full Poly      | 16                            | 16.5   | 17     | 17       | 18     | 18.5   |
| 24"                                  | Spoke / Spinerger       | Clincher       | 16                            | 16.5   | 17     | 17.5     | 18     | 18.5   |
| 24"                                  | Mag / Spoke / Spinerger | Pneum / Insert | 16                            | 16.5   | 17.5   | 17.5     | 18     | 18.5   |
| 26"                                  | Spoke / Spinerger       | Clincher       | 17                            | 17.5   | 18     | 18.5     | 19     | 19.5   |
| 26"                                  | Spoke / Spinerger       | Pneumatic      | 17                            | 18     | 18.5   | 18.5     | 19.5   | 20     |

Maximum Dump 2 3/4"  
 \*\*\* Custom Frame Height Through Configurator - REAR 6 1/2 - 13" (Max frame squeeze = 3 1/2") Calculate Accordingly

**GP Series Front STF Chart**

\*All measurements given are an estimate and have been rounded to the nearest .5"

Frame Dimensions



| SHORT Frame (9 1/4" Front / 8 1/4" Rear) |        |           | 3"         | 4" Poly  | 5" Poly      | 6" Poly  | 6" Pneu | 8" Poly | 8" Pneu | 8x2   |
|--|--------|-----------|------------|----------|--------------|----------|---------|---------|---------|-------|
| Fork                                     | Spacer | Fork Hole | 4" Lighted | 5" x 1.5 | 5" Soft Roll | 6" x 1.5 |         |         |         |       |
| 4 1/4"                                   | STD    | Bottom    | 15.50      | 16.00    | 16.50        | 17.00    | 17.00   | x       | x       | x     |
| 4 1/4"                                   | 3/4    | Bottom    | 16.50      | 17.00    | 17.00        | 17.50    | 18.00   | x       | x       | x     |
| 4 1/4"                                   | 1 1/2  | Bottom    | 17.00      | 17.50    | 18.00        | 18.50    | 18.50   | x       | x       | x     |
| 5 1/4"                                   | STD    | Top       | x          | x        | 16.50        | 17.00    | 17.00   | x       | x       | x     |
| 5 1/4"                                   | STD    | Bottom    | 16.50      | 17.00    | 17.5         | 18.00    | 18.00   | 19.00   | 20.5    | x     |
| 5 1/4"                                   | 3/4    | Top       | x          | x        | 17.50        | 18.00    | 18.00   | x       | x       | x     |
| 5 1/4"                                   | 3/4    | Bottom    | 17.50      | 18.00    | 18.50        | 18.50    | 19.00   | 19.50   | 20.00   | x     |
| 5 1/4"                                   | 1 1/2  | Top       | x          | x        | 18.00        | 18.50    | 18.50   | x       | x       | x     |
| 5 1/4"                                   | 1 1/2  | Bottom    | 18.00      | 18.50    | 19.00        | 19.50    | 19.50   | 20.50   | 20.50   | x     |
| 6  | STD    | Top       | x          | x        | 17.50        | 18.00    | 18.00   | 18.50   | 19.00   | x     |
| 6  | STD    | Bottom    | 17.50      | 18.00    | 18.50        | 19.00    | 19.00   | 19.50   | 20.00   | x     |
| 6  | 3/4    | Top       | x          | x        | 18.00        | 18.50    | 18.50   | 19.50   | 19.50   | x     |
| 6  | 3/4    | Bottom    | 18.00      | 18.50    | 19.00        | 19.50    | 19.50   | 20.50   | 20.50   | x     |
| 6  | 1 1/2  | Top       | x          | x        | 19.00        | 19.50    | 19.50   | 20.00   | 20.50   | x     |
| 6  | 1 1/2  | Bottom    | 19.00      | 19.50    | 20.00        | 20.50    | 20.50   | 21.00   | 21.50   | x     |
| 7  | STD    | Top       | x          | x        | 18.50        | 19.00    | 19.00   | 19.50   | 20.00   | x     |
| 7  | STD    | Bottom    | 18.50      | 19.00    | 19.50        | 20.00    | 20.00   | 20.50   | 21.00   | x     |
| 7  | 3/4    | Top       | x          | x        | 19.00        | 19.50    | 19.50   | 20.50   | 20.50   | x     |
| 7  | 3/4    | Bottom    | 19.00      | 19.50    | 20.00        | 20.50    | 20.50   | 21.50   | 21.50   | x     |
| 7  | 1 1/2  | Top       | x          | x        | 20.00        | 20.50    | 20.50   | 21.00   | 21.50   | x     |
| 7  | 1 1/2  | Bottom    | 20.00      | 20.50    | 21.00        | 21.00    | 21.50   | 22.00   | 22.50   | x     |
| 8x2                                      | STD    | Top       | x          | x        | x            | x        | x       | x       | x       | 19.00 |
| 8x2                                      | STD    | Bottom    | x          | x        | x            | x        | x       | x       | x       | 20.00 |
| 8x2                                      | 3/4    | Top       | x          | x        | x            | x        | x       | x       | x       | 19.50 |
| 8x2                                      | 3/4    | Bottom    | x          | x        | x            | x        | x       | x       | x       | 20.50 |
| 8x2                                      | 1 1/2  | Top       | x          | x        | x            | x        | x       | x       | x       | 20.50 |
| 8x2                                      | 1 1/2  | Bottom    | x          | x        | x            | x        | x       | x       | x       | 21.00 |

STANDARD Frame (10" Front / 9" Rear) ADD 3/4" to each measurement above  
 TALL Frame (11" Front / 10" Rear) ADD 1 3/4" to each measurement above

\*\*\* Custom Frame Height through Configurator - Front 9 - 13" - Calculate Accordingly (Minimum Front STF = 15 1/2" / Max = 26")

